



**FIRST COOPERATIVE PURCHASING
AGREEMENT
BETWEEN CITY OF GOODYEAR
AND
HUGHES FIRE EQUIPMENT
CON-20-5089**

PROCUREMENT OFFICE
190 N. Litchfield Road
P.O. Box 5100
Goodyear, AZ 85338
Phone: 623-882-7834

THIS FIRST COOPERATIVE PURCHASING AGREEMENT ("Agreement") is entered into by and between the City of Goodyear, an Arizona municipal corporation ("City") and Hughes Fire Equipment, an Oregon corporation ("Contractor"). City and Contractor will collectively be referred to as the "Parties" and individually as a "Party".

RECITALS

WHEREAS, after completing a competitive procurement process, the Houston Galveston Area Council ("HGAC") entered into Contract No. FS12-17, effective December 1, 2017 with HGAC Contract" with the Contractor to provide Fire Service Apparatus (All Types). A copy of the HGAC Contract is attached hereto as **Exhibit A** and incorporated herein by reference.

WHEREAS, the City is permitted, pursuant to § 3-4-9 of the City of Goodyear Code and § R3-4-9.01 of the City of Goodyear Procurement Regulations, to purchase materials, services or construction under the H-GAC Contract, at its discretion, and the H-GAC Contract permits its cooperative use by other political subdivisions, pursuant to HGAC Buy, cooperative purchasing program form of Exhibit A.

WHEREAS, the City and the Contractor desire to enter into this Agreement for the purpose of (i) acknowledging a cooperative contractual relationship under the HGAC Contract, (ii) establishing the terms and conditions by which the Contractor may provide the City Fire Service Apparatus (All Types), as more particularly set forth in Section 2 below ("Order"), and (iii) setting the aggregate amount to be expended pursuant to this Agreement.

AGREEMENT

NOW, THEREFORE, in consideration of the foregoing recitals, which are incorporated herein by reference, the following mutual covenants and conditions, and any other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the City and the Contractor agree as follows:

1. Term of Agreement. This Agreement shall be effective as of the date last signed below and shall remain in full force and effect until November 30, 2019. Pursuant to Contract Term, page 36, this contract may be extended or renewed upon mutual agreement of the Contractor and HGAC. The City has no obligation to extend or renew this contract, and any decision to do so is at the sole discretion of the City.
2. Agreement. The Contractor shall provide Fire Service Apparatus (All Types), as agreed to by the Parties consistent with the Fire Service Apparatus (All Types) Contract. For the purpose of this Agreement and the Order provided by the Contractor, the City is the Eligible Agency or Member (as such term is defined under the HGAC Contract) and is afforded all of the rights and responsibilities as the Eligible Agency or Member under the HGAC Contract.

3. Compensation. The City shall pay Contractor an aggregate amount not to exceed Purchase Order(s) at the rates as set forth in the HGAC Contract.
4. Payments. The City shall pay the Contractor monthly based upon the work performed and completed to date, and upon submission and approval of invoices. Each invoice shall (i) contain a reference to this Agreement and the HGAC Contract, and (ii) document and itemize all work completed to date. The invoice statement shall include a record of time expended and work performed in sufficient detail to justify payment. Additionally, invoices submitted without referencing both this Agreement and the HGAC Contract will be subject to rejection and may be returned.
5. Conflict of Interest. This Agreement is subject to cancellation by the City pursuant to A.R.S. § 38-511.
6. Applicable Law; Venue. In the performance of this Agreement, Contractor shall abide by and conform to any and all laws of the United States, the State of Arizona and the City of Goodyear, including but not limited to, federal and state executive orders providing for equal employment and procurement opportunities, the Federal Occupational Safety and Health Act and any other federal, state and local laws, rules and regulations applicable to this Agreement. This Agreement shall be deemed to be made under, shall be construed in accordance with, and shall be governed by the laws of the State of Arizona without regard to conflicts or choice of law provisions. Any action arising out of this Agreement shall be commenced and maintained in the Superior Court of the State of Arizona in and for the County of Maricopa.
7. Conflicting Terms. In the event of any inconsistency, conflict or ambiguity among the terms of this Agreement, invoices and/or the HGAC Contract, the documents shall govern in the order listed herein. Notwithstanding the foregoing, and in conformity with Section 2 above, unauthorized exceptions, conditions, limitations or provisions in conflict with the terms of this Agreement or the HGAC Contract (collectively, "Unauthorized Conditions"), other than the City's project-specific requirements, are expressly declared void and shall be of no force and effect. Acceptance by the City of any of the unauthorized conditions or failure to demand full compliance with the terms and conditions set forth in this Agreement or under the HGAC Contract shall not alter or relieve Contractor from, nor be construed or deemed a waiver of, its requirements and obligations in the performance of this Agreement.
8. Indemnification; Insurance. To the extent provided under the HGAC Contract, the City shall be afforded all of the rights, privileges, insurance coverage and indemnifications afforded to HGAC Contract, and such rights, privileges, insurance coverage and indemnifications shall inure and apply with equal effect to the City under this Agreement including, but not limited to the Contractor's obligation to provide the indemnification and insurance. In any event, the Contractor shall indemnify, defend and hold harmless the City and each council member, officer, employee or agent thereof (the City and any such person being herein called an "Indemnified Party"), for, from and against any and all losses, claims, damages, liabilities, costs and expenses (including, but not limited to, reasonable attorneys' fees, court costs and the cost of appellate proceedings) to which any such Indemnified Party may become subject, under any theory of liability whatsoever ("Claims"), insofar as such Claims (or actions in respect thereof) relate to, arise out of, or are caused by, in whole or in part, or based upon the negligent acts, intentional misconduct, errors,

mistakes or omissions, in connection with the work or services of the Contractor, its officers, employees, agents, or any tier of subcontractor in the performance of this Agreement.

9. Termination for Convenience: City at any time and for any reason and without cause may terminate, suspend or abandon any portion, or all, of this Contract at City's convenience. In the event that the City terminates, suspends or abandons any part of the services, the City shall provide notice to the Contractor. Upon receipt of notice, the Contractor shall, unless the notice directs otherwise, immediately discontinue further services and placing of orders for materials, facilities and supplies in connection with the performance of this Agreement.

The Contractor shall appraise the services completed prior to receiving notice of the termination, abandonment or suspension and deliver to the City all drawings, special provisions, field survey notes, reports, estimates and any and all other documents or work product generated by the Contractor under the contract, entirely or partially completed, together with all unused materials supplied by the City.

In the event of termination, abandonment or suspension, Contractor shall be paid for services satisfactorily performed prior to receipt of such notice including reimbursable expenses then incurred. However, in no event shall the fee exceed that set forth in Section 9 of this Contract. Contractor shall not be entitled to any claim or claim of lien against City for any additional compensation or damages in the event of such termination and payment.

The City shall make final payment within thirty (30) days after the Contractor has fully complied with the provisions of Section 9 and Contractor submits a correct and approved final invoice for the fee that has been agreed to by the Parties.

Any attempt to represent any material and/or service not specifically awarded as being under contract with the City of Goodyear is a violation of the contract and the City of Goodyear Procurement Code. Any such action is subject to the legal and contractual remedies available to the City inclusive of, but not limited to, contract cancellation, suspension and/or debarment of the Contractor.

10. Continuation of Services – Israel: Contractor certifies that it is not currently engaged in, and agrees for the duration of this Contract that it will not engage in a boycott of Israel, as that term is defined in A.R.S. § 35-393.

IN WITNESS WHEREOF, the person signing this Agreement below, warrants that they have full authority to do so and that their signatures shall bind the parties for which they sign.

CITY OF GOODYEAR

By: _____

Jacque Behrens, CPPB

Title: Procurement Manager

Date: _____

8/22/19

HUGHES FIRE EQUIPMENT, INC.

By: _____

Name

Rex Hughes

Title: _____

President

Date: _____

August 14, 2019

ATTEST


By: _____

Darcie McCracken, City Clerk

APPROVED AS TO FORM

By: _____

Roric Massey, City Attorney



ARTICLE 20:**LIQUIDATED DAMAGES**

Any liquidated damages terms will be determined between **CONTRACTOR** and **END USER** at the time **END USER's** purchase order is placed.

ARTICLE 21:**PERFORMANCE AND PAYMENT BOND FOR INDIVIDUAL ORDERS**

H-GAC's contractual requirements DO NOT include a Performance & Payment Bond (PPB), and offered pricing should reflect this cost saving. However, **CONTRACTOR** must be prepared to offer a PPB to cover any specific order if so requested by **END USER**. **CONTRACTOR** shall quote a price to **END USER** for provision of any requested PPB, and agrees to furnish the PPB within ten business (10) days of receipt of **END USER's** purchase order.

ARTICLE 22:**CHANGE OF CONTRACTOR STATUS**

CONTRACTOR shall immediately notify **H-GAC**, in writing, of **ANY** change in ownership, control, dealership/franchisee status, Motor Vehicle license status, or name, and shall also advise whether or not this Contract shall be affected in any way by such change. **H-GAC** shall have the right to determine whether or not such change is acceptable, and to determine what action shall be warranted, up to and including cancellation of Contract.

ARTICLE 23:**LICENSING REQUIRED BY TEXAS MOTOR VEHICLE BOARD /IF APPLICABLE/**

CONTRACTOR will for the duration of this Contract maintain current licenses that are required by the Texas Motor Vehicle Commission Code. If at any time during this Contract period, any **CONTRACTOR'S** license is not renewed, or is denied or revoked, **CONTRACTOR** shall be deemed to be in default of this Contract unless the Motor Vehicle Board issues a stay or waiver. Contractor shall promptly provide copies of all current applicable Texas Motor Vehicle Board documentation to **H-GAC** upon request.

IN WITNESS WHEREOF, the parties have caused this Contract to be executed by their duly authorized representatives.

Signed for Houston-Galveston
Area Council, Houston, Texas:


Jack Steele, Executive Director

Attest for Houston-Galveston
Area Council, Houston, Texas:


Chuck Wemple, Chief Operations Officer

Date: 10/26, 2017

Signed for Pierce Manufacturing Inc.
Appleton, Wisconsin:

Printed Name & Title: Michael E. Pack, Vice President, Finance

Date: Oct 20, 2017

Attest for Pierce Manufacturing Inc.
Appleton, Wisconsin:

Printed Name & Title: Sr. Sales Operations Manager Kristina Spang

Date: October 20, 2017

A CONTRACT BETWEEN
HOUSTON-GALVESTON AREA COUNCIL
Houston, Texas
AND
PIERCE MANUFACTURING INC.
Appleton, Wisconsin

This Contract is made and entered into by the **Houston-Galveston Area Council of Governments**, hereinafter referred to as **H-GAC**, having its principal place of business at 3555 Timmons Lane, Suite 120, Houston, Texas 77027, AND, **Pierce Manufacturing Inc.**, hereinafter referred to as the **CONTRACTOR**, having its principal place of business at 2600 American Drive, Appleton, Wisconsin 54914.

ARTICLE 1:**SCOPE OF SERVICES**

The parties have entered into a **Fire Service Apparatus (All Types)** Contract to become effective as of December 1, 2017, and to continue through November 30, 2019 (the "**Contract**"), subject to extension upon mutual agreement of the **CONTRACTOR** and **H-GAC**. **H-GAC** enters into the Contract as Agent for participating governmental agencies, each hereinafter referred to as **END USER**, for the purchase of **Fire Service Apparatus (All Types)** offered by the **CONTRACTOR** in states other than Texas. The **CONTRACTOR** agrees to sell **Fire Service Apparatus (All Types)** through the **H-GAC** Contract to **END USERS** in states other than Texas.

ARTICLE 2:**THE COMPLETE AGREEMENT**

The Contract shall consist of the documents identified below in order of precedence:

1. The text of this Contract form, including but not limited to, Attachment A
2. General Terms and Conditions
3. Bid Specifications No: **FS12-17**, including any relevant suffixes
4. **CONTRACTOR's** Response to Bid No: **FS12-17**, including but not limited to, prices and options offered

All of which are either attached hereto or incorporated by reference and hereby made a part of this Contract, and shall constitute the complete agreement between the parties hereto. This Contract supersedes any and all oral or written agreements between the parties relating to matters herein. Except as otherwise provided herein, this Contract cannot be modified without the written consent of both parties.

ARTICLE 3:**LEGAL AUTHORITY**

CONTRACTOR and **H-GAC** warrant and represent to each other that they have adequate legal counsel and authority to enter into this Contract. The governing bodies, where applicable, have authorized the signatory officials to enter into this Contract and bind the parties to the terms of this Contract and any subsequent amendments thereto.

ARTICLE 4:**APPLICABLE LAWS**

The parties agree to conduct all activities under this Contract in accordance with all applicable rules, regulations, directives, issuances, ordinances, and laws in effect or promulgated during the term of this Contract.

ARTICLE 5:**INDEPENDENT CONTRACTOR**

The execution of this Contract and the rendering of services prescribed by this Contract do not change the independent status of **H-GAC** or **CONTRACTOR**. No provision of this Contract or act of **H-GAC** in performance of this Contract shall be construed as making **CONTRACTOR** the agent, servant or employee of **H-GAC**, the State of Texas or the United States Government. Employees of **CONTRACTOR** are subject to the exclusive control and supervision of **CONTRACTOR**. **CONTRACTOR** is solely responsible for employee payrolls and claims arising therefrom.

ARTICLE 6:**END USER AGREEMENTS**

H-GAC acknowledges that the **END USER** may choose to enter into an End User Agreement with the **CONTRACTOR** through this Contract and that the term of said Agreement may exceed the term of the **H-GAC** Contract. However this acknowledgement is not to be construed as **H-GAC's** endorsement or approval of the End User Agreement terms and conditions. **CONTRACTOR** agrees not to offer to, agree to or accept from **END USER** any terms or conditions that conflict with or contravene those in **CONTRACTOR's** **H-GAC** contract. Further, termination of this Contract for any reason shall not result in the termination of the underlying End User Agreements entered into between **CONTRACTOR** and any **END USER** which shall, in each instance, continue pursuant to their stated terms and duration. The only effect of termination of this Contract is that **CONTRACTOR** will no longer be able to enter into any new End User Agreements with **END USERS** pursuant to this Contract. Applicable **H-GAC** order processing charges will be due and payable to **H-GAC** on any End User Agreements surviving termination of this Contract between **H-GAC** and **CONTRACTOR**.

ARTICLE 7:**SUBCONTRACTS & ASSIGNMENTS**

CONTRACTOR agrees not to subcontract, assign, transfer, convey, sublet or otherwise dispose of this Contract or any right, title, obligation or interest it may have therein to any third party without prior written notice to **H-GAC**. **H-GAC** reserves the right to accept or reject any such change. **CONTRACTOR** shall continue to remain responsible for all performance under this Contract regardless of any subcontract or assignment. **H-GAC** shall be liable solely to **CONTRACTOR** and not to any of its Subcontractors or Assignees.

ARTICLE 8:**EXAMINATION AND RETENTION OF CONTRACTOR'S RECORDS**

CONTRACTOR shall maintain during the course of its work, complete and accurate records of items that are chargeable to **END USER** under this Contract. **H-GAC**, through its staff or its designated public accounting firm, the State of Texas, or the United States Government shall have the right at any reasonable time to inspect copy and audit those records on or off the premises of **CONTRACTOR**. Failure to provide access to records may be cause for termination of this Contract. **CONTRACTOR** shall maintain all records pertinent to this Contract for a period of not less than five (5) calendar years from the date of acceptance of the final contract closeout and until any outstanding litigation, audit or claim has been resolved. The right of access to records is not limited to the required retention period, but shall last as long as the records are retained. **CONTRACTOR** further agrees to include in all subcontracts under this Contract, a provision to the effect that the subcontractor agrees that **H-GAC'S** duly authorized representatives, shall, until the expiration of five (5) calendar years after final payment under the subcontract or until all audit findings have been resolved, have access to, and the right to examine and copy any directly pertinent books, documents, papers, invoices and records of such subcontractor involving any transaction relating to the subcontract.

ARTICLE 9:**REPORTING REQUIREMENTS**

CONTRACTOR agrees to submit reports or other documentation in accordance with the General Terms and Conditions of the Bid Specifications. If **CONTRACTOR** fails to submit to **H-GAC** in a timely and satisfactory manner any such report or documentation, or otherwise fails to satisfactorily render performance hereunder, such failure may be considered cause for termination of this Contract.

ARTICLE 10:**MOST FAVORED CUSTOMER CLAUSE**

If **CONTRACTOR**, at any time during this Contract, routinely enters into agreements with other governmental customers within the State of Texas, and offers the same or substantially the same products/services offered to **H-GAC** on a basis that provides prices, warranties, benefits, and or terms more favorable than those provided to **H-GAC**, **CONTRACTOR** shall notify **H-GAC** within ten (10) business days thereafter of that offering and this Contract shall be deemed to be automatically amended effective retroactively to the effective date of the most favorable contract, wherein **CONTRACTOR** shall provide the same prices, warranties, benefits, or terms to **H-GAC** and its **END USER**. **H-GAC** shall have the right and option at any time to decline to accept any such change, in which case the amendment shall be deemed null and void. If **CONTRACTOR** is of the opinion that any apparently more favorable price, warranty, benefit, or term charged and/or offered a customer during the term of this Contract is not in fact most favored treatment, **CONTRACTOR** shall within ten (10) business days notify **H-GAC** in writing, setting forth the detailed reasons **CONTRACTOR** believes aforesaid offer which has been deemed to be a most favored treatment, is not in fact most favored treatment. **H-GAC**, after due consideration of such written explanation, may decline to accept such explanation and thereupon this Contract between **H-GAC** and **CONTRACTOR** shall be automatically amended, effective retroactively, to the effective date of the most favored agreement, to provide the same prices, warranties, benefits, or terms to **H-GAC**.

The Parties accept the following definition of routine: A prescribed, detailed course of action to be followed regularly; a standard procedure.

EXCEPTION: This clause shall not be applicable to prices and price adjustments offered by a bidder, or contractor, which are not within bidder's control [example; a manufacturer's bid concession], or to any prices offered to the Federal Government and its agencies.

ARTICLE 11:**SEVERABILITY**

All parties agree that should any provision of this Contract be determined to be invalid or unenforceable, such determination shall not affect any other term of this Contract, which shall continue in full force and effect.

ARTICLE 12:**DISPUTES**

Any and all disputes concerning questions of fact or of law arising under this Contract, which are not disposed of by agreement, shall be decided by the Executive Director of **H-GAC** or his designee, who shall reduce his decision to writing and provide notice thereof to **CONTRACTOR**. The decision of the Executive Director or his designee shall be final and conclusive unless, within thirty (30) days from the date of receipt of such notice, **CONTRACTOR** requests a rehearing from the Executive Director of **H-GAC**. In connection with any rehearing under this Article, **CONTRACTOR** shall be afforded an opportunity to be heard and offer evidence in support of its position. The decision of the Executive Director after any such rehearing shall be final and conclusive. **CONTRACTOR** may, if it elects to do so, appeal the final and conclusive decision of the Executive Director to a court of competent jurisdiction. Pending final decision of a dispute hereunder, **CONTRACTOR** shall proceed diligently with the performance of this Contract and in accordance with **H-GAC'S** final decision.

ARTICLE 13:**LIMITATION OF CONTRACTOR'S LIABILITY**

Except as specified in any separate writing between the CONTRACTOR and an END USER, CONTRACTOR's total liability under this Contract, whether for breach of contract, warranty, negligence, strict liability, in tort or otherwise, but excluding its obligation to indemnify H-GAC described in Article 14, is limited to the price of the particular products/services sold hereunder, and CONTRACTOR agrees either to refund the purchase price or to repair or replace product(s) that are not as warranted. In no event will CONTRACTOR be liable for any loss of use, loss of time, inconvenience, commercial loss, lost profits or savings or other incidental, special or consequential damages to the full extent such use may be disclaimed by law. CONTRACTOR understands and agrees that it shall be liable to repay and shall repay upon demand to END USER any amounts determined by H-GAC, its independent auditors, or any agency of State or Federal government to have been paid in violation of the terms of this Contract.

ARTICLE 14:**LIMIT OF H-GAC'S LIABILITY AND INDEMNIFICATION OF H-GAC**

H-GAC's liability under this Contract, whether for breach of contract, warranty, negligence, strict liability, in tort or otherwise, is limited to its order processing charge. In no event will H-GAC be liable for any loss of use, loss of time, inconvenience, commercial loss, lost profits or savings or other incidental, special or consequential damages to the full extent such use may be disclaimed by law. Contractor agrees, to the extent permitted by law, to defend and hold harmless H-GAC, its board members, officers, agents, officials, employees, and indemnities from any and all claims, costs, expenses (including reasonable attorney fees), actions, causes of action, judgments, and liens arising as a result of CONTRACTOR's negligent act or omission under this Contract. CONTRACTOR shall notify H-GAC of the threat of lawsuit or of any actual suit filed against CONTRACTOR relating to this Contract.

ARTICLE 15:**TERMINATION FOR CAUSE**

H-GAC may terminate this Contract for cause based upon the failure of CONTRACTOR to comply with the terms and/or conditions of the Contract; provided that H-GAC shall give CONTRACTOR written notice specifying CONTRACTOR'S failure. If within thirty (30) days after receipt of such notice, CONTRACTOR shall not have either corrected such failure, or thereafter proceeded diligently to complete such correction, then H-GAC may, at its option, place CONTRACTOR in default and the Contract shall terminate on the date specified in such notice. CONTRACTOR shall pay to H-GAC any order processing charges due from CONTRACTOR on that portion of the Contract actually performed by CONTRACTOR and for which compensation was received by CONTRACTOR.

ARTICLE 16:**TERMINATION FOR CONVENIENCE**

Either H-GAC or CONTRACTOR may cancel or terminate this Contract at any time by giving thirty (30) days written notice to the other. CONTRACTOR may be entitled to payment from END USER for services actually performed; to the extent said services are satisfactory to END USER. CONTRACTOR shall pay to H-GAC any order processing charges due from CONTRACTOR on that portion of the Contract actually performed by CONTRACTOR and for which compensation is received by CONTRACTOR.

ARTICLE 17:**CIVIL AND CRIMINAL PROVISIONS AND SANCTIONS**

CONTRACTOR agrees that it will perform under this Contract in conformance with safeguards against fraud and abuse as set forth by H-GAC, the State of Texas, and the acts and regulations of any funding entity. CONTRACTOR agrees to notify H-GAC of any suspected fraud, abuse or other criminal activity related to this Contract through filing of a written report promptly after it becomes aware of such activity.

ARTICLE 18:**GOVERNING LAW & VENUE**

This Contract shall be governed by the laws of the State of Texas. Venue and jurisdiction of any suit or cause of action arising under or in connection with this Contract shall lie exclusively in Harris County, Texas. Disputes between END USER and CONTRACTOR are to be resolved in accord with the law and venue rules of the state of purchase. CONTRACTOR shall immediately notify H-GAC of such disputes.

ARTICLE 19:**PAYMENT OF H-GAC ORDER PROCESSING CHARGE**

CONTRACTOR agrees to sell its products to END USERS based on the pricing and other terms of this Contract, including, but not limited to, the payment of the applicable H-GAC order processing charge. On notification from an END USER that an order has been placed with CONTRACTOR, H-GAC will invoice CONTRACTOR for the applicable order processing charge. Upon delivery of any product/service by CONTRACTOR and acceptance by END USER, CONTRACTOR shall, within thirty (30) calendar days or ten (10) business days after receipt of payment, whichever is less, pay H-GAC the full amount of the applicable order processing charge, whether or not CONTRACTOR has received an invoice from H-GAC. For sales made by CONTRACTOR based on this contract, including sales to entities without Interlocal Contracts, CONTRACTOR shall pay the applicable order processing charges to H-GAC. Further, CONTRACTOR agrees to encourage entities who are not members of H-GAC's Cooperative Purchasing Program to execute an H-GAC Interlocal Contract. H-GAC reserves the right to take appropriate actions including, but not limited to, contract termination if CONTRACTOR fails to promptly remit H-GAC's order processing charge. In no event shall H-GAC have any liability to CONTRACTOR for any goods or services an END USER procures from CONTRACTOR.

CONTRACT ASSIGNMENT AND ASSUMPTION AGREEMENT

This Contract Assignment and Assumption Agreement is made by and between the **Houston-Galveston Area Council of Governments (H-GAC)**, **Pierce Manufacturing Inc. (Contractor)** and **Hughes Fire Equipment Inc., (Assignee)**.

WHEREAS, **Contractor** entered into a cooperative purchasing Contract, identified as FS12-17, with **H-GAC** for the sale of **Fire Service Apparatus (All Types)** to various End User governmental agencies participating in **H-GAC's** Cooperative Purchasing Program; and

WHEREAS, **Contractor** assigns the performance of its obligations under the Contract to **Assignee** for cooperative purchasing business in specific areas (per attached Information Sheet); and

WHEREAS, **Assignee** shall perform as stipulated in the original Contract (a copy of which is attached hereto) and comply with all the terms and conditions set forth therein; and

WHEREAS, **Contractor** will continue as originally contracted with **H-GAC**; and

NOW THEREFORE, **Assignee** agrees to accept this assignment, and **H-GAC** concurs.

Unless otherwise noted, this Agreement goes into effect on the date signed by **H-GAC**. All other terms and conditions of the Contract shall remain unchanged and in full force and effect.

IN WITNESS WHEREOF, the parties have caused this Contract Assignment and Assumption Agreement to be executed by their respective duly authorized representatives.

Signed for Houston-Galveston Area Council:


Jack Steele, Executive Director


Attest for Houston-Galveston Area Council:


Director

Date: 1-3-18

Signed for Pierce Manufacturing Inc.:

Appleton, Wisconsin:



(Signature of Contractor)

Date: 12-1-17

Michael E. Pack, VP Finance
Printed Name & Title

Signed for Hughes Fire Equipment Inc.:

Springfield, Oregon:


(Signature of Assignee)

Date: 12-14-17

Ron Hughes, President
Printed Name & Title

Information Sheet

Assignee:

Hughes Fire Equipment Inc.

Contact Person:

Name: Sheri Taylor
Title: Sales Manager
TEL: 541-747-0072
EMAIL: staylor@hughesfire.com

Address:

910 Shelley Street
Springfield, Oregon 97477

Territory:

Alaska
Arizona
Idaho
Montana
Nevada (Clark County)
Oregon
Washington



COOPERATIVE PURCHASING PROGRAM
Houston-Galveston Area Council of Governments
3555 Timmons, Suite 120, Houston, TX 77027
Phone: 800-926-0234 Fax: 713-993-4548
www.hgacbuy.org

INVITATION TO SUBMIT COMPETITIVE:

☒ **BIDS**

☐ **PROPOSALS**

INVITATION No.: **FS12-17**

ISSUE DATE: **July 6, 2017**

CATEGORY: **Fire Service Apparatus (All Types)**

PURPOSE OF THIS INVITATION

The Cooperative Purchasing Program (**HGACBuy**) of the Houston-Galveston Area Council of Governments is soliciting offerings for the furnishing of products/services as described herein. These products/services may be purchased by any of more than 7,000 member local governments, districts, agencies in 49 states across the nation.

Responses must be submitted in an original and one (1) copy, and shall be subject to the terms, conditions, requirements and specifications detailed in the documents comprising this Invitation. Responses are scheduled to be opened publicly at **H-GAC** offices on the date indicated. For Bid Invitations, responses will be available for public review until 4:00 p.m. CT that day, and on subsequent days by appointment only. Any Responses submitted later than 1:00 p.m. on the due date will be returned unopened to the bidder/proposer.

PROCUREMENT SCHEDULE & DETAILS

DRAFT SPECIFICATION / INVITATION:	May 4, 2017
PRE-BID/PROPOSAL CONFERENCE:	June 1, 2017 @ 9:00 a.m. CT; Conference Room A
FINAL SPECIFICATION / INVITATION:	July 6, 2017
BID/PROPOSAL RESPONSES DUE:	August 10, 2017 @ 1:00 p.m. CT; H-GAC Clock
PUBLIC RESPONSE OPENING:	August 10, 2017 @ 2:00 p.m. CT; H-GAC Clock
RECOMMENDATIONS TO BOARD:	October 17, 2017
CONTRACT START DATE & TERM:	December 1, 2017 thru November 30, 2019
The documents comprising this Invitation are available via web download at: https://www.hgacbuy.org/bids/	
For assistance regarding this Invitation, please contact:	
Name: Bill Burton Phone: 832-681-2514 E-mail: wburton@h-gac.com	

CONTENTS OF THIS INVITATION

SECTION A - General Terms & Conditions

SECTION B - Product/Service Specific Requirements & Specifications (Final)

SECTION C - **HGACBuy** *FORMS* (Final)

SECTION D - Pro-Forma (Sample) Contract

This procurement conforms to government requirements for Competitive Procurement.

Attachment A
Pierce Manufacturing Inc.
Fire Service Apparatus (All Types)
Contract No. FS12-17

T. Pierce		
A. Aerials (Booms/Platforms, Ladders, Ladder/Platforms)		
TA01	Pierce Enforcer Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Single Axle, 75' Rear-Mounted Telescoping Ladder (500#)	\$ 746,013.00
TA02	Pierce Enforcer Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Tandem Axle, 75' Rear-Mounted Telescoping Ladder (500#)	\$ 758,735.00
TA03	Pierce Enforcer Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Single Axle, 107' Rear-Mounted Telescoping Ladder	\$ 817,640.00
TA04	Pierce Enforcer Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Tandem Rear Axle, 107' Rear-Mounted Telescoping Ladder	\$ 860,089.00
TA05	Pierce Enforcer Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Tandem Rear Axle, 110' Rear-Mounted Telescoping Platform	\$ 901,609.00
TA06	Pierce Enforcer Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Tandem Axle, 105' Rear-Mounted Telescoping Ladder (500#)	\$ 849,820.00
TA07	Pierce Arrow Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Tandem Axle, 100' Mid-Mounted Telescoping Ladder (#500)	\$ 1,036,731.00
TA08	Pierce Arrow Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Tandem Axle, 85' Rear-Mounted Telescoping Ladder with Platform (750#)	\$ 994,689.00
TA09	Pierce Arrow Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Tandem Axle, 95' Mid-Mounted Telescoping Ladder with Platform (750#)	\$ 1,137,020.00
TA10	Pierce Arrow Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Tandem Axle, 100' Rear-Mounted Telescoping Ladder with Platform (750#)	\$ 1,081,045.00
TA11	Pierce Arrow Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Single Axle, 100' Tractor Drawn - Mid-Mounted Telescoping Ladder (#500)	\$ 984,921.00
TA12	Pierce Arrow Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Single Axle, 107' Tractor Drawn - Mid-Mounted Telescoping Ladder (#500)	\$ 1,065,126.00
B. Wildland Fire Apparatus		
TB01	Pierce Brush Fire Apparatus, Ford F450, Formed Aluminum Utility Body	\$ 126,354.00
TB02	Pierce Brush Fire Apparatus, Ford F-550 Mini Pumper 500 gpm, 300 tank	\$ 206,696.00
TB03	Freightliner 4-Door 4 x 4 Wildland, 500 water, 1000 gpm Pump	\$ 273,343.00
C. Pumper Fire Apparatus		
TC01	M2 Freightliner, 2-Door, OEM Cab, Aluminum Body, Single Axle, 1250 GPM Pump, Mid-Mounted Pumper	\$ 219,712.00
TC02	IHC, 2-Door, OEM Cab, Aluminum Body, Single Axle, 1250 GPM Pump, Mid-Mounted Pumper	\$ 224,952.00
TC03	KW, 2-Door, OME Cab, Aluminum Body, Single Axle, 1250 GPM Pump, Mid-Mounted Pumper	\$ 233,808.00
TC04	Peterbilt, 2-Door, OME Cab, Aluminum Body, Single Axle, 1250 GPM Pump, Mid-Mounted Pumper	\$ 243,701.00
TC05	Pierce Saber FR, 4-Door, Full-Tilt, Aluminum Cab, Aluminum Body, Single Axle, 1250 GPM Pump, Mid-Mounted Pumper	\$ 387,161.00
TC06	Pierce Enforcer, 4-Door, Full-Tilt, Aluminum Cab, Aluminum Body, Single Axle, 1250 GPM Pump, Mid-Mounted Pumper	\$ 416,850.00
TC07	Pierce Dash CF, 4-Door, Full-Tilt, Aluminum Cab, Aluminum Body, Single Axle, 1250 GPM Pump, PUC Body Pumper	\$ 528,525.00
D. Special Service Apparatus (Walk-In & Non-Walk In Bodies) Multi-use: Rescue, Re-Hab, Hazmat, Mobile		
TD01	Ford F-550 4-Door, 12' Non-Walk-in Formed Aluminum Body	\$ 142,594.00
TD02	M2 Freightliner, 2-Door, OEM Cab, Single Axle, Formed Aluminum Body, Non-Walk-In Body	\$ 181,536.00
TD03	IHC, 2-Door, OEM Cab, Single Axle, Formed Aluminum Body, Non-Walk-In Body	\$ 187,419.00
TD04	Kenworth, 2-Door, OEM Cab, Single Axle, Formed Aluminum Body, Non-Walk-In Body	\$ 188,754.00

TD05	Peterbilt, 2-Door, OEM Cab, Single Axle, Formed Aluminum Body, Non-Walk-In Body	\$ 198,398.00
TD06	Pierce Saber FR, Full-Tilt, Aluminum Cab, Single Axle, Formed Aluminum Body, Non-Walk-In HDR Body	\$ 390,488.00
TD07	Pierce Enforcer 4-Door, Aluminum Cab, Single Axle, Formed Aluminum Body, Non Walk-in HDR Body	\$ 412,432.00
TD08	Pierce Velocity 4-Door Aluminum Cab, Tandem Axle Non-Walk-in HDR Body	\$ 499,447.00
TD09	M2 Freightliner, 2-Door, OEM Cab, Single Axle, Formed Aluminum Body, Walk-In Body	\$ 273,993.00
TD10	IHC, 2-Door, OEM Cab, Single Axle, Formed Aluminum Body, Walk-In Body	\$ 276,669.00
TD11	Kenworth, 2-Door, OEM Cab, Single Axle, Formed Aluminum Body, Walk-In Body	\$ 279,627.00
TD12	Peterbilt, 2-Door, OEM Cab, Single Axle, Formed Aluminum Body, Walk-In Body	\$ 286,436.00
TD13	Pierce Enforcer 4-Door, Full Tilt, Aluminum Cab, Single Axle, Formed Aluminum Body, Walk-in HDR Body	\$ 445,668.00
TD14	Pierce Velocity 4-Door Aluminum Cab, Tandem Axle Walk-in HDR Body	\$ 542,213.00
E. Pumper/Tankers & Tankers		
TE01	Freightliner 2 Door, Single Axle Tanker, Aluminum Body w/2000 water & 500 pump	\$ 262,886.00
TE02	IHC 2dr Single Axle Tanker, Aluminum Body w/2000 water & 500 pump	\$ 243,565.00
TE03	Kenworth 2dr Single Axle Tanker, Aluminum Body w/2000 water & 500 pump	\$ 242,662.00
TE04	Peterbilt 2dr Single Axle Tanker, Aluminum w/2000 water & 500 pump	\$ 271,756.00
TE05	Pierce Saber FR, 4-Door, Full-Tilt, Aluminum Cab, Pumper/Tanker, Aluminum Body, Single Axle, 1000 GPM Pump, Mid-Mounted	\$ 424,612.00
TE06	Pierce Enforcer, 4-Door, Full-Tilt, Aluminum Cab, Pumper/Tanker, Aluminum Body, Tandem Axle, 1000 GPM Pump, Mid-Mounted	\$ 436,967.00
TE07	Freightliner 2dr, Tandem Axle Tanker, Aluminum Body w/3000 water & 500 pump	\$ 280,409.00
TE08	IHC 2dr Tandem Axle Tanker, Aluminum Body w/3000 water & 500 pump	\$ 293,270.00
TE09	Kenworth 2dr Tandem Axle Tanker, Aluminum Body w/3000 water & 500 pump	\$ 286,728.00
TE10	Peterbilt 2dr Tandem Axle Tanker, Aluminum w/3000 water & 500 pump	\$ 286,728.00
TE11	Pierce Saber FR, 4-Door, Full-Tilt, Aluminum Cab, Aluminum Body, Single Axle, 1000 GPM Pump, Mid-Mounted Elliptical Tanker	\$ 457,727.00
TE12	Pierce Enforcer, 4-Door, Full-Tilt, Aluminum Cab, Aluminum Body, Tandem Axle, 1000 GPM Pump, Mid-Mounted Elliptical Tanker	\$ 490,508.00

COOPERATIVE PURCHASING PROGRAM FIRE SERVICE APPARATUS

Background

H-GAC received and opened twenty-five competitive bids for Fire Service Apparatus on August 10, 2017.

Boise Mobile Equipment *	Boise, ID
Chastang Enterprises dba/Chastang Ford *	Houston, TX
Custom Fire Apparatus, Inc. *	Osceola, WI
Daco Fire Equipment *	Lubbock, TX
Danko Emergency Equipment Co. *	Snyder, NE
Deep South Fire Trucks, Inc. *	Seminary, MS
Emergency Vehicles, Inc. *	Lake Park, FL
E-One, Inc. *	Ocala, FL
Hall Buick GMC *	Tyler, Texas
Firematic Supply Co., Inc. *	Shirley, NY
HME, Incorporated *	Wyoming, MI
Kovatch Mobile Equipment Corp T/A KME Fire Apparatus *	Nesquehoning, PA
Maintainer Corporation of Iowa *	Sheldon, IA
Marion Body Works, Inc. *	Marion, WI
Metro Fire Apparatus Specialists, Inc. *	South Houston, TX
Nevada Pacific Fire and Safety Inc. *	Austin, TX
Rock River Industries LLC dba Midwest Fire Equipment & Repair Company *	Luverne, MN
Seagrave Fire Apparatus, LLC *	Clintonville, WI
Siddons-Martin Emergency Group *	Denton, TX
Skeeter Brush Trucks, LLC *	Hillsboro, TX
Sunbelt Fire, Inc. *	Fairhope, AL
Sutphen Corporation *	Dublin, OH
Toyne Inc. *	Breda, IA
Unruh Fire, Inc. *	Sedgwick, KS
WS Darley & Co. *	Itasca, IL

*Joint Bid

Current Situation

H-GAC staff evaluated all responses and recommends twenty-five bids (consisting of ninety-two vendors).

Funding Source: Participating local government purchasers
Budgeted: NA

Action Requested

Request authorization to contract with respondents listed in the Contract Award Recommendation Table below for fire service apparatus, and as may be applicable, to extend contract assignments to other authorized vendors during the contract period. If an awarded bidder fails to execute a contract within forty-five days, authorization is requested to contract with the next lowest priced responsible bidder. Award is subject to certification of required Texas Motor Vehicle Licensing.

Award Recommendation Table

Product Code Awarded	In-State Awardees	Out-of-State Awardees
A. Blanchat Manufacturing		
AB01-AB10, AD01-AD03		Blanchat Mfg., Inc.
AB01, AB03, AB05, AB07-AB08, AB10, AD01, AD03	Chastang Enterprises dba/ Chastang Ford	
AB02, AB04, AB06, AB09, AD02	Chastang Enterprises – Angleton, LLC dba/Chastang CDJR	
B. Boise Mobile Equipment		
BB01-BB12, BC01-BC06, BD01-BD06, BE01-BE07	Wildfire Truck & Equipment Sales	Boise Mobile Equipment
BB07, BB09, BD01	Chastang Enterprises dba/Chastang Ford	
BB08, BB10-BB11	Chastang Enterprises – Angleton, LLC dba/Chastang CDJR	
BB02, BB04, BB06, BD02, BD04, BE01, BE03, BE06	Houston Freightliner, Inc.	
BB01, BB03, BB05, BB12, BD03, BD05, BE02, BE04, BE07	Santex Truck Centers, LTD	
C. Custom Fire		
CB01, CC01-CC03, CD01-CD03 CE01-CE03	Southwest Ambulance Sales, LLC	Custom Fire Apparatus, Inc.
D. Daco		
DB01-DB11	Daco Fire Equipment	
DB02-DB05	BF White Motor Company of Stanton Inc.	
DB06-DB08	Lubbock Truck Sales, Inc.	
E. Danko		
EB01-EB12, ED01-ED02, EE01-EE17	Webb Apparatus of Texas LLC	Danko Emergency Equipment Co.
F. Darley		
FA01-FA02, FB01, FC01-FC03, FD01-FD02, FE01-FE03	Webb Apparatus of Texas, LLC; Westex Welding LLC	WS Darley & Co.
G. Deep South		
GB01-GB04, GC01-GC02, GD01-GD03, GE01-GE03	Charles R. Taylor dba Fire Trucks of Texas	Deep South Fire Trucks, Inc.
H. Emergency One (E-One)		
HA01-HA14, HB01, HC01-HC08, HD01-HD11, HE01-HE14, HF01-HF02	Hudson Bus Sales, LLC dba Hallmark Texas	E-One Inc.; Greenwood Emergency Vehicles, LLC; Sunbelt Fire, Inc.; REV RTC dba Hall-Mark RTC; Pete's Equipment Repair Inc.; Chief Fire & Safety Company; Vogelpohl Fire Equipment, Inc.; First Choice Fire Apparatus LLC; Blue Ridge Rescue Suppliers (BRRS); Desorcie Emergency Products LLC; Patriot Fire LLC; Fire Service Inc.; Mid-South Bus Center dba Mid-South

		Emergency Equipment; Banner Fire Equipment, Inc.
I. Emergency Vehicles (EVI)		
ID01-ID34		Emergency Vehicles, Inc.
ID01-ID04, ID22-ID28; ID34	Chastang Enterprises dba/Chastang Ford	
ID05, ID07-ID08, ID10, ID12-ID13, ID16, ID18, ID21, ID29	Houston Freightliner, Inc.	
J. Ferrara		
JA01-JA09, JA12-JA13, JB01-JB03, JC01-JC07, JD01-JD10, JD12-JD13, JE01-JE05	Hall Buick GMC	Ferrara Fire Apparatus, Inc.
JB02, JD01-JD03	Chastang Enterprises dba/Chastang Ford	
K. Firematic		
KB01-KB03, KB06-KB08, KC01-KC05, KD01-KD04		Firematic Supply Co., Inc.
KB01-KB03, KB07-KB08, KC01-KC02, KD01-KD02	Chastang Enterprises dba/ Chastang Ford	
KB06	Chastang Enterprises-Angleton, LLC dba Chastang CDJR	
L. HME		
LA01-LA06, LB01-LB03, LC01-LC09, LD01-LD07, LE01-LE06	Steele Fire Apparatus, LLC	HME, Incorporated
M. KME		
MA01-MA10, MB01-MB06, MC01- MC07, MD01-MD07, ME01-ME11, MF01-MF03	Alamo Fire Apparatus, LLC	Kovatch Mobile Equipment Corp T/A KME Fire Apparatus; Bulldog Fire Apparatus; Cascade Fire Equipment; Legacy Truck Centers, Inc. dba Fire and Rescue Products; Fire Service Inc.; First Priority Emergency Vehicles, Inc.; Goodman Specialized Vehicles LLC; The W. W. Williams Company LLC; Hawaii Specialty Vehicles; Matheny Motor Truck Company; Mid America Fire Apparatus Inc.; Keystone Fire Apparatus Inc.; NAFECO; Payette Sales and Service Inc.; Pete's Equipment Repair, Inc.; Allsource Enterprise LLC dba Safe Industries
N. Marion		
NA01-NA02, NC01-NC03, ND01-ND05, NE01-NE03	Webb Apparatus of Texas LLC	Marion Body Works, Inc.
O. Maintainer Custom Bodies (MCB)		
OB01-OB02, OD01-OD44		Maintainer Corporation of Iowa
OB01, OD01, OD03, OD05, OD16, OD18, OD20, OD33, OD35	Chastang Enterprises dba/ Chastang Ford	
OB02, OD02, OD04, OD06, OD17, OD19, OD21, OD34, OD36	Chastang Enterprises-Angleton, LLC dba Chastang CDJR	
OD07, OD10, OD13, OD22, OD25, OD28, OD31, OD37, OD39, OD41		North Central International of Sioux Falls, Inc.
P. Metro Fire Apparatus Specialists		
PB02-PB04	Metro Fire Apparatus Specialists, Inc.; Chastang Enterprises dba/Chastang Ford	

Q. Midwest Fire		
QB01-QB03, QC01-QC02, QE01-QE04	Webb Apparatus of Texas, LLC	Rock River Industries LLC dba Midwest Fire Equipment & Repair Company
QB01-QB03	Chastang Enterprises dba/ Chastang Ford	
QE01-QE04	Houston Freightliner, Inc.	
R. Nevada Pacific Fire & Safety Inc.		
RB01-RB23		Nevada Pacific Fire and Safety Inc.
RB01-RB12	Jasper Ford Lincoln	
RB21-RB23	Austin Truck & Equipment, Ltd dba Freightliner of Austin	
S. Oshkosh		
SF01-SF05	Siddons-Martin Emergency Group	Oshkosh Airport Products, LLC
T. Pierce		
TA01-TA12, TB01-TB03, TC01-TC07, TD01-TD14, TE01- TE12	Siddons-Martin Emergency Group	Pierce Manufacturing Inc.; Atlantic Emergency Solutions Inc; Emergency Equipment Professionals, Inc.
TB01-TB02, TD01	Chastang Enterprises dba/Chastang Ford	
U. Rosenbauer		
UF01 - UF05	Daco Fire Equipment	Rosenbauer Minnesota, LLC
V. Rosenbauer Minnesota LLC		
VA01-VA14, VB01, VC01-VC07, VD01- VD11, VE01-VE05	Daco Fire Equipment	Rosenbauer Minnesota, LLC; Artesia Fire Equipment, Inc.; All-American Fire Equipment, Inc.; C. W. Williams & Company, LLC; Bonaventure Co. Inc.; DPC Emergency Equipment
W. Rosenbauer South Dakota LLC		
WA01-WA14, WB01-WB07, WC01-WC11, WD01-WD09, WE01-WE09	Daco Fire Equipment	Rosenbauer South Dakota, LLC; Artesia Fire Equipment, Inc.; All-American Fire Equipment, Inc. C. W. Williams & Company, LLC; Bonaventure Co. Inc.; DPC Emergency Equipment
X. Seagrave		
XA01-XA08, XB01- XB03, XC01-XC03, XD01-XD02, XE01-XE04	Webb Apparatus of Texas, LLC	Seagrave Fire Apparatus, LLC
Y. Skeeter		
YB01-YB10	Skeeter Brush Trucks, LLC	
YB02-YB04, YB09	Chastang Enterprises dba/Chastang Ford	
YB05-YB06, YB10	Chastang Enterprises-Angleton, LLC dba Chastang CDJR	
YB08	Austin Truck & Equipment, LTD dba Freightliner of Austin	
YB07	Southwest International Trucks, Inc.	
Z. Smeal		
ZA01-ZA08, ZA10-ZA18, ZB01-ZB02, ZC01-ZC04, ZE01-ZE02	Metro Fire Apparatus Specialists, Inc.	Smeal Holding, LLC; Emergency Vehicle Group, Inc.; True North Emergency Equipment/True North Equipment

AA. Spartan ERV		
AAA01-AAA09, AAA11-AAA18, AAC02, AAC04, AAC06, AAD01-AAD05, AAE01-AAE04	Metro Fire Apparatus Specialists, Inc.	Spartan Motors USA, Inc.; Emergency Vehicle Group, Inc.; True North Emergency Equipment/True North Equipment
AAD01	Chastang Enterprises dba/Chastang Ford	
BB. Sunbelt Fire, Inc.		
BBB01-BBB05, BBD01-BBD08		Sunbelt Fire, Inc.
BBB01, BBB03, BBD01	Chastang Enterprises dba/Chastang Ford	
BBB02, BBB04, BBD02	Chastang Enterprises – Angleton, LLC dba / CDJR	
BBD03, BBD05, BBD07	Houston Freightliner, Inc.	
BBD04, BBD06, BBD08	Santex Truck Centers, LTD	
CC. Super Vac		
CCB01-CCB02, CCC01-CCC04, CCD01-CCD05, CCE01		Super Vacuum Manufacturing Co. Inc.; Emergency Vehicle Group, Inc.; True North Emergency Equipment/True North Equipment
CCC02-CCC03, CCD03, CCD05	Metro Fire Apparatus Specialists, Inc.	
CCB01, CCC04, CCD01	Chastang Enterprises dba/Chastang Ford	
DD. Sutphen Corporation (Sutphen)		
DDA01-DDA09, DDB01-DDB02, DDC01-DDC04, DDD01, DDE01-DDE05	Cullen Emergency Vehicles	Sutphen Corporation
EE. Toyne		
EEA01-EEA04, EEB01, EEC01-EEC04, EED01-EED03, EEE01-EEE04	Municipal Fire Apparatus Specialists	Toyne Inc.; Vest's Sales and Service, Inc.; Hi-Tech Emergency Vehicle Service, Inc.; C & S Specialty Inc.
FF. U. S. Tanker		
FFE01-FFE04	Metro Fire Apparatus Specialists, Inc.	Smeal Holding, LLC; Emergency Vehicle Group, Inc.; True North Emergency Equipment/True North Equipment
GG. Unruh Fire, Inc.		
GGB01-GGB03, GGD01-GGD04, GGF01-GGF02	Helfman Ford Inc.	Unruh Fire, Inc.
HH. Weis Fire & Safety Equipment Co.		
HHB01-HHB08	Chastang Enterprises dba/Chastang Ford	Weis Fire and Safety Equipment Company, Inc.

LABELING OF SEALED RESPONSE PACKAGE

IMPORTANT:

You must affix an identifying label to the outside of your Sealed Response Package to ensure proper identification and log-in at **HGACBuy** offices on receipt. **HGACBuy** is not responsible for any response that might be lost or misdirected due to improper or unclear labeling. Your label should look as follows and should be affixed conspicuously to the package.

H-GAC Cooperative Purchasing
Sealed Bid/Proposal No. FS12-17
DO NOT OPEN IN MAIL ROOM

Responses by E-mail or FAX will not be acceptable. Hard copies, as described herein, plus appropriate electronic media are required.

NOTICE REGARDING NATIONWIDE SALES POTENTIAL

HGACBuy is conducting this procurement with the objective of establishing one or more blanket type contracts for use by our Members. Because our Members are located not only in Texas, but throughout the country, we strongly urge you to participate in the process at the corporate level. If you do not sell direct, your dealer network may still service customers while you handle the administrative functions of providing quotes, accepting purchase orders, and collecting payments. If this is not feasible, we will work with you to subsequently assign your contract to your dealers as necessary to service customers.

Whatever approach you choose to take, there is considerable potential sales value because **HGACBuy** is being used not only in the State of Texas, but **NATIONWIDE**. This means that **HGACBuy** contractors will have a special advantage available to them in promoting sales to government agencies throughout the country... the ability to sell products without the need for the buyer to duplicate the competitive bidding process and expend the associated staff time and taxpayer dollars. We believe an **HGACBuy** contract would enhance your competitive position in the government marketplace, and are eager to work with you to promote the best interests of our participating local governments and qualifying non-profit organizations.

We look forward to your participation in our process. Please contact the **HGACBuy** staff member listed on the cover of this Invitation for additional information.

To place legal notices
email legals@chron.com or call 713.224.6868.

NATION | WORLD

Mnuchin: Leaders 'more comfortable' after Italy meeting

ASSOCIATED PRESS

BARI, Italy — U.S. Treasury Secretary Steven Mnuchin says major trading partners "are much more comfortable" with the Trump administration's trade policies and understand U.S. growth will benefit them.



Mnuchin
Group of Seven
Ministers' meeting

Mnuchin said his meetings with finance leaders led to better understanding of the U.S. president's position that trade must be fair and balanced as well as open. He said they understand that "we don't want to be protectionist, but we reserve our right to be protectionist to the extent we believe trade is not free and fair."

The G-7 countries are Canada, France, Italy, Germany, Japan, the United States and the United Kingdom; the European Union also attends the informal meetings.

Earlier, the finance officials warned that long-term growth could remain subdued and that steps need to be taken to make the global economy work for everyone.

The finance meeting paves the way for a meeting of national leaders in Sicily
May 26-27

The group's agreements, presented in the form of a final statement, aren't legally binding; instead, they represent the leaders' political commitment to follow through.

HOW TEXAS VOTED

Senate

1. Rule against waste of natural gas: Voted, 49-51, to retain a new regulation for reducing the waste of natural gas at drilling sites on Bureau of Land Management (BLM) and tribal lands in the West. This occurred again during debate on HI Res 36.

A yes vote to nullify the BLM's gas-conservation rule.

2. Scott Gottlieb, Food and Drug commissioner: Confirmed, 57-42. Dr. Scott Gottlieb, 45, a faculty member at the New York University School of Medicine, as commissioner of the Food and Drug Administration

3. Robert Lighthizer, U.S. trade representative: Confirmed, 82-14, Robert E. Lighthizer, 69, as U.S. trade representative, putting him in charge of administering the administration's trade policies and negotiating international trade agree-

4. Heather Wilson, secretary of the Air Force: Confirmed, 76-22, Heather Wilson, 56, as secretary of the Air Force.

A yes vote was to confirm Wilson.

	1	2	3	4
Corryn(R)San Antonio	Y	Y	Y	Y
Cruz(R)Houston	Y	Y	Y	Y

Y = Yes, N = Nay, A = Not voting,
P = Absentured "Present"

Thomas Voting Reports Inc.

INVITATION No. FS12-17

DESCRIPTION: Fire Service Apparatus (All Types)

TABLE OF CONTENTS

1. INTRODUCTION	2
2. DEFINITIONS, ABBREVIATIONS & ACRONYMS	2
3. NON-BINDING ORAL COMMENTS	4
4. STRUCTURE OF RESPONSE	4
5. BASIC REQUIREMENTS & CONDITIONS.....	4
6. OFFEROR'S AUTHORIZED SIGNATORY	5
7. SURETY FOR INSURANCE	5
8. CONFIDENTIAL / PROPRIETARY MATERIALS	6
9. REFERENCES	6
10. INSURANCE	6
11. OFFEROR CERTIFICATIONS.....	6
12. HISTORICALLY UNDERUTILIZED BUSINESS (HUB) PARTICIPATION.....	7
13. NON-RESIDENT RECIPROCAL SALES ACT	7
14. TEXAS MOTOR VEHICLE COMMISSION CODE & LICENSING.....	8
15. INTENT AND SCOPE OF SPECIFICATIONS	8
16. REQUIREMENTS APPLICABLE TO PHYSICAL GOODS.....	8
17. PRODUCT CODES	8
18. SPECIFIC DESCRIPTIVE REFERENCES.....	9
19. MANUALS	9
20. STANDARD FEATURES & OPTIONS	9
21. WARRANTIES, SALES & SERVICE	10
22. H-GAC ORDER PROCESSING CHARGE	10
23. PRE-PAYMENTS AND DISCOUNTS	10
24. INSPECTION / TESTING	11
25. PRODUCT DELIVERY	11
26. OFFERED PRODUCT ITEM VARIANCES	11
27. REQUIREMENTS FOR SUBMISSION OF A RESPONSE.....	11
28. CLARIFICATION TO SPECIFICATIONS & REQUIREMENTS.....	13
29. INCONSISTENT INFORMATION.....	13
30. REJECTION OF RESPONSES.....	13
31. WITHDRAWAL OR MODIFICATION OF RESPONSES	14
32. RESPONSE EVALUATION	14
33. ORDER OF PRECEDENCE PRIOR TO CONTRACT AWARD	14
34. AWARD OF CONTRACT	14
35. PRO-FORMA CONTRACT	14
36. CONTRACT TERM	15
37. PERFORMANCE & PAYMENT BOND	15
38. CHANGE ORDERS.....	15

39.	DUPLICATION OF TERMS OR STATEMENTS.....	15
40.	PUBLICITY	15
41.	TAXES	15
42.	DRUG FREE WORKPLACE	15
43.	PRODUCT NOTICES & MAILINGS	15
44.	HANDLING OF ORDERS & PAYMENTS.....	15
45.	PRICE CHANGES	16
46.	CONTRACT ITEM CHANGES	17
47.	FORCE MAJEURE.....	17
48.	PERFORMANCE UNDER CONTRACT	17
49.	IMPLEMENTATION OF INTERNET BASED E-COMMERCE	18
50.	CONTRACTOR ORIENTATION/TRAINING.....	18
51.	LEGAL & CONTRACTUAL REMEDIES	18
52.	NATIONWIDE SALES OPPORTUNITIES.....	19

1. INTRODUCTION

The Houston-Galveston Area Council (**H-GAC**) is a "Government-to-Government" procurement service for States, State Agencies, Local Governments, Districts, Authorities, and qualifying Not-for-Profit Corporations (**End Users**). End Users become **Members** of the **H-GAC** Cooperative Purchasing Program (**HGACBuy**) by executing an Interlocal Contract, which is free of cost and evergreen unless cancelled. **HGACBuy**, acting on behalf of **Members**, is soliciting competitive offerings for the furnishing of products and/or services, as described elsewhere, which MAY be purchased by **Members** during the contract term. **Members** using the Program issue purchase orders directly to **HGACBuy** contractors.

2. DEFINITIONS, ABBREVIATIONS & ACRONYMS

The following definitions, abbreviations and acronyms may be found in these specifications, and shall be interpreted herein as specified below.

Definitions and Abbreviations:

Acceptance. Acceptance takes place when the **End User** agrees with the **Contractor** that the terms and conditions of the contract have been met and verified. Acceptance is not the same as Receipt, and can only occur after intact shipping, inspection by **End User**, and any onsite testing that has been stipulated as part of the order

Aggregate/Single Occurrence. The term "*aggregate*" in insurance terms is the sum of all claims against a specific policy for a specific loss incident. The term "*single occurrence*" differentiates between multiple claims and single claims against a specific policy. The inherent value of a policy's aggregate value is less important to an **End User** than is the value of a single claim as stated under "*single occurrence*."

Approved. Acceptable to the "authority having jurisdiction."

ARO. "After Receipt of Order". Used in conjunction with a defined time period (usually days or weeks) to establish the delivery or lead time pursuant to any individual purchase transaction. In the case of orders for bodies which will be mounted on a customer furnished cab/chassis, the term ARO shall be construed to mean "After Receipt Of Cab/Chassis".

Authority Having Jurisdiction. The authority shall be either **H-GAC** or the relevant **End User** based on the requirements as stated in each specification item. Unless specifically stated, the authority shall be **H-GAC**.

Bidder. Any entity that submits a competitive bid to this Invitation. (See also "**Offeror**")

Change Order. Request by an **End User** for a change in the composition of an already submitted purchase order, for example to change quantity ordered, add or delete items, etc.

Contract. Specifically, a contract between **H-GAC** and a successful **Offeror** which is executed based on an award made pursuant this Invitation.

Contract Pricing Worksheet. The standard **H-GAC** form to be used by **Contractor** in preparing a quotation to an End User, upon which End User's purchase order will be based. **Contractor** may use another quotation form provided it contains required information, and only if approved by **H-GAC**.

Contractor. The contracted business entity responsible for fulfilling a contract executed pursuant to this Invitation.

Dealer/Distributor. A duly authorized and/or franchised business entity which sells and services a manufacturer's product in a specified marketing area.

Defect. A discontinuity in a part or a failure to function that interferes with the service or reliability for which the part was intended.

Electronic Media. As used herein, means computer based media such as 100mb Zip Disk, CDROM, e-mail, e-mail attachment, file downloaded from the web, etc.

End User. (See "Participant" and "Member")

Listed. Equipment or materials included in a list published by an organization, acceptable to the "Authority Having Jurisdiction" and concerned with product evaluation, that conducts periodic inspection of production of listed equipment or materials and whose listing states either that the equipment or materials meet appropriate standards or has been tested and found suitable for use in a specified manner. NOTE: The means for identifying listed equipment may vary for each organization concerned with product evaluation, some of which do not recognize equipment as listed unless it is also labeled. The "authority having jurisdiction" should utilize the system employed by the listing organization to identify a listed product.

Manufacturer. The person or persons, company firm, corporation, partnership, or other organization responsible for taking raw materials or components and making a finished product.

May. A term indicating a permissive use or an acceptable alternative to a specified requirement.

Member. An authorized Participant in the Program. (See "Participant" and "End User")

Motor Vehicle. The meaning of this term shall be based on the legal definition ascribed to it by the laws and/or regulations of the state in which any specific sale made pursuant to a Contract takes place.

Must. A term indicating a mandatory requirement.

Offer or Offering. Any product or service offered in reply to this Invitation.

Offeror. Any entity that submits a competitive bid or proposal in response to this Invitation. Bidder or Proposer.

Participant. Generally, any qualifying governmental or non-profit entity which has executed an Interlocal Contract for cooperative purchasing services with H-GAC.

Product Liability Insurance. Failure of Components and/or assembled equipment resulting in personal injury, disability or death and/or property damage is covered under the product liability insurance provisions.

Product or Product Item. Any of the specific goods, materials, equipment or service(s) specified in this Invitation. This term encompasses the base line item itself, and any and all accessories, options, modifications, ancillary services, assembly, testing, etc. that may be included in the delivered Product.

Proposer. Any entity that submits a competitive proposal in response to this Invitation. (See also "Offeror")

Purchaser. The End User having responsibility for the specification, requisition, ordering and acceptance of the Product or Service. (See also "End User")

Purchasing Authority. The agency that has sole responsibility and authority for negotiating, placing and, if necessary, modifying any solicitation, purchase order, or other award issued by a governing body [H-GAC].

Quotation. See "Contract Pricing Worksheet".

Receipt. Receipt takes place when a Product or Service is delivered to an End User and a document is executed that establishes that the Product is now in the possession of the End User or that the Service has been completed. Receipt DOES NOT connote or imply Acceptance.

Response. All or part of any offering submitted in response to this Invitation.

Shall. A term indicating a mandatory requirement or action.

Should. A term indicating a recommended or advised response to a specified requirement.

Vendor. A manufacturer's representative or dealer authorized to make sales and supply parts and service.

Acronyms:

ANSI = American National Standards Institute

ASTM = American Society for Testing and Materials

ASME = American Society of Mechanical Engineers

CFR = U.S. Code of Federal Regulations

DOJ = U.S. Department Of Justice

DOT = U.S. Department Of Transportation

EPA = U.S. Environmental Protection Agency

FAA = Federal Aviation Admistration

FMVSS = U.S. Federal Motor Vehicle Safety Standards

H-GAC = Houston-Galveston Area Council of Governments

IEEE = Institute of Electrical and Electronics Engineers
MVD = Motor Vehicle Division of Texas Department of Transportation
NFPA = National Fire Protection Association
NHTSA = National Highway Traffic Safety Administration
NIOSH = National Institute For Occupational Safety And Health
NIST = National Institute of Standards and Technology
NTEA = National Truck Equipment Association
OSHA = U.S. Occupational Safety and Health Administration
RRC = Railroad Commission of Texas
SAE = Society of Automotive Engineers
TBPC = Texas Building and Procurement Commission (formerly GSC)
TxDOT = Texas Department Of Transportation
UL = Underwriter's Laboratories Inc.
VTCS = Vernon's Texas Civil Statutes

3. NON-BINDING ORAL COMMENTS

No oral comment, utterance or response made by any employee, member, or agent of **H-GAC** or any Member of the Cooperative Purchasing Program shall be considered factual or binding with regard to this Invitation, or any contract awarded as a result of this Invitation. Valid and binding terms, conditions, provisions, changes or clarifications, or requests thereof, shall **ONLY** be communicated written form.

4. STRUCTURE OF RESPONSE

Depending on the Product or Service, market structures and sales practices can differ substantially. For example, dealers may sell into any market or may be restricted to certain territories, manufacturers may sell direct or may be limited by law to selling thru independent dealerships, etc. **H-GAC's** objective is to ensure that **End Users**, no matter where located, can buy contracted products/services and receive quality and timely service and support, while at the same time allowing for the most appropriate and effective response to this Invitation. Therefore, responses to this Invitation will be accepted in conformance with the following scenarios and requirements:

A. Single Respondent Acting Alone Or As "Lead" For A Group:

Offeror shall complete and sign a **Form A** and, if contracted, shall be solely responsible for all contractual requirements including administration, processing of purchase orders and handling of payments for transactions which may involve other dealers who actually deliver the products or services.

B. Multiple Respondents Acting Jointly:

A single Response shall be submitted, and each party to the Response shall complete and sign a separate **Form A** to be included in the single Response. If the Response is successful each party shall sign a separate contract with **H-GAC** and shall be responsible for compliance with all terms and conditions. Only those which have executed a written contract with **H-GAC** may process purchase orders and payments.

In any event, Offeror may be a party to one, and only one, response.

5. BASIC REQUIREMENTS & CONDITIONS

- a. The final requirements and specifications contained herein may be different, perhaps materially, from those in the "Invitation To Attend Pre-Bid / Pre-Proposal Conference", if any. It is **Offeror's** sole responsibility to thoroughly examine and review all documentation associated with this Invitation, including any Addendums, and to insure that any response submitted complies in every respect with all requirements.
- b. Any Addendum to this Invitation which may be required prior to the Response due date will be delivered to those prospective Offerors of record who have previously obtained a copy of this Invitation from **H-GAC**. Prospective Offerors shall be responsible for obtaining all documents relating to submission of a Response.
- c. **Offeror** shall thoroughly examine any drawings, specifications, schedules, instructions and any other documents, supplied as a part of this Invitation, and is solely responsible for understanding and compliance.
- d. **H-GAC** shall not be liable for **Offeror's** incomplete documentation, or for any costs associated with preparation and submission of any Response hereto. Additionally, all components of any Response become the property of **H-GAC**, and shall be considered to be in the public domain.

- e. **Offeror** shall make all investigations necessary to become thoroughly informed regarding any plan and/or infrastructure that may be required to support delivery of any Product or Service covered by this Invitation. No plea of ignorance by **Offeror** stemming from failure to investigate conditions that may now or hereafter exist, shall be accepted as a basis for varying **H-GAC's** requirements, or **Offeror's/Contractor's** obligations or entitlements.
- f. Requests for changes to the requirements or specifications herein must be in writing (e-mail, fax, letter) and must be received by **H-GAC** no later than fifteen (15) calendar days prior to the Response Due Date. **H-GAC** will review such requests, but may or may not make changes at its sole discretion. Changes, if any, will only be made by written Addendum sent to addressees of record. In any event, it is **Offeror's** sole responsibility to insure that any and all Addendums which may have been issued have been received and addressed.
- g. By submission of a response, **Offeror** expressly understands and agrees that all terms and conditions herein will be part of any subsequent contract that is executed pursuant to this Invitation.
- h. **Offeror** is advised that all **H-GAC** contracts are subject to the legal requirements established in any applicable Local, State or Federal statute.
- i. **Offeror/Contractor** must be in compliance with all licensing, permitting, registration and other applicable legal or regulatory requirements imposed by any governmental authority having jurisdiction. It is **Offeror/Contractor's** responsibility to insure that this requirement is met, and to supply to **H-GAC** upon request, copies of any license, permit or other documentation bearing on such compliance.
- j. Unless otherwise established elsewhere in this Invitation, NO minimum purchase quantities or spending levels are provided or guaranteed by **H-GAC** or any **End User**.
- k. This Invitation is not meant to restrict competition, but rather is intended to allow for a wide range of responses.
- l. Responses which are 'qualified' with conditional clauses or alterations of or exceptions to any of the terms and conditions in this Invitation may be deemed non-compliant at **H-GAC's** sole discretion.
- m. The term '**Offeror**', or derivative thereof, shall become synonymous with '**Contractor**' for any successful **Offeror** recommended for a contract pursuant to this Invitation.
- n. **H-GAC** reserves the right to:
- Reject any and all offers received in response to this Invitation.
 - Reject any part of an offer received in response to this Invitation.
 - Determine the correct price and/or terminology in the event of any discrepancies in any response.
 - Accept a response from, and enter into agreement with, other than the lowest price **Offeror**.
 - Accept responses and award contracts to as many or as few **Offerors** as **H-GAC** may select.
 - Amend, waive, modify, or withdraw (in part or in whole) this Invitation, or any requirements herein.
 - Hold discussions with **Offerors**, although award may be made without discussion.
 - Request an **Offeror** to give a presentation of the Response at a time and place scheduled by **H-GAC**.
 - Exercise any of these rights at any time without liability to any **Offeror**.
- o. **H-GAC** reserves the right to determine that conditions exist which prevent the public opening of responses on the date and at the time advertised, and to reschedule the public opening for a future date and time. Responses received by **H-GAC** by the original deadline will be secured unopened until the rescheduled opening date and time, and those having timely submitted such responses will be notified.

6. OFFEROR'S AUTHORIZED SIGNATORY

The signatory shall be authorized to sign and contractually bind **Offeror**, and shall sign any and all Response documentation requiring a signature.

7. SURETY FOR INSURANCE

Contractor shall be responsible for using a surety company properly licensed by any and all states in which Contractor will do business with Participants. The surety company shall not expose itself to any loss on any one risk in an amount exceeding ten percent (10%) of its surplus to policy holders, provided any risk or portion of any risk shall have been reinsured, and such reinsurance shall be deducted in determining the limitation of risk applicable to **H-GAC's** insurance requirements.

8. CONFIDENTIAL / PROPRIETARY MATERIALS

All documentation submitted as part of **Offeror's** response to this Invitation will be considered to be in the public domain and may be made available to Members and others, after contract award, upon properly submitted request. If **Offeror** submits documents marked "confidential" or "proprietary", the Response may be deemed non-compliant.

9. REFERENCES

- a. **Offeror** shall list the names of at least five government agencies within the continental United States which have purchased from **Offeror** products or services similar to those covered by this Invitation, within the last two years. **H-GAC** reserves the right to determine if such products or services are appropriately similar.
- b. **Offeror** may provide reference information in whatever format desired, but each should include the following specific information:
 - Agency name
 - Contact person name
 - Address
 - Phone & Fax numbers
 - Description of product(s) or service(s) and date sold
- c. Other information, including criticism however learned, may be used by **H-GAC** in evaluation of responses.

10. INSURANCE

- a. Unless otherwise stipulated in Section B, **Offeror/Contractor** must have the following insurance and coverage minimums:

General liability insurance with a Single Occurrence limit of at least \$1,000,000.00, and a General Aggregate limit of at least two times the Single Occurrence limit.

Product liability insurance with a Single Occurrence limit of at least \$1,000,000.00, and a General Aggregate limit of at least two times the Single Occurrence limit for all Products except Automotive Fire Apparatus. For Automotive Fire Apparatus, see Section B – Product Specific of this Invitation.

Property Damage or Destruction insurance is required for coverage of **End User** owned equipment while in **Contractor's** possession, custody or control. The minimum Single Occurrence limit is \$500,000.00 and the General Aggregate limit must be at least two times the Single Occurrence limit. This insurance may be carried in several ways, e.g. under an Inland Marine policy, as part of Automobile coverage, or under a Garage Keepers policy. In any event, this coverage must be specifically and clearly listed on insurance certificate(s) submitted to **H-GAC**.
- b. Insurance coverage shall be in effect for the length of any contract made pursuant to this Invitation, and for any extensions thereof, plus the number of days/months required to *deliver* any outstanding order after the close of the contract period.
- c. Original Insurance Certificates must be furnished to **H-GAC** on request, showing **Offeror/Contractor** as the insured and showing coverage and limits for the insurances listed above.
- d. If any Product(s) or Service(s) will be provided by parties other than **Offeror/Contractor**, all such parties are required to carry the minimum insurance coverages specified herein, and if requested by **H-GAC**, a separate insurance certificate must be submitted for each such party.
- e. **H-GAC** reserves the right to contact insurance underwriters to confirm policy and certificate issuance and document accuracy.

11. OFFEROR CERTIFICATIONS

Offeror, by submission of a Response hereto, makes the following certifications under penalty of perjury and possible contract termination if any of these certifications are found to be false.

Non-Collusive Response

- a. The prices in the Response have been arrived at independently without collusion, consultation, communication, or agreement for the purpose of restricting competition, as to any matter relating to such prices with any other **Offeror** or potential competitor.

- b. The prices which have been quoted in the Response (unless otherwise required by law), have not been knowingly disclosed by **Offeror** and will not be knowingly disclosed by **Offeror** prior to the public response opening, either directly or indirectly, to any other **Offeror** or competitor.
- c. No attempt has been made or will be made by **Offeror** to induce any other person, partnership or corporation to submit or not to submit a response for the purpose of restricting competition.

Non-Biased Specifications

This Invitation contains no requirements considered to be unduly biased in favor of **Offeror** or any other **Offerors** that may be competing for this procurement.

No Financial Interest or Other Conflict

- a. No **H-GAC** officer, employee, Board of Directors member or member of any **H-GAC** board or commission, nor family member of any such person, has a financial interest, direct or indirect, in **Offeror** or in any contract **Offeror** might enter into with **H-GAC**.
- b. No economic or employment opportunity, gift, loan, gratuity, special discount, trip, favor or service has been, or will be, offered or given to any officer, employee, Board of Directors member, or member of any **H-GAC** board or commission, nor to any family member of any such person.

Debarment and Suspension Status

- a. **Offeror** is not currently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from covered transactions by any government agency, nor is **Offeror** an agent of any person or entity that is currently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from covered transaction by any government agency.
- b. **Offeror** has not within a three year period preceding this Invitation been convicted of or had a civil suit judgement rendered against **Offeror** for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain or performing a public transaction or contract under a public transaction; violation of federal or state antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statement, or receiving stolen property.
- c. **Offeror** is not presently indicted for or otherwise criminally or civilly charged by a government entity (federal, state, or local) with commission of any of the offenses enumerated above.
- d. **Offeror** has not, within a three year period preceding this Invitation, had any government (federal, state, or local) transactions terminated for cause or default.

Insurance Coverages

Offeror has and will maintain insurance coverage in accordance with the requirements of this Invitation.

Licensing & Permits

Offeror(s) has (have) all licenses and/or permits, required by any and all governmental entities having jurisdiction, to legally sell the products/services offered.

12. HISTORICALLY UNDERUTILIZED BUSINESS (HUB) PARTICIPATION

- a. To satisfy Texas' statutory requirements [Government Code, Chapter 2161, Subchapter D], **H-GAC** requires all **Offerors** to supply information in any bid/proposal response listing (1) the total number of subcontracts and (2) the total number of HUB contracts applicable to the Products or Services offered in the response. Local governments often require this information for their own reporting requirements prior to placing orders through the **H-GAC** Cooperative Purchasing Program.
- b. **Offeror** must complete **Form B** and include subcontracts with HUB's that provide any materials or services related to sales that may be made thru **H-GAC's** Cooperative Purchasing Program.

13. NON-RESIDENT RECIPROCAL SALES ACT

As required by Texas Civil Statutes in the award of contracts, an offeror which is not a Texas resident business must determine if its state of residence prohibits award of government contracts to Texas resident offerors without penalty. If **Offeror's** resident state DOES penalize Texas offerors, **Offeror** must provide this information along with a copy of its applicable resident state's statute in the Response.

14. TEXAS MOTOR VEHICLE COMMISSION CODE & LICENSING

Sales of motor vehicles in the State of Texas are subject to the Texas Motor Vehicle Commission Code. If this Invitation includes any motor vehicle to be sold in the State of Texas, **Offeror** certifies by submission of a response hereto that all required Texas Motor Vehicle Commission licenses are in place and current, and that copies of all such licenses have been submitted with the Response. Further, it shall be **Contractor's** responsibility to keep current all required Texas Motor Vehicle Commission licensing during the term of the contract, and to furnish license copies at any time on request by **H-GAC**. If **Contractor** does not maintain current licensing, **H-GAC** reserves the right to immediately terminate the contract.

<p>NOTE: In accordance with the Texas Motor Vehicle Commission Code, contracts for motor vehicles to be sold within the state of Texas may be made <u>ONLY</u> with properly licensed Texas Motor Vehicle Dealers. Therefore, to be considered for a contract covering Texas End Users, the Response must include a Form A from a licensed Texas Motor Vehicle Dealer</p>

15. INTENT AND SCOPE OF SPECIFICATIONS

- a. The intent of the specifications herein is to provide **Offeror** with sufficient information concerning the Products/Services to be contracted such that **Offeror** can prepare and submit an acceptable Response.
- b. The specifications may be detailed or general in nature with regard to any particular Product/Service. Where not otherwise specified, details of construction, materials, or the way in which services will be provided, are left to the discretion of the **Offeror**, provided only that any offering shall conform, as a minimum, to best Industry standards and practices and to what is currently being sold in the marketplace.
- c. Responses shall be considered only from **Offerors** that have established good reputations in their markets, and who furnish satisfactory evidence of ability to supply the Products/Services specified herein.
- d. **Offeror** shall show proof of ability to provide to **End Users** prompt and competent service, including parts if applicable, for all Products/Services covered by this Invitation, by proper completion of a Service Organization Document as described elsewhere herein.

16. REQUIREMENTS APPLICABLE TO PHYSICAL GOODS

In the case of physical goods (e.g. equipment, material, supplies, as opposed to services), all Products offered must, unless otherwise stipulated in Section B:

- a. Be new, unused, and not refurbished.
- b. Not be a prototype insofar as the general design, operation and performance. This requirement is NOT meant to preclude **Offeror** from offering new models or configurations which incorporate improvements in a current design or add functionality, but which in such new model or configuration may be new to the marketplace.
- c. Include any and all accessories which may or may not be specifically mentioned herein, but which are normally furnished or which are necessary to make a delivered Product ready for its intended use. Such accessories shall be assembled, installed and adjusted such that the Product is ready for continuous operation at time of delivery.
- d. Have assemblies, sub-assemblies and component parts that are standard and interchangeable throughout the entire quantity of a particular Product as may be purchased simultaneously by any individual **End User**.
- a. Be designed and constructed using current industry accepted engineering and safety practices, and materials.
- b. Be available for inspection at any time prior to or after procurement.

17. PRODUCT CODES

Unless otherwise addressed in Section B of this Invitation, the following requirements shall apply:

- a. Each Product/Service offered shall be uniquely identified using an **H-GAC** Product Code, which shall be determined as described in Section B of this Invitation. **Offeror** shall offer ONLY ONE Product for any particular Product Code. For example, **Offeror** may wish to submit a bid for Product Code ABC and may have another offering that also meets the requirements for ABC. **Offeror** MAY NOT submit two offerings for ABC. The alternate offering that also meets the requirements for ABC must be offered as an option "upgrade/downgrade" to ABC on **Form E**.
- b. Pricing for optional upgrades or downgrades to base bid items should be quoted as an "adder" or "deduct" amount as appropriate, to be applied to the offered price of the base Product Item listed on **Form D**.
- c. Base bid items and their associated HGACBuy Product Codes are included in the Section B and/or on **Form D**.

- d. Selection of Product Codes for which to submit an offer is at **Offeror's** sole discretion.

18. SPECIFIC DESCRIPTIVE REFERENCES

Except for Base Product Items listed on **Form D**, any reference to a specific catalog, data sheet, form, brochure, model name or number, etc. used herein to describe an item such as an option or accessory is only descriptive and is not to be considered restrictive unless otherwise noted. Such references are normally used only to indicate a type, general description, level of quality and/or required performance standards.

19. MANUALS

Unless otherwise specified or superceded herein, each Product delivered under an **H-GAC** contract, and if applicable any options thereto, shall be supplied with at least one (1) copy of a safety and operating manual. The cost of any such manuals must be included in the base price for any Product Item offered hereunder. If more detailed and technically orientated parts and maintenance manuals are available for a Product or option, at a cost, they shall be offered as options on the *FORM* designated herein for such options, or elsewhere in the Response as may be directed herein.

20. STANDARD FEATURES & OPTIONS

The following requirements are applicable primarily to physical goods.

Standard Features

- a. The stated minimum requirements for all Products listed herein include what **H-GAC** considers to be "standard" features. Even though such features might normally be offered as options rather than as standard, they are nonetheless considered to be standard in this Invitation, and must be included in the base price for any Product offered. Such features **SHOULD NOT** be offered as options except as deducts for their omission from the base Product.
- b. If it is unclear in the Response that an **H-GAC** standard feature is included in the base price, it will be assumed that such is the case. If awarded a contract **Offeror** will be expected to sell the Product with all **H-GAC** specified standard features included in the base price.
- c. Any feature or accessory normally offered by manufacturer as "standard" shall be considered a standard feature and shall be included in the base price of any offering, even though not specifically listed as a requirement in **H-GAC's** specifications. Such features **SHOULD NOT** be offered as options except as deducts for their omission from the base Product.

Options - General

- a. Options are considered to be any features or accessories, other than **H-GAC's** and Manufacturer's "standard" features or accessories.
- b. Options should be offered on the *FORMS* designated for quoting options. Each option should be listed and described on a separate line, and should include any Manufacturer's/Dealer's code number. If no Manufacturer's/Dealer's code number exists, **Offeror** should create one.
- c. Prices for all offered options shall be assumed to include any installation or mounting required to make it a fully functional component of the Product, unless otherwise stated in **Offeror's** response.

Required Options

- a. Product specifications in this Invitation may include **H-GAC** "Required Options". If so, **Offeror** must quote a price for ALL such options, and, if there is an **H-GAC** Option Code provided in this Invitation for such options, it MUST be used as part of the description.
- b. For any specific "Required Option", **Offeror** may quote an equivalent so long as its design and performance are as good as, or better than, the specified option item. Responses which do not include pricing for Required Options may be considered non-compliant.

Other Options

- a. "Suggested" or "Other" options may be listed for any particular Product in this Invitation, and **Offeror** is encouraged to quote pricing for such options. The extent of offered options in any response may be taken into consideration as part of the award criteria, at **H-GAC's** sole discretion.

- b. **Offeror** is encouraged to include options for non-equipment items that may be applicable to a sale, such as: Extended Warranties, Maintenance Agreements, Buy-back or Trade-In Agreements, Out-of-state Delivery Charges, Quantity or Special Discounts, Extended Training Classes, etc.

Published & Unpublished Options

- a. H-GAC Cooperative Purchasing Program (Program) contracts are awarded through a public competitive bid or proposal (RFP) process. Further to that process, Program policy considers an 'option' listed and priced in a bid or RFP Response: (1) To be a "**Published Option**"; (2) To be part of any awarded contract; and (3) To be available for purchase by Program members separately and independently from associated base line items. However, since Published Options may have not been subjected to the same scrutiny as the associated base line items, it cannot be concluded they were directly competed. Therefore, pursuant to Local Government Code 252.021(a), purchase of a published option costing more than \$50,000 shall not be allowed. Furthermore, **H-GAC** reserves the right at its sole discretion to disallow purchase of any Published Option through the Program if deemed contrary to the intent of the law.
- b. Any option that has not been listed and priced in the Response is considered to be an "**Unpublished Option**". Unpublished Options may be sold, but only in connection with the sale of a base Product Item, and only insofar as the total cost of all Unpublished Options remains below twenty five percent (25%) of the total summed cost of the base Product(s) plus any Published Options.
- c. No Published or Unpublished Option may be sold which essentially converts a Product such that it competes with a Product Item awarded to another contractor.

21. WARRANTIES, SALES & SERVICE

Unless otherwise addressed in Section B, the following requirements shall apply:

- a. Offeror must be a properly franchised dealer authorized to sell and service, including warranty service, all products offered and sold in response to the bid invitation or under any **H-GAC** contract.
- b. **Offeror** shall provide detailed Parts and Labor Warranty information with the Response. If **Offeror** submits a warranty with the Response which does not meet the minimum requirements herein, **Offeror** agrees by submission of a Response that such warranty shall be considered to be amended to meet those minimums.
- c. Warranties shall be manufacturer's standard and shall be inclusive of any other warranty requirements which may be stipulated elsewhere herein.
- d. Any warranties offered by a dealer shall be in addition to the manufacturer's standard warranty, and shall not be a substitute for such. **Offeror's** base price for any Product shall be inclusive of the standard warranty.
- e. Complete warranty information will be supplied to **End User** with each Product sold.
- a. Warranties need not apply to normal maintenance service or adjustments, or to any product reasonably shown to have been repaired or altered in any way so as to affect its stability, or to any product which has been subject to misuse, negligence, or accident.
- f. **Offeror/Contractor** is encouraged to offer extended warranties as an option.
- g. Neither **H-GAC** nor **End User** assume any warranty or liability on **Contractor's** behalf unless made or assumed in writing, initiated by **Contractor**, and agreed to in writing by **H-GAC** or the **End User** respectively.
- h. **Contractor** shall be responsible for the execution and effectiveness of all product warranty, and shall be the sole source for solution to problems arising from warranty claims. **Contractor** agrees to respond directly to correct warranty claims and to ensure reconciliation of warranty claims that have been assigned to a third party.

22. H-GAC ORDER PROCESSING CHARGE

H-GAC will levy an Order Processing Charge on **Contractor** for each sale done thru the **H-GAC** contract, with the exception of orders for motor vehicles. Any bid pricing submitted will be considered to include the Charge. The amount of the applicable charge shall be per the most current **H-GAC** schedule. For motor vehicle orders, the Processing Charge shall be levied on and paid by the **End User**.

23. PRE-PAYMENTS AND DISCOUNTS

- a. Progress, pre-payment and special discounts of any kind may be offered and detailed in the Response. Such discounts shall be clearly explained, but shall not be a determining factor in awarding contracts except in the case of tie offerings.
- b. Quantity discounts applicable to similar Products sold to one or more **End User** Departments may be offered. Determination as to product similarity shall rest solely with **Contractor**.
- c. For specific purchases, any proposed quantity, pre-payment or special discounts shall be clearly shown on the Contract Pricing Worksheet.

24. INSPECTION / TESTING

All Products sold pursuant to this Invitation shall be subject to inspection/testing by or at the direction of **H-GAC** and/or the ordering **End User**, either at the delivery destination or the place of manufacture. In the event a Product fails to meet or exceed all requirements of this Invitation, and unless otherwise agreed in advance, the cost of any inspection and/or testing, shall be borne by the **Contractor**.

25. PRODUCT DELIVERY

Unless otherwise addressed in Section B, the following requirements shall apply:

- a. Title to goods, and responsibility and liability for loss and/or damage in shipping pass to **End User** at the delivery destination after receipt and acceptance have taken place. Cost of shipping/delivery shall be paid by **End User** unless otherwise agreed to by **Contractor**. If **Contractor** will be paying for shipping/delivery, shipping terms must be "F.O.B. Destination, Freight Prepaid". If **End User** will be paying for shipping/delivery, shipping terms must be "F.O.B. Destination – Freight Collect".
- b. The details for the application and calculation of shipping and delivery charges must be stated in the Response on **Form E**. Any freight, shipping or delivery charged to **End User** will be prepaid and added to the invoice, and will be clearly shown on any Contract Pricing Worksheet or other quote presented to the **End User**.
- c. The estimated delivery time after receipt of order (ARO), inclusive of Saturdays, Sundays and holidays, for all Products offered must be stated in the Response. Actual delivery for any particular order must be confirmed with **End User** at time of order placement, and must be stated clearly on the Contract Pricing Worksheet.
- d. **Contractor** shall be responsible for delivery and Acceptance according to the requirements of the Contract and the Purchase Order.
- e. Contractor shall advise **End User** prior to making any shipment/delivery, and shall make such shipment/delivery in accordance with **End User's** requirements, providing only that such arrangements do not contravene any requirement of the **H-GAC** contract unless agreed to by **Contractor**.
- f. The execution of all required tests, certifications and/or licensing, and costs thereof, shall be the responsibility of **Contractor**. Upon request by **End User** or **H-GAC**, **Contractor** shall provide any documentation or certification related to such tests, certifications or licensing.

26. OFFERED PRODUCT ITEM VARIANCES

Any variance in the specifications or performance of Products offered pursuant to this Invitation shall be acceptable to **H-GAC** only insofar as it MEETS or EXCEEDS the specifications and requirements of this Invitation.

27. REQUIREMENTS FOR SUBMISSION OF A RESPONSE

Unless otherwise addressed in Section B, the following requirements shall apply:

- a. Responses shall be submitted in two complete printed sets including an Original and one (1) Copy in separate "hard side" three-ring binders. The outer spine of each binder shall be labeled showing this Invitation No., **Offeror** Name, and either "Original" or "Copy", as applicable. The Original printed response will be considered to be the binding Response in case of any conflicts between printed copies and electronic copies. Except for required forms, **H-GAC** Invitation documents should not be included in the Response.
- b. The Original and the Copy shall be submitted complete, except that the Electronic Media should be submitted only with the Copy.
- c. All required **H-GAC FORMS** and documents shall be properly completed, without exception or Offeror's Response may be deemed non-compliant. **Offeror** may not modify the format of any **H-GAC FORM** in any way. **Offeror** may photocopy or print blank **FORMS** as needed. Information submitted on the printed copies of the **FORMS** may not be handwritten except for signatures and initials. It is **Offeror's** responsibility to insure that printed **FORMS** are clear and legible. Handwritten and illegible entries may be rejected. **Offeror's** printed, stamped or typed name shall appear on every **FORM** submitted in the Response.
- d. The entire response submission shall also be submitted on electronic media, including all required **H-GAC FORMS**. **Offeror** is strongly advised to make and work with copies of the original electronic **FORMS**. The originals can then be used to make additional electronic or printed copies of the blank **FORMS**. Signatures are not required on the electronic **FORMS**.
- e. The Response shall include ample written evidence, in the form of technical specifications, cut/tear sheets, brochures, pictures, drawings, etc., to demonstrate that all specifications herein have been met and/or exceeded.

- f. The Response shall include, in any format desired, an overview of the **Service Organization** which will support Products sold under any **H-GAC** contract. The overview must include facility locations, phone numbers and Service Manager names, as well as the following:
- The procedure to be used by an **End User** requiring repairs.
 - Typical turn-around time on repairs.
 - Service Department days and hours of operation.
 - Number of qualified / factory trained service personnel normally on hand.
 - Description of the parts inventory on hand.
 - Training services, facilities and personnel available.
- g. Responses shall be enclosed in a sealed package(s) addressed to the Houston-Galveston Area Council, Cooperative Purchasing. The following information shall be stated on the exterior of the package(s):
- Name and address of **Offeror**.
 - Date and hour of public response opening.
 - Bid/Proposal Invitation number.
 - The statement: **"SEALED BID/PROPOSAL, DO NOT OPEN IN MAIL ROOM"**.
- H-GAC** shall not be responsible for any Response not properly labeled.
- h. Submission of a COMPLETE Response by telegraphic or electronic transmission is not acceptable. However, Responses may be modified by telegraphic or electronic notice if such notice is received prior to the deadline for submission.
- i. Samples, when required, shall be submitted within the time specified and at no expense to **H-GAC**. If not destroyed or consumed during testing, samples will be returned upon request at **Offeror's** expense.
- j. **Offeror** shall provide firm contract pricing for all Products and Options being offered.
- k. If applicable, responses shall include copies of all current licensing which may be required by the Texas Motor Vehicle Division for execution of sales pursuant to any contract with **H-GAC**.
- l. Due to the complexity of responses and to aid in evaluation, the Response should contain **ALL** required information in tabbed sections as detailed below. Omission of any required FORM or information will be sufficient grounds for **H-GAC** to consider your response to be non-compliant.
- m. **First Section:**
- **Form(s) A – Offeror Identification & Signatory:** Identifies the offering party(ies), and should be completed by each party to the Response. If awarded, a contract will be executed with each.
 - **Form B – Historically Underutilized Business Enterprises:** Used to collect information about disadvantaged and minority suppliers and subcontractors, and to commit **Offeror** to working with Participants toward their program goals.
 - **Form C – Response Checklist:** Certification, and also an aid, to insure that all required information has been included in your Response.
 - References, formatted as described elsewhere herein.
 - Service Organization Document, formatted as described elsewhere herein.
- Second Section:**
- **Form D – Offered Items Pricing:** For Bids, contains the list of the Product Items covered by this Invitation. Select the items offered and fill in the price for each. (For RFPs, follow the instructions in Section B as this **Form** may or may not be used.)
 - **Form E – Published Options:** Used to list and price all offered options. List, each on a separate line, all upgrades, downgrades, optional equipment, features, accessories and services which you desire to sell thru the **H-GAC** contract, if awarded. Published catalogs/price sheets may be listed, along with the discount structure that will apply. (For RFPs, follow the instructions in Section B as this **Form** may or may not be used.)
 - **Form W-9 – Request for Taxpayer Identification Number and Certification:** Should be completed by each party to the response.
- Third Section:**
- Technical Specifications, Product Brochures, Tear Sheets, Cut Sheets, Strippers, etc. which clearly list and show all the standard features and capabilities of each Product Item offered on **Form D**.

- Warranty Documentation, as described elsewhere herein, for all items offered.

Fourth Section:

- Copies of any applicable Texas MVD Licenses.
 - Electronic Media, containing the complete response including all required *FORMS*, stored in a pouch or an envelope such that it will not fall out of the binder. (Required in 'Copy' only, not in 'Original'.)
 - **Form CIQ – Conflict Of Interest Questionnaire:** Chapter 176 of the Texas Local Government Code requires vendors and consultants contracting or seeking to contract with **H-GAC** to file a Conflict of Interest Questionnaire (CIQ) if they have an employment or other business relationship with an **H-GAC** officer or an officer's close family member. The required questionnaire is located at the Texas Ethics Commission website: http://www.ethics.state.tx.us/whatsnew/conflict_forms.htm. It is Bidder's responsibility to download the form and furnish a completed copy with the Response, if it is applicable.
- n. By submittal of Response, **Offeror** certifies to the best of its knowledge that all information is true and correct.

28. CLARIFICATION TO SPECIFICATIONS & REQUIREMENTS

- If **Offeror** is in doubt as to the meaning of any item in this Invitation, a written request for clarification may be submitted to **H-GAC** up to fifteen (15) calendar days prior to the deadline for response submission. **H-GAC** shall not be responsible for late delivery. Requests may be transmitted by FAX or e-mail to the assigned Specification Specialist, and should clearly reference this Invitation number and the specific page and paragraph in question. If there are multiple questions, they should be stated separately and numbered.
- Any interpretation of Invitation documents, if made, will be by written Addendum duly issued. A copy of such Addendum will be mailed or delivered to each person officially on record as having been sent a copy of this Invitation. **H-GAC** will not be responsible for any other explanation or interpretation of the Invitation documents made or given prior to the award of the contract.
- Any objections to the Invitation documents must be filed in writing with **H-GAC** on or before fifteen (15) calendar days prior to the deadline for submission of responses.
- Prospective offerors are advised that, after a draft specification has been issued, the Pre-Bid/Proposal Conference is the primary forum through which comments and suggestions may be offered for consideration by **H-GAC** prior to issuance of the final invitation and specifications.
- All best efforts have been made to insure that the product/service descriptions and associated specification information in Sections B & C are correct, and adequate time has been given to prospective Offerors to point out mistakes. However, if an error remains and is caught by Offeror before the scheduled bid/proposal opening, Offeror shall make note of the required correction in the Response, and shall also notify **H-GAC** prior to the opening of responses.

29. INCONSISTENT INFORMATION

H-GAC review of responses supplied on **H-GAC FORMS** is a significant part of the evaluation process. **Offeror** shall state clearly all information required on the *FORMS*. **Offeror's** information supplied on the *FORMS* shall take precedence in the event any standard "boilerplate" type language included in **Offeror's** response is inconsistent with the information supplied by **Offeror** on the **H-GAC FORMS**. In all cases, information on **H-GAC's** printed *FORMS* supplied as part of **Offeror's** response shall take precedence over information supplied on electronic media.

30. REJECTION OF RESPONSES

- H-GAC** may reject a response if:
 - **Offeror** misstates or conceals any material fact in the Response, or if,
 - **Offeror** does not strictly conform to law or the requirements of this Invitation.
- H-GAC** may reject any and all responses, and may reject any part of a response.
- H-GAC, at its sole discretion**, may also waive any formalities or irregularities in any response, or ask for corrected information except for pricing.
- The following occurrences require disqualification of the bid/proposals:**
 - Unsigned or unauthorized signatures on bids/proposals;
 - Bids received after the date and time for opening
 - Bids where prices are conditional on award of another bid or are subject to unlimited escalation

- e. **H-GAC** may refuse to award a contract to or enter into a transaction with an apparent low bidder if that bidder is indebted to **H-GAC**.

31. WITHDRAWAL OR MODIFICATION OF RESPONSES

Once received by **H-GAC**, responses may be modified or withdrawn prior to the submission deadline only if the request to do so is in writing submitted by **Offeror's** authorized representative. Responses and requests for modification received after the submission deadline will not be accepted. Requests for response withdrawal received after the submission deadline will be accepted if the request to do so is in writing submitted by **Offeror's** authorized representative.

32. RESPONSE EVALUATION

For Bid Responses:

- a. Section B will state whether the contract will be awarded to the lowest responsible bidder or to the bidder who provides goods or services at the best value for **H-GAC** and its participants.
- b. If the contract will be awarded based on best value, Section B will state any relevant criteria which **H-GAC** will consider.
- c. For each offered Product Item, **H-GAC** may use the offered price, prices for Required Options, and the prices of selected common Published Options to determine the lowest responsible offer.
- d. Failure of **Offeror** to submit pricing for **frequently purchased** options and any **H-GAC** required options may cause response to be considered non-compliant at **H-GAC's** sole discretion.

For Proposal Responses:

- e. **H-GAC** will evaluate proposals as detailed in Section B.
- f. By submission of a Response **Offeror** indicates acceptance of the evaluation technique, and recognizes and accepts that **H-GAC** may at its sole discretion make subjective judgments during the evaluation process.

33. ORDER OF PRECEDENCE PRIOR TO CONTRACT AWARD

In the event of conflict between this document and any references or documents cited herein, this document shall take precedence prior to contract award.

34. AWARD OF CONTRACT

- a. **H-GAC** reserves the right to accept or reject any Product Item or option offered. Additionally, all options included in **Offeror's** response and accepted by **H-GAC** are understood to be included in any contract.
- b. **H-GAC** shall award contract(s) for line items or groups of line items, at its sole discretion.
- c. With authority granted by the **H-GAC** Board of Directors, a written contract shall be presented to the successful **Offeror(s)** and shall be subject to acceptance by the successful **Offeror(s)** within thirty (45) calendar days after presentation by **H-GAC**. If a contract is not executed within thirty (45) calendar days, **H-GAC** may rescind the contract offer and award a contract to the next **Offeror** in order of rank as determined by **H-GAC**.
- d. Delivery time and prompt payment discounts, including time allowed for payment, may be considered in tie-breaking of offers which are judged by **H-GAC** to be equal in all other criteria.
- e. The contract shall include the following documents in the stated order of precedence:
 - 1st The contract document signed by **H-GAC** and **Offeror**.
 - 2nd This Invitation and all specifications referenced herein.
 - 3rd **Offeror's** response to this Invitation.

35. PRO-FORMA CONTRACT

This Invitation includes a Pro-Forma (sample) Contract which successful offerors will be expected to sign. The actual final contract will be the same or nearly the same as the Pro-Forma. NOTE: Successful Offerors MAY NOT process any purchase orders until the contract documents have been executed and returned to **H-GAC**.

36. CONTRACT TERM

The contract shall be in effect throughout the period stated elsewhere in the contract documents, and thereafter until such time as any outstanding orders against the contract have been fulfilled. The contract may be extended if deemed by **H-GAC** to be in the best interests of the Program, and subject to mutual agreement of the parties.

37. PERFORMANCE & PAYMENT BOND

H-GAC's contractual requirements DO NOT include a Performance & Payment Bond (PPB), and offered pricing should reflect this cost saving. However, **Contractor** must be prepared to offer a PPB to cover any specific order if so requested by **End User**. **Contractor** shall quote a price to **End User** for provision of any requested PPB, and agrees to furnish the PPB within ten business (10) days of receipt of **End User's** purchase order.

38. CHANGE ORDERS

End Users shall have the right to make additions by addenda for the purpose of clarification or inclusion of additional specifications, qualifications, conditions, etc. Any such addenda shall be made in writing and agreed upon by **Contractor** and the **End User** agency prior to issuance of any Change Order. A copy of any such Change Order shall be furnished by **Contractor** to **H-GAC**.

39. DUPLICATION OF TERMS OR STATEMENTS

Where statements or terms are duplicated or are extremely similar, **H-GAC** and the **End User** reserve the right to use the statement or term most favorable to **H-GAC** and/or the **End User**.

40. PUBLICITY

H-GAC encourages contractors to "market" the Program, and can provide some information and artwork to be used in published promotional materials. However, any publicity or published material released by **Contractor** referencing the contract, whether in the form of a press release, brochure, photographic coverage, or verbal announcement, shall be issued only with prior review and approval by **H-GAC**.

41. TAXES

HGAC and **End User** participants are either units of government or qualified non-profit agencies, and are generally exempt from Federal and State sales, excise or use taxes. **Offeror** shall not include any such taxes in the Response. Further, it shall be the responsibility of **Contractor** to determine the applicability of any taxes to a particular order and act accordingly. Exemption certificates will be provided upon request.

42. DRUG FREE WORKPLACE

Contractor shall provide notice to its employees and sub-contractors, as required under the Drug-Free Workplace Act of 1988. A copy of **Contractor's** Drug-Free Workplace policy shall, on request, be furnished to any **End User**.

43. PRODUCT NOTICES & MAILINGS

H-GAC is NOT the owner of Products sold pursuant to this Invitation, but acts only in the capacity of purchasing agent. In that regard, **Contractor** accepts sole responsibility for insuring that notices and mailings, such as Safety Alerts, Safety Recall Notices and Customer Surveys, are sent directly to the **End User** of record.

44. HANDLING OF ORDERS & PAYMENTS

In general, orders and payments will be handled as described below. More specific instructions and information regarding handling of purchase orders and the Order Processing Charge may be provided after contract award. Established procedures may be changed at any time by **H-GAC** as may be dictated by efficient business practice. The particulars of any sale, e.g. specific products, pricing, delivery, warranty, etc., will be in strict accordance with the terms and conditions of this Invitation and the specific contract awarded to **Contractor**. Beyond that:

- a. For any particular procurement to be made under the provisions of an **H-GAC** contract, **End User** and **Contractor** will discuss requirements and agree as to what will be provided.
- b. **Contractor** will prepare a Contract Pricing Worksheet and provide it to **End User**. The Worksheet will list everything being purchased including the base bid item(s), all published and unpublished options and the delivery date. All pricing shall be per the current contract.

- c. **End User** will send a purchase document to **Contractor**, which **Contractor** will send **H-GAC** together with the Contract Pricing Worksheet. **NOTE: Contractor** agrees not to offer, agree to or accept from End User any terms or conditions that conflict with or contravene those in **Contractor's H-GAC** contract, except for pricing discounts.
- d. **H-GAC** will prepare an "Order Confirmation" and send it to **End User** and to **Contractor**. The Order Confirmation verifies that **Contractor** has a valid **H-GAC** contract and that the order is in compliance with the requirements of the **H-GAC** Cooperative Purchasing Program. **Contractor** will not ship any goods before receipt of both **End User's** purchase document and **H-GAC's** Order Confirmation.
- e. On notification that **Contractor** has received an order, **H-GAC** will invoice **Contractor** for the applicable Order Processing Charge. **NOTE: The Order Processing Charge is charged to Contractor, EXCEPT in the case of motor vehicles.** For all sales of motor vehicles the Order Processing Charge is levied on the **End User**, collected by **Contractor**, and remitted to **H-GAC** by Contractor.
- f. **Contractor** will deliver products/services ordered, and will invoice **End User** for products/services accepted by **End User**. (See other Sub-Section herein dealing with Product Delivery.) **Contractor** will not invoice before shipment has been made.
- g. **End User** will pay **Contractor** for those products and/or services ordered which have been received and accepted. Under no circumstances shall any check be made payable to a representative or agent. Should a representative or agent submit an invoice to **End User** for any cost related to a purchase order issued to **Contractor** for products/services covered by an **H-GAC** contract, such invoice shall be forwarded to **Contractor** and **Contractor** will take action to correct the error.
- h. Upon delivery of any product/service by **Contractor** and acceptance by **End User**, **Contractor** shall remit to **H-GAC** the full amount of the applicable Order Processing Charge in accordance with the payment terms established in the **H-GAC** contract. Note, the Order Processing Charge is due whether or not **Contractor** has ever received an invoice from **H-GAC**. Sales executed based on the particulars of **Contractor's H-GAC** contract, without payment of the Order Processing Charge, may constitute fraud.

45. PRICE CHANGES

- a. Any permanent increase or decrease in offered pricing for a base contract item or published option is considered to be a price change. Temporary increases in pricing by whatever name (e.g. 'surcharge', 'adjustment', 'equalization charge', 'compliance charge', 'recovery charge', etc.), are also considered to be price changes.
- b. Except in the case of contracted published catalogs and price sheets, prices for Base Bid Items and Published Options are expected to be held firm for a minimum of 90 days from the date an awarded Offeror signs the **H-GAC** contract. Thereafter, changes will be considered if accompanied by justifying documentation satisfactory to **H-GAC**. For published catalogs and price sheets which are on an **H-GAC** contract, requests to amend the contract to reflect any new published catalog or price sheet may be submitted whenever the manufacturer publishes the new document. Any such request must include the new catalog or price sheet.
- c. If **Contractor** routinely offers discounted contract pricing, **H-GAC** may request **Contractor** to accept amended contract pricing equivalent to the routinely discounted pricing.
- d. No price change will be allowed unless it has been reviewed and approved by **H-GAC** in writing. **Contractor** must have received **H-GAC's** written approval of any change prior to charging the new price or using it in any quotation prepared for an End User.
- e. Price change requests must be submitted to **H-GAC** in writing and must be received by **H-GAC** at least thirty (30) calendar days prior to the requested effective date of the change, and must state the time period for which the requested pricing will remain firm.
- f. Price change requests shall include **H-GAC Forms D and E**, or whatever documentation was used to submit pricing in the original Response hereto, showing all affected items with current contract price, requested price, and percentage change shown clearly for each. This documentation should be submitted in MSExcel format to facilitate analysis and updating of the website.
- g. Price change requests **MUST** be supported with substantive documentation (e.g. manufacturer's price increase notices, copies of invoices from suppliers, etc.) showing that **Contractor's actual costs** have increased. The Producer Price Index (PPI) may be used as partial justification, subject to approval by **H-GAC**, but no price increase based solely on an increase in the PPI will be allowed.
- h. All Products shall, at time of sale, be equipped as may be required under any then current applicable local, state, and federal government requirements. If, during the course of any contract, changes are made to such government requirements which cause a manufacturer's costs of production to increase, **Contractor** may

increase Product pricing to the extent of **Contractor's** actual cost increase. The increase must be substantiated with support documentation acceptable to **H-GAC** prior to taking effect. Modifications to a Product required to comply with such requirements which become effective after the date of any sale shall be the responsibility of the **End-User**.

- i. In cases involving contract extensions exceeding sixty-one (61) days beyond the stated expiration date of the contract, **Contractor** may request a price change based on the same conditions as stated above. However the thirty (30) day prior notice is waived and **H-GAC** will consider the request immediately on receipt.
- j. **H-GAC** reserves the right to accept or reject any price change request. Acceptance, if granted, will be in writing and the approved changes will become part of the contract.

46. CONTRACT ITEM CHANGES

- a. If a manufacturer discontinues a contracted item, that item will automatically be considered to be deleted from the contract with no penalty to Contractor. However, **H-GAC** may at its sole discretion elect to make a contract award to the next low offeror for the item, or take any other action deemed by **H-GAC** to be in the best interests of **End Users**, at its sole discretion.
- b. If a manufacturer makes any change in a contracted item which does not affect the contract price, Contractor shall advise **H-GAC** of the details. If the 'new' item is equal to or better than the originally contracted item, the 'new' item shall be approved as a replacement. Otherwise **H-GAC** may allow or reject the change, or take any other action deemed by **H-GAC** to be in the best interests of **End Users**, at its sole discretion. If the change is rejected there will be no penalty to Contractor.
- c. If a manufacturer makes any kind of change in a contracted item which affects the contract price, Contractor shall advise **H-GAC** of the details. **H-GAC** may allow or reject the change at its sole discretion. If the change is rejected there will be no penalty to Contractor. However, **H-GAC** may elect to make a contract award to the next low offeror for the item, or take any other action deemed by **H-GAC** to be in the best interests of **End Users**, at its sole discretion.
- d. In the case of specifically identified catalogs or price sheets which have been contracted as base bid items or as published options, routine published changes to products and pricing shall be automatically incorporated into the contract. However, **Contractor** must still provide thirty (30) calendar days written notice and an explanation of the changes to products and pricing. **H-GAC** will respond with written approval.

47. FORCE MAJEURE

If either party shall be wholly or partially prevented from the performance of any contractual obligation or duty by reason of or through strikes, stoppage of labor, riot, fire, flood, acts of war, insurrection, accident., order of any court, act of God, or specific cause reasonably beyond the party's control and not attributable to its neglect or nonfeasance, in such event, the time for the performance of such obligation or duty shall be suspended until such disability to perform is removed. Determination of Force Majeure shall rest solely with **H-GAC**.

48. PERFORMANCE UNDER CONTRACT

H-GAC is committed to insuring that **Contractor** provides effective and efficient service to all Participants in the Cooperative Purchasing Program, and expects that certain Performance Conditions must be met. Failure to meet these conditions may result in contract termination. In that regard, **Contractor shall:**

- a. Appoint a dedicated representative to be the contact person and focal point for all matters relating to End User quotations and orders. The representative shall have: A toll free phone number with voice mail; A fax number; A working e-mail address; and A postal address.
- b. Insure that the representative timely monitors all communication modes listed above, and promptly responds to communications from **End Users** and **H-GAC** in any of these modes. Phone calls will be promptly returned, in any event not later than the next business day. Acceptable failure will be due only to Force Majeure.
- c. Maintain sufficient qualified staff to promptly process all communications from **H-GAC** or **End Users**, and to efficiently, effectively and accurately service all requirements of the contract.
- d. As may be requested by **H-GAC**, replace any staff members who are not providing the service and expertise deemed necessary by **H-GAC** for acceptable support of **End Users**.
- e. Properly prepare and provide to **End User** a Contract Pricing Worksheet, or a quotation in other format as approved by **H-GAC**, for each and every order that is to be executed.
- f. Furnish, on request of **H-GAC**, reasonable data, forms and graphic material to be used in brochures or other print media, or on **H-GAC's** website.

- g. Allow access to **H-GAC** authorized personnel for inspection of operating facilities, and auditing of purchase orders during the contract period, and for a period extending thru the completion of any outstanding orders. Site inspection may be arranged not less than ten (10) calendar days prior, shall include the names of all participants, and shall be at no expense to **Contractor**.
- h. **Reporting Requirements:**
- **Contractor** agrees to submit written quarterly reports to **H-GAC** detailing all transactions during the previous three month period. Such reports shall include, but are not limited to the following:
 - **End User** name
 - Product/Service purchased, including Product Code if applicable
 - End User Purchase Order Number
 - Purchase Order Date
 - Product/Service dollar amount
 - **HGACBuy** Order Processing Charge amount
 - Reports must be provided to **H-GAC** in MSeXcel or other acceptable electronic format, and are due by the 30th day of the month following the applicable quarter being reported.
- i. Should **Contractor** default in providing Products or Services as required by this Invitation and the contract, recourse may be exercised thru cancellation of the contract and other legal remedies as may be appropriate.

49. IMPLEMENTATION OF INTERNET BASED E-COMMERCE

H-GAC Cooperative Purchasing has adopted E-Commerce as part of its business model and maintains an internet website at www.HGACBuy.org. At any point in time, various information and process functions may be implemented and made operational thru the website, including but not limited to items such as:

Information Items

- | | |
|--|--|
| • Contract information | • Product and option item catalog listings |
| • Procurement schedules | • End User & Contractor information |
| • Response requirements & specifications | |

Functions

- | | |
|--|-----------------------------|
| • End User product inquiries | • Shipping/Delivery notices |
| • Product configuration and price quotes | • Invoice generation |
| • Purchase Orders and Confirmations | • Payment remittances, etc. |

All **H-GAC Contractors**, as a condition of contract, will be required to work with **H-GAC** and it's E-Commerce provider(s) to maximize use of E-Commerce within the context of **H-GAC** Cooperative Purchasing business. **Offeror** is encouraged to refer to **H-GAC's** Cooperative Purchasing web site where additional information can be found. If you have any questions, please contact **H-GAC** for assistance.

50. CONTRACTOR ORIENTATION/TRAINING

H-GAC believes that **Contractor's** familiarity with the operational policies and requirements of the Cooperative Purchasing Program is a key factor in achieving **End User** satisfaction. In that regard, the Contact Person listed on **Form A**, or an alternate, shall be required to participate in an **H-GAC** vendor orientation/training as soon as possible after contract award. In addition, any other of Contractor's staff who will be involved in any way with the HGACBuy Program should participate in orientation. The orientation may be presented as a teleconference or webinar, or may be held in **H-GAC's** offices as may be determined by **H-GAC** and Contractor to be the most efficient and effective form of delivery.

51. LEGAL & CONTRACTUAL REMEDIES

RESOLUTION OF PROTESTED SOLICITATIONS AND AWARDS

Procedure

Any actual or prospective **Offeror** or **Contractor** who is aggrieved in connection with a purchase transaction may file a grievance. The grievance may be filed at any phase of the procurement. In order for an above mentioned party to enter the grievance process, a written complaint must be sent to the Office Services Manger of **H-GAC** by certified mail which identifies the following:

1. Name, mailing address and business phone number of the complainant.
2. Appropriate identification of the procurement being questioned.
3. A precise statement of reasons for the protest.

4. Supporting exhibits evidence or documents to substantiate any claims.

The grievance must be based on an alleged violation of **H-GAC's** Procurement Procedures, a violation of State or Federal law (if applicable), or a violation of applicable grant or contract agreements to which **H-GAC** is a party. Failure to receive a procurement award from **H-GAC** in and of itself does not constitute valid grievance. Upon receipt of grievance, the Office Services Manager will initiate the informal resolution process.

Expedited Resolution

The Procurement Officer or Departmental Manager responsible for the solicitation shall contact the complainant and all interested parties and attempt to resolve the allegations informally within ten (10) working days from date of complaint. If the allegations are successfully resolved by mutual agreement, documentation will be forwarded to the Office Service Manager of the resolution with specifics on each point addressed in the original complaint.

If the Procurement Officer or Departmental Manager is not successful in resolving the allegations, the complaint along with the comments will be forwarded to the Office Service Manager immediately. The Office Service Manager will review all documentation. All interested parties will be given written notice of the date, time, and place of the hearing and an opportunity to present evidence. A written decision will be issued within five (5) working days after the hearing along with notice of appeal rights.

Appeals

The complainant may appeal the Office Service Manager's decision by submitting a written appeal, within five (5) working days, to the Executive Director of **H-GAC**. The Executive Director, upon receipt of a written notice of appeal, shall contact the complainant and schedule a hearing within ten (10) working days. The Executive Director of **H-GAC** has the option of appointing a Hearing Officer to preside over the hearing. If appointed, the Hearing Officer shall conduct a hearing and forward a summary and recommended resolution to the Executive Director.

The decision reached by the Executive Director or his designee shall be final and conclusive. This decision will be forwarded to the complainant in writing within thirty (30) working days.

The **Contractor** may, if it elects to do so, appeal the final and conclusive decision of the Executive Director to a Court of competent jurisdiction.

RESOLUTION OF CONTRACT DISPUTES

Upon breach or default, **H-GAC** shall give the **Contractor** written notice of default. If the default is not remedied, within a reasonable specified time from date of notification, to the satisfaction and approval of **H-GAC**, default will be declared.

Upon breach of contract or default, **H-GAC** may exercise any and all of its rights afforded by law, including but not limited to those referenced in the General Contract Provisions.

SOLICITATIONS OR AWARDS IN VIOLATION OF THE LAW

Contracts awarded in violation of the competitive process or otherwise in violation of the law are voidable by **H-GAC**.

52. NATIONWIDE SALES OPPORTUNITIES

HGACBuy provides purchasing services to local governments qualifying non-profits throughout the nation, and desires to make established contracts available to them wherever and whenever practicable. Therefore, once a contract is awarded, **Contractor** is expected to expand the scope of its marketing effort to include sales to **End Users** in all areas of the United States, and/or to assign any **H-GAC** contract to another contractor(s) as deemed appropriate by **H-GAC** in the interest of its End Users.

- **Contractor** may sell through **HGACBuy** anywhere subject to compliance with applicable laws and regulations. If the market structure in which **Contractor** operates requires a contract assignment for any particular sale, **H-GAC** will expect **Contractor** to assign the contract to a Manufacturer or to another Dealer(s). Such assignment must be approved by **H-GAC**.
- **Contractor's** differential costs (e.g. transportation & delivery charges) and allowances (e.g. manufacturer's sales incentives) related to any sale may be charged to buyer.

End of Section A General Terms And Conditions
--

SECTION B - PRODUCT SPECIFIC REQUIREMENTS
For
FIRE SERVICE APPARATUS (ALL TYPES)

TABLE OF CONTENTS

Subsection	Page
1. INTRODUCTION	1
2. GENERAL	2
3. DETAILED PRODUCT SPECIFICATIONS	3
4. LEGAL REQUIREMENTS.....	2
I. WILDLAND FIRE APPARATUS (BRUSH FIRE)	4
II. SPECIAL SERVICE FIRE APPARATUS (RESCUE).....	5
III. AERIAL FIRE APPARATUS	6
IV. PUMPER FIRE APPARATUS.....	7
V. AIRCRAFT RESCUE & FIRE FIGHTING VEHICLES	8
5. EVALUATION AND BID AWARDS.....	8

1. INTRODUCTION

It is the intent of this bid solicitation to acquire pricing that will be used to establish purchase order contracts for various types of fire apparatus. These specifications describe various categories and specific types of Fire Apparatus, including minimum design and construction characteristics considered necessary to perform desired functions. Any products bid hereunder must meet or exceed all requirements listed or referenced in this Invitation. The basic Product categories covered by this Invitation are:

- A. Aerial Fire Apparatus (Boom/Platform, Ladder, Ladder/Platform)
- B. Wildland Fire Apparatus (Brush Fire)
- C. Pumper Fire Apparatus
- D. Special Service Apparatus (Rescue, Re-Hab, Hazmat, Mobile Command Center, etc.)
- E. Pumper-Tanker / Elliptical-Tanker Fire Apparatus
- F. Aircraft Rescue & Fire-Fighting Vehicles

Specific Product items have been pre-listed on **Form D** to be bid. If options (see below) other than the Base Product Items on **Form D** are being offered, they should be listed on **Form E** as upgrades, downgrades, or modifications to the base Product Item on **Form D**, and should be priced using a differential amount based on the bid price for the base Product Item.

Note: All products listed on Form D shall be considered as base **models/units**. Bidders shall provide pricing on all options **where applicable** as they pertain but not limited to the following:

- Chassis/Cab Builder (manufacturer)
- Cab Designs (2/4 Door/Tilt Cab etc.)
- Cab/Body Sheet Metals (Galvanneal, Formed/Extruded Aluminum, Stainless Steel)
- Rear Axle Configuration (Single/Tandem/Tandem Front Steering/Triple Rear)
- Fire Pump Capacities & Mounting Locations (1250/1500/2500 GPM Pump/rear and mid-mounted)
- Body Configurations (Walk-In/Non-Walk-In Body)
- Aerial Categories (Construction/Turntable Positions/Aerial Device Functions)

Note: Customer Quotations – If Requested by an End User, the contractor shall be prepared to provide itemized pricing of the base specification (product code) allowing End User verification of credits/deducts due as a result of upgrades/downgrades to features included in the base specification.

2. GENERAL

- **Third Party Specification(s) By Reference**

This specification is based on the latest editions of NFPA 1901 Standard for Automotive Fire Apparatus, NFPA 1906 Standard for Wildland Fire Apparatus and NFPA 414 Standard for Aircraft Rescue and Fire-Fighting Vehicles.

- **Form A's**

*An originally signed **Form A** from the all entities who are party to this submission and who should be offered a contract if this submission is successful. These entities should include the Apparatus Manufacturer, Franchised Texas Dealer and those dealers outside Texas who have current or past sales through the program (Note: All other sales outside Texas should be coordinated through the manufacturer when possible). In those cases where sales must go through a dealer due to franchise agreements, **Form A's** will be accepted from those dealers. For those only bidding conversions (i.e. brush trucks, light rescues), **Form A's** from in-state commercial chassis dealers for the underlying chassis make being quoted should be provided.*

- **Product Liability Insurance.**

The requirements for Product Liability Insurance in **Section A** are superceded as follows:

For Brush Fire Apparatus, Mini-Pumpers, Class A Pumpers, Heavy Duty Rescues, and HazMat & Mobile Command Centers, Bidder must have in place Product Liability Insurance with a Single Occurrence limit of at least \$1,000,000 per seating position. For Aerial Apparatus, the requirement is \$5,000,000 plus an additional \$1,000,000 for each seating position. [e.g. An aerial ladder truck with six (6) seating position would require Product Liability Insurance with a Single Occurrence limit of \$11,000,000.] For Slip-In Pump/Tank Units, the requirement is a Single Occurrence limit of \$1,000,000 total. The General Aggregate limit for all Apparatus categories must be at least two times the Single Occurrence limit.

Note: Product liability listed above shall be the responsibility of the manufacturer.

- **Fire Apparatus Options, Accessories & Loose Equipment Offered.**

H-GAC bid specifications for fire apparatus include **FORM E "Priced Options."** Equipment not offered in the bid response as Priced Options shall be classified as "Unpriced/unpublished" and may not be sold except as subject to the 25% restriction imposed by Texas statutes.

Note: All priced options (Form E) may be offered for separate purchase to End Users. Individual purchase orders for these options cannot exceed \$50,000.00 (H-GACBuy Fee – 1.5%)

- **Product Code**

Each base Product item covered by this Invitation has been pre-listed on **Form D**, and is identified by a unique **H-GAC** alphanumeric Product Code. Bidder shall decide which line items to bid and shall fill in a bid price in the appropriate cell on **Form D**.

- **Training** - On the initial delivery of the fire apparatus, the contractor shall supply a qualified representative to demonstrate the apparatus and provide initial instruction to representatives of the purchaser regarding the operation, care, and maintenance of the apparatus and equipment supplied (NFPA 1901. 4.4.3).

Note: Contractor shall quote as an option on **Form E** any optional instruction/training regarding service/maintenance that may be available for the delivered apparatus.

- **Manuals** – The contractor shall supply at the time of delivery, at least **two (2) sets** of complete operations and service documentation covering the completed apparatus as delivered and accepted (NFPA Sec. 4.19.2.1)
- **Awards** - Consistent with Texas bid award statutes, for each specific Form-D line item, H-GAC will recommend a single award to the lowest responsible Offeror. Once approved by our Board of Directors, Offerors will be notified of H-GAC management's final award recommendations by email, and then followed by a final, formal signature request from our Contracts group.

• COMMITMENT

Offeror is required to make some basic commitments to insure the overall success of this program. By submission of a response, offeror commits to the following:

- **Corporate/Sales Commitment** – A commitment that **HGACBuy** has the support of senior management and that **HGACBuy** will be the primary government contracting vehicle when offering services/products awarded from this solicitation to eligible end users nationwide. A further commitment to aggressively market the program, both independently as well in partnership with **HGACBuy**.
- **HUB Participation** – It is **H-GAC's** goal to have Historically Underutilized Business Enterprise (HUB) participation in providing services under a contract. IF **Offeror(s)** intends to employ subcontractors in providing services/products related to this solicitation, **Offeror(s)** shall make and demonstrate a good faith effort to include HUB participation under a contract. **Offeror(s)** good faith effort shall include, but is not limited to the following affirmative steps (ref. 2CFR 200.321):
 - 1) Placing qualified small and minority businesses and women's business enterprises on solicitation list;
 - 2) Assuring that small and minority businesses and women's business enterprises are solicited whenever they are potential sources;
 - 3) Dividing total requirements, when economically feasible, into smaller task or quantities to permit maximum participation by small and minority businesses, and women's business enterprises;
 - 4) Establishing delivery schedules, where the requirement permits, which encourage participation by small and minority businesses, and women's business enterprises;
 - 5) Using the services and assistance as appropriate, of such organizations as the Small Business Administration and the Minority Business Development Agency of the Department of Commerce;

NOTE: The term HUB as used in this solicitation is understood to encompass all programs/business enterprises such as Small Disadvantaged Business (SDB), Disadvantage Business Enterprise (DBE), Minority Owned Business Enterprise (MBE), Women Owned Business Enterprise (WBE) and Disabled Veteran Business Enterprise (DVBE).

3. DETAILED PRODUCT SPECIFICATIONS

The specifications detailed below for the various categories of apparatus are to be considered the minimum requirements unless there is a conflict with descriptive information detailed on **Form D**. In that event, the requirements of **Form D** shall govern.

Note: Bidder shall supply a spec/quote sheet for each product code bid on **Form D**. These sheets should detail what features are included in the price quoted on **Form D**.

4. LEGAL REQUIREMENTS

a) In addition to NFPA 1901, 1906 and 414 (latest editions), all apparatus offered shall comply with all applicable federal (i.e. FMVSS, SAE, DOT, TREA, EPA, ASTM, AWS, ASNT, UL, & NFPA + etc.) and state {Texas Department of Transportation, Division of Motor Vehicles, Motor Vehicles Division Code [Latest version]} regulations and rules, and have all components incorporated into and/or on the apparatus as required for a Texas State Safety Inspection (i.e. front and rear mud flaps, inspection certificate, etc).

b) Bidders, shall have on file at H-GAC prior to, or included with the bid response, the correct license(s) as required by the State of Texas, Department of Transportation, Division of Motor Vehicles, Motor Vehicle Commission Code [latest edition] which is applicable to the bidder's operations.

c) The prescribed licenses will include the manufacturer/bidder, and any and all dealers and their representatives as may be required by the Motor Vehicle Division.

Note: All units offered in this solicitation must be available to our Texas members through in-state licensed franchised motor vehicle dealers. Form A's are required with the submission from each dealer (e.g. apparatus, chassis as required) in order to receive a contract. Form A's will not be accepted after the bid has been submitted.

Note: It is the contractor's responsibility to ensure all apparatus sales are in accordance with the motor vehicle laws of the state where the acquisition is made.

I. WILDLAND FIRE APPARATUS (BRUSH FIRE)

A. WILDLAND/BRUSH FIRE APPARATUS -

In addition to the latest edition of NFPA Standard 1906, Products bid hereunder must also comply with all H-GAC specifications and requirements herein. The wildland fire apparatus covered by this Invitation are defined by the Product Codes that have been pre-listed on **FORM D**.

1. Minimum Standard Features Required in Base Product Item Bid:

a) Wildland/Brush Fire Apparatus Bids:

- Aluminum or Steel Flat Bed body style shall have mesh bulk head
- Utility body shall be of steel, aluminum or composite fiberglass laminate
- Composite Utility body shall be constructed of composite fiberglass laminate with closed cell structural PVC foam core. Comprising a laminate of ½" thick.
- Poly Utility body shall be ½" thickness copolymer sheet material.
- 150 gpm single stage, auxiliary engine-driven pump with pump panel (2 stage pumps to be quoted as optional on Form E). The pump operator's panel shall be located on the left side or rear of the apparatus.
- 300 gal polypropylene water tank (250 gal. on slip-on unit). Tank shall be polypropylene with lifetime warranty.

Note: Other sizes shall be offered as Priced Options on FORM E. Provide sizes up through at least 400 gal.

- 1 Transverse preconnect hose bed (minimum)
- 20 cu ft Compartmentation including, but not limited to, left and right sides and rear (12 cu ft for slip-on units)
- Heater/Defroster and Air Conditioning in Cab area
- Base Cab/Chassis GVWR – 13,000 lbs.
- V8 Diesel Engine
- 5 speed manual transmission (automatic transmission to be quoted as optional on Form E)
- Completed apparatus must be NFPA 1906 Compliant

(b) Self-contained, Slip-on Unit Bids:

- 100 gpm @ 100psi single stage, auxiliary engine-driven pump with pump panel
- 250 gal polypropylene water tank
- Hose reel, 150 ft. of 1" hose
- Slip-on Unit to be mounted on pickup supplied by End User OR H-GAC Contractor

2. Apparatus Accessories & Loose Equipment. Bid specification documents include **Priced Option** forms for bidder to list prices for specific optional engines, fire pumps, body changes, accessories, and loose equipment. Equipment not offered in the base bid or as an option shall be classified as "*Unpublished Options*" and subject to 25% cap permitted under "*Non-Published*" provisions for competitive bids. **[See Terms & Conditions]**

3. Options to Base Bid for additional apparatus. A thorough listing of options is recommended. Examples of options to include on **FORM E** are:

(a) Options to Brush Fire Bids only:

- Alternate GVWR Chassis
- Gas engine (as well as other engine sizes)
- 4-wheel drive

(b) Options to Slide-In Unit Bids only:

- Different pump sizes (e.g. 150 gpm @ 100 psi)
- Different tank sizes (+/- increments of 50 gallons.)

These options are in addition to any and all other options listed in this document or H-GAC Forms included.

II. SPECIAL SERVICE FIRE APPARATUS (RESCUE)

In addition to the latest edition of NFPA Standard 1901, Products bid hereunder must also comply with all **H-GAC** specifications and requirements herein. The Products covered by this Invitation are defined by the Product Codes listed on **FORM D**.

1. Standard Features Required in Base Bid for a special service fire apparatus.**(a) Custom Cabs:**

- Minimum four (4) SCBA seats in Tilt & Split Tilt cabs
- Minimum three (3) SCBA seats in Stationary cabs
- Note: Additional SCBA seats are to be priced as options on Form E)
- Minimum 380 bhp diesel engine (optional engines to be priced on **Form E**)
- Allison EVS-3000 Automatic Transmission (optional transmissions to be priced on **Form E**)
- Front axle rating (min.) – 14,600 lbs. (stationary cabs), 16,000 lbs. (tilt cabs), 18,000 lbs. (split-tilt cabs)
- Single Rear axle rating (min.) – 24,000 lbs.
- Full Anti-Lock Braking System
- Power Steering
- ABS Braking System
- Heater/Defroster/Vent/Air Conditioning
- Constructed on standard straight frame rail or drop-pinch chassis.
- Fuel Tank – 50 gallon (minimum).

(b) Commercial Cabs:

- 2 Door Models (4 Door Models may be listed as options)
- 3 to 4 SCBA seats (depending on seating capacity) 4 Door Models only
- 300 to 330 bhp diesel engine (optional engines to be priced on **Form E**)
- Allison EVS-3000 Automatic Transmission (optional transmissions to be priced on **Form E**)
- Front axle rating (min.) – 12,000 lbs. (2-Door Cab)
- Single Rear axle rating (min.) – 21,000 lbs. (2-Door Cab)
- Heater/Defroster/Vent/Air Conditioning
- Constructed on standard straight frame rail chassis.
- Fuel Tank – 40 gallon (minimum).

(c) Commercial Cabs (Light /Medium)

- 2 Door Models (4 Door Models may be listed as options)
- 300 bhp diesel engine (optional engines to be priced on **Form E**)
- Automatic Transmission (optional transmissions to be priced on **Form E**)
- Front axle rating (min.) – 7,000 lbs. (2-Door Cab)
- Single Rear axle rating (min.) – 12,000 lbs. (2-Door Cab)
- Heater/Defroster/Vent/Air Conditioning
- Constructed on standard straight frame rail chassis.
- Fuel Tank – 40 gallon (minimum).
- ABS Braking System.

2. Options to Base Bid for apparatus. Contractors are encouraged to provide a thorough listing of options on Form E. Below are just a few examples of options to include on **FORM E**:

Options to Walk-In Bids:

- (a) Haz-Mat Configuration
- (b) 2 Person Command Center Configuration
- (c) Walk-Through option

3. Special Service Fire Apparatus

Equipment Storage

- (a) Non Walk-in - 640 ft³
- (b) Walk-in bids - 320 ft³

4. To be bid as options on Form E.

- (a) Optical Warning Devices
- (b) Generators
- (c) Breathing Air Systems
- (d) Winches
- (e) Additional Ground Ladders

Note: All optional apparatus models offered in any bid response shall be in compliance with NFPA 1901 (latest edition) for the specific apparatus offered.

III. AERIAL FIRE APPARATUS

In addition to the latest edition of NFPA Standard 1901, Products bid hereunder must also comply with all **H-GAC** specifications and requirements herein. The Aerials (Booms/Platforms, Ladders, Ladder/Platforms) covered by this Invitation are defined by Product Codes that have been pre-listed on **FORM D**.

1. Standard Features. The following features must be included in all items bid pursuant to this Invitation:

- Seating for a minimum of five (5) firefighters.
- A Minimum of three (3) SCBA seats in stationary cabs, four (4) SCBA seats in all others.
- For 75-99 ft., 500 lb. capacity apparatus (For Steel & Aluminum), a minimum 400 bhp diesel engine.
- For all other Products, minimum 450 bhp diesel engine (w/EVS4000 Transmission)
- All engines must meet current EPA standards.
- Allison **EVS-3000** Automatic Transmission
- Engine exhaust auxiliary brake
- Full Anti-Lock Braking System
- Power Steering
- Air Brakes with min. 16 cfm compressor
- 1500 gpm single stage fire pump
- Polypropylene/fiberglass water tank:
- For 75-99 ft. Aerials, Single Axle, with a rated capacity of 500/750 lbs. (steel or aluminum construction), a 300 gallon minimum polypropylene or fiberglass water tank.
- For 75-99 ft. Aerials, Tandem Axle, with a rated capacity of 500/750 lbs. (steel or aluminum construction), a 500 gallon minimum polypropylene or fiberglass water tank.
- For all 100'+ apparatus with platform, a 150 gallon minimum polypropylene or fiberglass water tank.

- Two (2) Transverse preconnect hose beds.
- Ground ladders mounted in totally enclosed compartment(s) with doors, and providing access from the rear of the apparatus.
- Left side pump operator's control panel.
- Heater/Defroster in Cab area.
- Air Conditioning in Cab area.
- For 45-65 ft. Mini-Aerials, Tandem Axle (19,000 lb. GVW), 1250 gpm single stage fire pump, (steel or aluminum construction), 300 gallon minimum polypropylene or fiberglass water tank, aluminum body.

2. Requirements by Apparatus Type.

(a) Aerials Fire Apparatus with 1,500 gpm single-stage fire pumps shall be compliant with the following

NFPA 1901 chapters regarding apparatus requirements:

Chapter 5: Pumper Fire Apparatus

Chapter 8: Aerial Fire Apparatus

- All optional apparatus models offered in any bid response shall be in compliance with NFPA 1901, latest edition for the specific apparatus offered.

Note: Optional deletion of fire pump shall be offered as a priced option on **FORM E**.

IV. PUMPER FIRE APPARATUS

In addition to the latest edition of NFPA Standard 1901, Products bid hereunder must also comply with all **H-GAC** specifications and requirements herein. The Pumper Fire Apparatus covered by this Invitation are defined by the Product Codes that have been pre-listed on **Form D**.

1. Standard Features Required in Base Bid Response.

- **Commercial Cabs:** 2 or 4 door cab with doors on left and right sides of apparatus
- **Custom Cabs:** 4 door cab with doors on left and right sides of apparatus
- Minimum three (3) SCBA seats in stationary cabs, four (4) SCBA seats in all others; there is no requirement for SCBA seating in 2-door Commercial Cabs
- Minimum 300 bhp diesel engine, 2-Door Commercial Cabs.
- Minimum 320 bhp diesel engine, 4-Door Commercial Cabs.
- Minimum 325 bhp diesel engine, Custom Cabs w/1250 gpm pump
- Minimum 380 bhp diesel engine, Custom Cabs w/1500 to 2500 gpm pump

Note: All engines offered shall meet current EPA standards.

- Allison **EVS-3000** Automatic Transmission for apparatus w 1250 gpm pump
- Allison **EVS-3000** Automatic Transmission for apparatus w/1500 to 2500 gpm pump
- Engine exhaust auxiliary brake shall be provided in all apparatus
- Full Anti-Lock Braking System
- Power Steering
- Air Brakes
- Minimum **750** gallon polypropylene or fiberglass water tank for pumper bodies, **500** gallon (mini-pumper)
- Minimum **1800** gallon polypropylene, fiberglass or **stainless steel** water tank for pumper/tanker bodies **on single rear axle**
- 1250 gpm single stage fire pump, Commercial Cabs.
- 1250, 1500 to 2500 gpm single stage fire pump, Custom Cabs
- Fuel Tank (minimum) – 40 gallon (commercial chassis), 50 gallon (custom chassis)

• Commercial Cabs (Light/Medium)

- 2 Door Models (4 Door Models may be listed as options)
- 300 bhp diesel engine (optional engines to be priced on **Form E**)
- Automatic Transmission (optional transmissions to be priced on **Form E**)
- Front axle rating (min.) – 7,000 lbs. (2-Door Cab)
- Single Rear axle rating (min.) – 12,000 lbs. (2-Door Cab)

- Heater/Defroster/Vent/Air Conditioning
- Constructed on standard straight frame rail chassis.
- Fuel Tank – 40 gallon (minimum).
- ABS Braking System.

2. Tanker Apparatus Pumps

Pumps, portable and PTO will be allowed on tankers. Minimum pump capability will be 250 gmp@150 psi, per NFPA 1901, 2009 Mobile Water Supply Apparatus, Chapter 14.

- 250, 350, 450, 500, 750 or 1000 gpm single state PTO or portable fire pump.

Note: Bidder shall list optional pumps as priced options on Form E.

3. Water Tanks

(a) Tank Construction.

Water tank capacity (pumpers) shall be a minimum rated **750 gal** (2850 L) as provided in the base bid response. Mini-Pumpers **300** gallon. Other sizes shall be offered as Priced Options on **FORM E**.

4. Mobile Water Supply Apparatus Water.

Water Transfer (Mobile Water Supply). The bidder shall provide pricing for tanker configurations of 1,800 gallons to 4,000 gallons including chassis requirement changes to accommodate the extra weight.

V. AIRCRAFT RESCUE & FIRE FIGHTING VEHICLES

Products bid hereunder must comply with the latest Edition of NFPA Standard 414 (Standard for Aircraft Rescue and Fire-Fighting Vehicles). The Aircraft Rescue & Fire-Fighting Vehicles covered by this Invitation are defined by the Product Codes that have been pre-listed on **Form D**.

5. EVALUATION AND BID AWARDS

Bids will be evaluated by H-GAC Staff in compliance with stated requirements. Contracts will be awarded to the “lowest responsive responsible Bidder(s) providing best value” for each base line item offered. A minimum threshold score of **70 points** will be required before a contract may be offered.

PRICING – An analysis of Bidder’s submitted bid price will be conducted for each base line item using **Form D** and **Form E**.

Bidders with the lowest total price for each line item will receive a **maximum score of 75 points**.

PAST PERFORMANCE – An evaluation will be conducted of the Bidder’s previous contract performance as an HGACBuy contractor based on the performance measured listed below. **Maximum score is 25 points**.

PERFORMANCE MEASURES
Timely response to request for information and/or request for quotes/pricing (Sec A, 48b)
Accurate preparation of Contract Pricing Worksheet(s) (Sec A 48e)
Timely delivery of product or services (as quoted at time of order placement) (Sec A, 25c)
Quality of products/service (Sec A, 25d, 44f)
Timely and accurate submission of Contractor’s Activity Report (Sec A, 48h)
Timely payment of order processing charge (Sec A, 44g, 44h)

NOTE: For **Joint Bids**, each Form A submitted in the Bidders response will be scored per the above criteria and an overall average will be taken of all Form A’s submitted to determine the Performance score for each submission.

Evaluation Criteria Scoring Table	Maximum Points
PRICE	75
PERFORMANCE MEASURES	25
TOTAL	100

[END OF SECTION "B"]



SECTION C - H-GAC FORMS

(Rev 12/02/09)

For Use In Responding To Competitive Bid And Proposal Invitations

Invitation No.: FS12-17

Title: Fire Service Apparatus (All Types)

This Section contains the following **H-GAC FORMS**.

FORM	DESCRIPTION
Form A:	Offeror Identification and Authorized Signatory
Form B:	Historically Underutilized Business Enterprises
Form C:	Response Checklist
Form D:	Offered Items Pricing
Form E:	Published Options
Form G:	Special Statement of Warranty

These *FORMS* are hereby made available in electronic format. They should be copied to Offeror's computer for completion and/or printout as required. The *FORMS* **may not** be changed or altered in any way, except as may be specified on the *FORM*.

ALL completed *FORMS* must also be submitted electronically on electronic media (DVD, CDROM, flash/thumb drive), excepting of course for signatures. The printed "Original" of the response will be considered as the official copy in case of any discrepancy between the electronic version and the printed Original.

FORM A - OFFEROR IDENTIFICATION & AUTHORIZED SIGNATORY
(DO NOT handwritten this Form. Information must be typed in.)

Invitation No.: FS12-17

Invitation Title: Fire Service Apparatus (All Types)

Offeror Company:

(Legal name of business which will appear on contract, if awarded)

Offeror Status: ☐ Manufacturer ☐ Dealer/Distributor ☐ Other

Response Type(1): ☐ Single Offeror Acting Alone Or As Lead ☐ Multiple Offerors Acting Jointly

Contract Signatory(2):

Title:

Mailing Address(3):

Street/PO Box

City

State & Zip

Physical Address:

Street

City

State & Zip

Phone:

Fax:

Email Address:

Federal Tax ID No.:

Web Page URL:

- (1) If Joint Offering, all parties must submit a signed Form A. A contract will be offered to each.
(2) Person who will sign final contract documents if an award is made.
(3) Address to which final contract documents would be sent for signature.

Member Contact Information

Contact Person(4):

Title:

Mailing Address:

Street/PO Box

City

State & Zip

Physical Address:

Street

City

State & Zip

Toll Free Phone:

Fax:

Email Address:

- (4) Person who End Users will contact for product information and to get pricing quotes.

The Signatory below, on behalf of Offeror:

- Acknowledges having thoroughly reviewed the Invitation;
- Attests to having the authority to sign this response and commit Offeror to honor all requirements;
- Makes, under penalty of perjury, all required Offeror Certifications as detailed in General Terms;
- Certifies that all information provided in this Response is true and correct.

Signature:

Title:

Printed Name:

Date:

FORM B - HISTORICALLY UNDERUTILIZED BUSINESS ENTERPRISES

Procurement No.: FS12-17

Title: Fire Service Apparatus (All Types)

Offeror: _____

Most, if not all, of the Members of HGACBuy are subject to various requirements relative to purchasing goods and services from Historically Underutilized Business Enterprises (HUBs)(See Note 1). These requirements are promulgated by federal and state governmental authorities, and include measureable criteria such as 'percentage of total dollars spent directed to HUBs', 'number of HUB contractors used', 'HUB subcontractors employed by primary contractors', etc. These requirements are generally formalized in goal oriented programs.

HGACBuy is committed to promoting full and equal business opportunities for HUB contractors, and to assisting Cooperative Purchasing Program (COOP) Members in meeting mandated HUB goals. In that regard, Contractor shall make a good faith effort to use the services of Certified/Listed (See Note 2) HUBs whenever possible.

As part of a good faith effort, Contractor agrees to work with and assist HGACBuy Members in meeting HUB targets and goals, as may be required by any rules, processes or programs they might have in place. Such assistance may include such things as compliance with reporting requirements, provision of documentation, consideration of 'Certified/Listed' subcontractors, provision of documented evidence that an active participatory role for a HUB entity was considered in a procurement transaction, etc.

Note 1: There are many designations other than "HUB" used across the country within various jurisdictions. Examples include terms such as Disadvantaged Business Enterprise (DBE), Minority Owned Business Enterprise (MBE), Woman Owned Business Enterprise (WBE), Small Disadvantaged Business (SDB), Small, Woman or Minority-owned Business (SWAM), etc. Regardless of the formal designation, the overall objective of the relevant programs is basically the same, i.e. to insure that disadvantaged and underutilized members of the business community receive a fair share of public spending. The term HUB as used herein shall be understood to encompass all such programs/business enterprises, no matter what terminology is used by the Member.

Note 2: The terms "Certified" and "Listed" as used in conjunction with HUB programs relate to the process of HUB qualification review. Jurisdictions usually require that companies claiming HUB status be reviewed and confirmed as meeting certain minimum requirements to claim that status, and that the review and confirmation process be carried out by certain designated entities. They are then "Certified" or "Listed" by having their name included on an official listing published by the Certifying or Listing Authority.

Accepted and Agreed By: _____

Title: _____

Date: _____

HUB Status Of Offeror☐ Offeror is a HUB, as detailed below.☐ Offeror is not a HUB.

Designation(s):

☐ HUB☐ DBE☐ MBE☐ WBE☐ Other

Certifying/Listing Authority(s): _____

Subcontracts

On a separate sheet, list any subcontractors that would be employed in providing products or services related to this procurement. Include subcontractor name, designation (HUB, DBE, etc.) and certifying/listing authority.

☐ Subcontractor List attached.☐ No Subcontractors will be used.

FORM C - RESPONSE CHECKLIST

Procurement No.: FS12-17

Title: Fire Service Apparatus (All Types)

Offeror: _____

This *FORM* is provided to help insure that all required Response elements have been completed and included, or certified as being available upon request. **Responses that do not comply with all requirements may be considered non-compliant.** Offeror's signatory must review each item below, and certify by initialing in the space to the right.

This Response Includes:

Init.

1	An "Original" hard copy of the <u>COMPLETE</u> submission, including all required <i>FORMS</i> , plus one <u>COMPLETE</u> copy, each in a separate hard-sided 3-ring binder.	
2	A copy of the <u>COMPLETE</u> submission, including all required <i>FORMS</i> , in electronic format (CD, DVD, flash drive). Forms D & E are to be provided in an excel format.	
3	<i>An originally signed Form A from the all entities who are party to this submission and who should be offered a contract if this submission is successful. These entities should include the Apparatus Manufacturer, Franchised Texas Dealer and those dealers outside Texas who have current or past sales through the program (<i>Note: All other sales outside Texas should be coordinated through the manufacturer when possible</i>). In those cases where sales must go through a dealer due to franchise agreements, Form A's will be accepted from those dealers. For those only bidding conversions (i.e. brush trucks, light rescues), Form A's from in-state commercial chassis dealers for the underlying chassis make being quoted should be provided.</i>	
4	A Form W-9 - Request for Taxpayer Identification Number and Certification shall be provided from each entity that has submitted a Form A for this submission (See Attachment)	
5	Form CIQ (Conflict of Interest Questionnaire) completed and signed and provided from each entity that has submitted a Form A for this submission (See Attachment)	
6	Form 1295 Form (Certificate of Interested Parties) must be filled out electronically with the Texas Ethics Commissions's online filing application, printed out, signed, notarized, and provided from each entity that has submitted a Form A for this submission (See Attachment)	
7	The required list of References .	
8	Details of " Service Organization ", including locations, hours, personnel and parts/service availability. (Applies to hard goods only.)	
9	Complete Warranty Documentation for all Products offered.	
10	The manufacturer's latest Specification Documents detailing standard features, operating characteristics, etc., for all products offered. Note: Bidder shall supply a spec/quote sheet for each product code bid on Form D. These sheets should detail what features are included in the price quoted on Form D.	
11	If the Non-Resident Reciprocal Bid Act applies, a copy of your state statute and a determination of the status of Texas bidders/proposers in your home state. If not applicable, indicate "N/A"	
12	If offer includes motor vehicles to be sold in Texas, copies of all current licenses as required by the Texas Motor Vehicle Commission.	

13	A Bid/Proposal Bond , or Cashier's Check in the amount of \$3000 . (A percentage bond is NOT acceptable.)	n/a

H-GAC 'FORM D' - PRODUCT ITEM BASE OFFERING PRICES		
Offeror Name:		
Invitation No.:	FS12-17 - Fire Service Apparatus (All Types)	
<p>Note: All products listed below are to be considered as base model/units for purposes of this Invitation and any subsequent contract. The Bidder shall determine which Product Codes to bid and shall fill in a bid price in the appropriate cell. Bidder may then bid upgrades or downgrades to different product codes as options on Form E, with pricing equal to the differential amount between the base Product Item price and the upgrade or downgrade being offered. Bidders are to provide pricing for options and accessories as explained in Sections A and B, as well as specific apparatus variations as listed below:</p> <ol style="list-style-type: none"> 1. Other available Cab/Chassis manufacturer choices for apparatus built on a commercial cab/chassis. 2. Different available cab designs (2/4 Door/Tilt Cab etc.) 3. Cab/Body sheet and structural metal choices (Galvanneal, Formed/Extruded Aluminum, Stainless Steel) 4. Available rear axle configurations (Single/Tandem/Tandem Front Steering/Triple Rear) 5. Different fire pumps and mounting locations (1250/1500/2500 GPM Pump/Rear and Mid-Mounted) 6. Various body configurations (Walk-In/Non-Walk-In Body) for Rescue, Re-Hab, Hazmat, Mobile Command Centers 7. Aerial Categories (Construction/Turntable Positions/Aerial Device Functions) 		
<p>IMPORTANT: Bidder MUST submit copies of the following with their bid:</p> <p>(1) A copy of each participating bidder/dealer's TxMVD dealer license identifying the make/brand of apparatus being bid.</p> <p>(2) An originally signed Form A from the all entities who are party to this submission and who should be offered a contract if this submission is successful. These entities should include the Apparatus Manufacturer, Franchised Texas Dealer and those dealers outside Texas who have current or past sales through the program (<i>Note: All other sales outside Texas should be coordinated through the manufacturer when possible</i>). In those cases where sales must go through a dealer due to franchise agreements, Form A's will be accepted from those dealers. For those only bidding conversions (i.e. brush trucks, light rescues), Form A's from in-state commercial chassis dealers for the underlying chassis make being quoted should be provided.</p> <p>(3) A copy of the bidders and/or manufacturers's Texas Motor Vehicle Converter license (where applicable).</p> <p>Note: The above requirements must be met prior to any contracts being issued.</p>		
Product Code	Model & Description (Note: Bid only the base Item/Model on this Form . No changes/modifications to Form D descriptions will be accepted and will result in bid item being deemed non-compliant. Bid available options noted above on Form E)	Base Offered Price
A. Blanchat Manufacturing		
B. Wildland Fire Apparatus (Brush Fire)		
AB01	B-3-F450 Welded steel body with crosswalk and pump and roll capabilities HPX200 pump driven by a 23HP briggs motor 325 gals water mounted on a Ford F450 Chassis 60" CA.	
AB02	B-3- D3500 Welded steel body with crosswalk and pump and roll capabilities HPX200 pump driven by a 23HP briggs motor 325 gals water mounted on a Dodge 3500 Chassis 60"CA.	
AB03	B-4-F550 Welded steel body with crosswalk and pump and roll capabilities HPX200 pump driven by a 23HP briggs motor 400 gal poly tank mounted on Ford F550 chassis 60"CA.	
AB04	B-4-D5500 Welded steel body with crosswalk and pump and roll capabilities HPX200 pump driven by a 23HP briggs motor 400 gal poly tank mounted on a Dodge 5500 chassis.	
AB05	B-5-F550 Welded steel bed with crosswalk and pump and roll capabilities HPX200 pump driven by a 23HP briggs motor 500 gal poly tank mounted on Ford F550 chassis 84" CA.	
AB06	B-5-D5500 Welded steel bed with crosswalk and pump and roll capabilities HPX200 pump driven by a 23HP briggs motor 500 gal poly tank mounted on a Dodge 5500 chassis 84" CA.	
AB07	B-8-Ford Welded steel bed with crosswalk and pump and roll capabilities HPX200 pump driven by a 23HP briggs motor 800 gal poly tank mounted on a Ford F-750 Chassis.	

AB08	B-24-F550 Welded steel body with crosswalk and pump and roll capabilities HPX200 pump driven by a 23HP briggs motor 400 gal poly tank, single upswing door per side mounted on a Ford F550 60" CA.	
AB09	B-24-D5500 Welded steel body with crosswalk and pump and roll capabilities HPX200 pump driven by a 23HP briggs motor, 400 gal poly tank single upswing door per side mounted on a Dodge 5500 60" CA.	
AB10	B-24-F550 Welded steel body with crosswalk and pump and roll capabilities HPX200 pump driven by a 23HP briggs motor 400 gal poly tank, single upswing door per side	
D. Special Service Apparatus (Walk-In & Non-Walk-in Bodies) Multi-use: Rescue, Re-Hab, Hazmat, Mobile Command Center		
AD01	B-27-F550 Rescue first response. Welded steel superstructure transverse crosswalk with pump and roll capabilities dual swing up doors per side HPX200 pump driven by a 23HP briggs motor 400 gal poly tank, mounted on a ford F550 chassis 84" CA.	
AD02	B-27-D5500 Rescue first response. Welded steel superstructure transverse crosswalk with pump and roll capabilities dual swing up doors per side HPX200 pump driven by a 23HP briggs motor 400 gal poly tank, mounted on a Dodge F550 chassis 84" CA.	
AD03	B-56-Ford Rescue first response. Welded steel superstructure transverse crosswalk with pump and roll capabilities dual swing up doors per side, dual HPX200 pump driven by 23HP briggs motors, 800 gal poly tank, mounted on a Ford F-750 chassis.	
B. Boise Mobile Equipment		
B. Wildland Fire Apparatus (Brush Fire)		
BB01	BME, Type 3, International 7400, 4WD, 4-Door ,Crew Cab. 600 Gallon Water Tank, 25 Gallon Foam Tank, Hale CBP 250 PTO Pump, Pump and Roll Capability, FoamPro 2001 Foam System,	
BB02	BME, Type 3, Freightliner M2-106, 4WD, 4-Door ,Crew Cab. 600 Gallon Water Tank, 25 Gallon Foam Tank, Hale CBP 250 PTO Pump, Pump and Roll Capability, FoamPro 2001 Foam System,	
BB03	BME, Type 3, Urban Interface (Model 34). International 7400, 4WD, 4-Door, Crew Cab. 500 Gallon Water Tank, 25 Gallon Foam Tank, Darley JMP 500 2-Stage Pump, Darley 1-1/2AGE 24 HP Kubota D902 Diesel Auxiliary Pump	
BB04	BME, Type 3, Urban Interface (Model 34) Freightliner M2-106, 4WD, 4-Door, Crew Cab. 500 Gallon Water Tank, 25 Gallon Foam Tank, Darley JMP 500 2-Stage Pump, Darley 1-1/2AGE 24 HP Kubota D902 Diesel Auxiliary Pump	
BB05	BME, Type 4, International 7400, 4WD, 4-Door, Crew Cab. 800 Gallon Water Tank, 25 Gallon Foam Tank, Rear Mounted Darley 1-1/2AGE 34HP Kubota Diesel Pump, Two (2) Hannay 150' Hose Reels, NFPA Compliant Whelen Light Package	
BB06	BME, Type 4, Freightliner M2-106, 4WD, 4-Door, Crew Cab. 800 Gallon Water Tank, 25 Gallon Foam Tank, Rear Mounted Darley 1-1/2AGE 34HP Kubota Diesel Pump, Two (2) Hannay 150' Hose Reels, NFPA Compliant Whelen Light Package	
BB07	BME, Type 6, Ford F550, 4WD, 4-Door 6.7L Diesel, 6-Speed A/T. 300 Gallon Water Tank Darley 1-1/2AGE 24HP Kubota D902 Diesel Auxiliary Pump	
BB08	BME, Type 6, Dodge 5500, 4WD, 4-Door 6.7L Diesel, 6-Speed A/T. 300 Gallon Water Tank Darley 1-1/2AGE 24HP Kubota D902 Diesel Auxiliary Pump	
BB09	BME, Type 6, (Flatbed) Ford F550, 4WD, 4-Door 6.7L Diesel, 6-Speed A/T. 300 Gallon Water Tank Darley 1-1/2AGE 24HP Kubota D902 Diesel Auxiliary Pump	
BB10	BME, Type 6, (Flatbed) Dodge 5500, 4WD, 4-Door 6.7L Diesel, 6-Speed A/T. 300 Gallon Water Tank Darley 1-1/2AGE 24HP Kubota D902 Diesel Auxiliary Pump	
BB11	BME, Type 6, "X-Treme" Dodge 5500, Full Aluminum Body, 300 Gallon Water Tank, Darley 1-1/2 AGE Pump, Off Road Package.	
BB12	BME, Type 3, CalFire Model 34, International 7400 4x4 chassis, 500 gallon water tank, JMP500 Darley pump, 1-1/2 AGE Darley Aux Pump	
C. Pumper Fire Apparatus		
BC01	BME, Commercial Pumper, Side Mount, Freightliner Chassis, 1000 Gallon Water Tank, 1500 GPM Pump	
BC02	BME, Commercial Pumper, Side Mount, International 7400 Chassis, 1000 Gallon Water Tank, 1500 GPM Pump	

BC03	BME, Commercial Pumper, Top Mount, Freightliner Chassis, 1000 Gallon Water Tank, 1500 GPM Pump	
BC04	BME, Commercial Pumper, Top Mount, International 7400 Chassis, 1000 Gallon Water Tank, 1500 GPM Pump	
BC05	BME, Custom Pumper, Side Mount, Spartan Chassis, 1000 Gallon Water Tank, 1500 GPM Pump	
BC06	BME, Custom Pumper, Top Mount, Spartan Chassis, 1000 Gallon Water Tank, 1500 GPM Pump	
D. Special Service Apparatus (Walk-In & Non-Walk-in Bodies) Multi-use: Rescue, Re-Hab, Hazmat, Mobile Command Center		
BD01	BME, Walk Around, Light Rescue, Ford F550	
BD02	BME, Walk Around, Medium Rescue, Freightliner M2-106, 2WD	
BD03	BME, Walk Around, Medium Rescue, International 4300	
BD04	BME, Walk Around, Heavy Rescue, Freightliner M2-108 SD	
BD05	BME, Walk Around, Heavy Rescue, International 7400	
BD06	BME, Walk Around, Heavy Rescue, Spartan Gladiator	
E. Pumper/Tankers & Tankers		
BE01	BME, Commercial Tender, Freightliner Chassis, Single Axle, 2000 Gallon Water Tank, 750GPM Pump	
BE02	BME, Commercial Tender, International Chassis, Single Axle, 2000 Gallon Water Tank, 750GPM Pump	
BE03	BME, Commercial Tender, Freightliner Chassis, Tandem Axle, 3000 Gallon Water Tank, 750GPM Pump	
BE04	BME, Commercial Tender, International Chassis, Tandem Axle, 3000 Gallon Water Tank, 750GPM Pump	
BE05	BME, Custom Tender, Spartan Chassis, Single Axle, 2000 Gallon Water Tank, 750GPM Pump	
BE06	BME, Tender, Model 22, Freightliner, 2WD, 2-Door, Single Axle. 1500 Gallon Stainless Steel Elliptical Water Tank.	
BE07	BME, Tender, Model 22, International 7400, 2WD, 2-Door, Single Axle. 1500 Gallon Stainless Steel Elliptical Water Tank.	
C. Custom Fire		
B. Wildland Fire Apparatus (Brush Fire)		
CB01	CustomFIRE Initial Attack Fire Apparatus, Ford F-550 Chassis, 4x4, crew-cab, aluminum body, 300 gallons capacity	
C. Pumper Fire Apparatus		
CC01	Freightliner, 2-door, CustomFIRE pumper, aluminum body, single axle, 1500 GPM pump, side mounted pumper	
CC02	Freightliner 2-door, CustomFIRE aluminum body, single axle, 1500 GPM pump, Full Response Enclosed Top Mount pumper	
CC03	Spartan 10" raised roof, 4-door, CustomFIRE aluminum body, single axle, 1500 GPM pump, rear mount pumper	
D. Special Service Apparatus (Walk-In & Non-Walk In Bodies) Multi-use: Rescue, Re-Hab, Hazmat, Mobile Command Center		
CD01	Ford F550, 4-door, 4x4, CustomFire Aluminum, Non-Walk-In Body	
CD02	Spartan 10" 4-Door, Full-Tilt, Aluminum Cab, Tandem Axle, CustomFIRE Aluminum, Non-Walk-In Body	
CD03	M2 Freightliner, 2-Door, OEM Cab, Single Axle, CustomFIRE Aluminum, Walk-In Body	
E. Pumper/Tankers & Tankers		
CE01	Freightliner 2-door, single axle, CustomFIRE tanker aluminum body, 500 gpm pump, (2,000 gallons)	
CE02	Freightliner 2-door, tandem axle, CustomFIRE tanker aluminum body, 500 gpm pump, (3,000 gallons)	

CE03	Spartan Gladiator MFD chassis with 10" raised roof, 4-door, tandem axle, CustomFIRE pumper-tanker, aluminum body, 1500 GPM pump, side mounted pumper (3,000 gallons)	
D. DACO		
B. Wildland Fire Apparatus (Brush Fire)		
DB01	Self-Contained Slip-In Unit	
DB02	Brush Fire Apparatus, Ford F-550 Chassis, Steel Flatbed	
DB03	Brush fire apparatus, Ford F-550 Chassis, Formed Aluminum Flatbed	
DB04	Brush fire apparatus, Ford F-550 Chassis, Steel Utility Bed	
DB05	Brush fire apparatus, Ford F-550 Chassis, Formed Aluminum Utility Bed	
DB06	Brush fire apparatus Freightliner M-2 4 x4 Chassis Steel flatbed.	
DB07	Brush fire apparatus Freightliner M-2 4 x 4 Chassis Formed Aluminum Flatbed.	
DB08	Brush fire apparatus Freightliner M-2 4 x 4 Chassis Formed Aluminum Utility Bed.	
DB09	Brush Fire Apparatus, Dodge 5500 Chassis, Steel Flatbed	
DB10	Brush Fire Apparatus, Dodge 5500 Chassis, Formed Aluminum Flatbed	
DB11	Brush Fire Apparatus, Dodge 5500 Chassis, Formed Aluminum Utility Bed	
E. Danko		
B. Wildland Fire Apparatus (Brush Fire)		
EB01	Skid Unit, 250 gallon tank, pump, pump engine, booster reel with booster hose.	
EB02	High pressure skid unit	
EB03	Wildland Flatbed, Ford F350 4x4 chassis, aluminum flatbed, 300 gallon skid unit.	
EB04	Wildland Flatbed, Dodge 3500, 4x4 chassis, aluminum flatbed, 300 gallon skid unit.	
EB05	Treadbrite quick attack body, Ford F450, 4x4 diesel and skid.	
EB06	Treadbrite quick attack body, Dodge 4500, 4x4 diesel and skid.	
EB07	Wildland Flatbed, Freightliner/M2, 1000 gallon water, 250-500 GPM pump.	
EB08	Wildland Flatbed, I-H chassis, 1000 gallon water, 250-500 GPM pump.	
EB09	Wildland Flatbed, Peterbilt chassis, 1000 gallon water, 250-500 GPM pump.	
EB10	Wildland Flatbed, Kenworth chassis, 1000 gallon water, 250-500 GPM pump.	
EB11	Danko Quick Attack, Ford F450 4x4 diesel, painted body, 300 gallon water with an auxiliary pump.	
EB12	Danko Quick Attack, Dodge 4500, 4x4 diesel, painted body, 300 gallon water with an auxiliary pump.	
D. Special Service Apparatus (Walk-In & Non-Walk-in Bodies) Multi-use: Rescue, Re-Hab, Hazmat, Mobile Command Center		
ED01	Rescue, Ford F450, 4x4 chassis, Non-Walk-In Rescue Body, 10' body.	
ED02	Rescue, Dodge 4500, 4x4 chassis, Non-Walk-In Rescue Body, 10' body.	
E. Pumper/Tankers & Tankers		
EE01	Ford 550, Mini Pumper 4 door, 4x4, diesel chassis, 1250GPM pump, 300 gallon water	
EE02	IHC, 2-door chassis, Pumper Tanker, single axle, 750 GPM pump, 2000 gallon poly tank, swivel dump valve, hose bed, LED lighting	
EE03	Freightliner, 2-door chassis, Pumper Tanker, single axle, 750 GPM pump, 2000 gallon poly tank, swivel dump valve, hose bed, LED lighting	
EE04	Kenworth, 2-door chassis, Pumper Tanker, single axle, 750 GPM pump, 2000 gallon poly tank, swivel dump valve, hose bed, LED lighting	
EE05	Peterbilt, 2-door chassis, Pumper Tanker, single axle, 750 GPM pump, 2000 gallon poly tank, swivel dump valve, hose bed, LED lighting	
EE06	IHC, 2-door chassis, Pumper Tanker, tandem axle, 750 GPM pump, 3000 gallon poly tank, swivel dump valve, hose bed, LED lighting	
EE07	Freightliner, 2-door chassis, Pumper Tanker, tandem axle, 750 GPM pump, 3000 gallon poly tank, swivel dump valve, hose bed, LED lighting	
EE08	Kenworth, 2-door chassis, Pumper Tanker, tandem axle, 750 GPM pump, 3000 gallon poly tank, swivel dump valve, hose bed, LED lighting	
EE09	Peterbilt, 2-door chassis, Pumper Tanker, tandem axle, 750 GPM pump, 3000 gallon poly tank, swivel dump valve, hose bed, LED lighting	
EE10	IHC, 2-door chassis, Tanker, single axle, auxiliary pump with diesel engine, 2000 gallon poly tank, stainless plumb, swivel dump, LED lights	

EE11	Freightliner 2-door chassis, Tanker, single axle, auxiliary pump with diesel engine, 2000 gallon poly tank, stainless plumb, swivel dump, LED lights	
EE12	Kenworth, 2-door chassis, Tanker, single axle, auxiliary pump with diesel engine, 2000 gallon poly tank, stainless plumb, swivel dump, LED lights	
EE13	Peterbilt, 2-door chassis, Tanker, single axle, auxiliary pump with diesel engine, 2000 gallon poly tank, stainless plumb, swivel dump, LED lights	
EE14	IHC, 2-door chassis, Tanker, tandem axle, auxiliary pump with diesel engine, 3000 gallon poly tank, stainless plumb, swivel dump, LED lights	
EE15	Freightliner, 2-door chassis, Tanker, tandem axle, auxiliary pump with diesel engine, 3000 gal poly tank, stainless plumb, swivel dump, LED lights	
EE16	Kenworth, 2-door chassis, Tanker, tandem axle, auxiliary pump with diesel engine, 3000 gallon poly tank, stainless plumb, swivel dump, LED lights	
EE17	Peterbilt, 2-door chassis, Tanker, tandem axle, auxiliary pump with diesel engine, 3000 gallon poly tank, stainless plumb, swivel dump, LED lights	
F. Darley		
A. Aerials (Booms/Platforms, Ladders, Ladder/Platforms)		
FA01	Spartan Single Rear Axle Chassis, Poly Body, 1500 GPM Midship CAFS Pump, Rear Mount 78 ft Steel Aerial, 500 Gallon Tank	
FA02	Spartan Tandem Rear Chassis, Poly Body, 1500 GPM Midship CAFS Pump, Rear Mount 109 ft Steel Aerial, 300 Gallon Tank	
B. Wildland Fire Apparatus (Brush Fire)		
FB01	Darley Wildland Attack Unit, Ford F550, Poly Body with Foam System	
C. Pumper Fire Apparatus		
FC01	IH 2-Door Single Rear Axle Chassis, Poly Body, 1500 GPM CAFS Midship Pump, 1000 Gallon Tank	
FC02	Spartan Single Rear Axle Chassis, Poly Body, 1500 GPM CAFS Midship Pump, 1000 Gallon Tank	
FC03	Spartan Tandem Rear Axle Chassis, Poly Body, 1500 GPM Midship Pump, 2500 Gallon Tank	
D. Special Service Apparatus (Walk-In & Non-Walk-in Bodies) Multi-use: Rescue, Re-Hab, Hazmat, Mobile Command Center		
FD01	IH 2-Door Single Rear Axle, Heavy Rescue Poly Body, Non-Walk-In Body	
FD02	Spartan Single Rear Axle, Heavy Rescue Poly Body, Non-Walk-In Body	
E. Pumper/Tankers & Tankers		
FE01	Spartan Single Rear Axle Chassis, Poly Body, 1000 GPM Midship Pump, 2000 Gallon Tank	
FE02	IH 2-Door Tandem Rear Axle Chassis, Poly Body, 1250 GPM Midship Pump, 2500 Gallon Tank	
FE03	Spartan Tandem Rear Axle Chassis, Poly Body, 1500 GPM Midship Pump, 3500 Gallon Tank	
G. Deep South		
B. Wildland Fire Apparatus (Brush Fire)		
GB01	Deep South Wildland Fire Apparatus, Ford Gas F-550 Regular Cab, 4X4, - 9' Alum. Flatbed Fire Body w/skid unit-150 GPM pump, 250 gallon tank.	
GB02	Deep South Wildland Fire Apparatus, IHC 4400 Regular Cab, 4X2, 15' Alum. Flatbed Fire Body w/skid unit-150 GPM pump, 250 gallon tank.	
GB03	Skid Unit, 100 GPM pump, 250 gallon water tank, Hose reel, 200' of 1" redline	
GB04	Deep South Wildland Fire Apparatus, Ford Diesel F-550, Regular Cab, 4x4, 8' Factory Truck Bed w/skid unit, 150 GPM pump, 250 gallon water tank	
C. Pumper Fire Apparatus		
GC01	1000 Series Pumper / KW T-370 2 door. Hi/Low Series Pumper, 750 Gallon Poly Tank - 1/8" Hi/Low Alum. body. Side-mount 1250 GPM pump.	
GC02	1000 Series Pumper / Spartan Metro X 4 door. Hi/Low Series Pumper, 750 Gallon Poly Tank - 1/8" Hi/Low Alum. Body. Side-mount 1250 GPM pump.	
D. Special Service Apparatus (Walk-In & Non-Walk-in Bodies) Multi-use: Rescue, Re-Hab, Hazmat, Mobile Command Center		

GD01	Quick Response Rescue / Fire Apparatus, Ford Gas F-550 Regular cab, 4X4, 9' – 1/8" Alum. 68" High Rescue / Fire Body.	
GD02	Medium-Duty "Walk-Around" Rescue Body / KW T-370 2- door 12' – 1/8" Alum. 84" High Rescue / Fire Body.	
GD03	Heavy Duty "Walk-Around" Rescue Body/Spartan MetroX 4 Door, 18' Alum. 84" High Rescue/Fire Body.	
E. Pumper/Tankers & Tankers		
GE01	Classic Series Mild Steel Tank / KW T-370 2 door - 3/16" Semi-Elliptical 1800 gallon coated mild steel tank body & subframe, 500 GPM PTO pump.	
GE02	Classic Series Poly Tank / KW T-370 2 door. 1800 gallon Poly Tank 1/8" Aluminum Body & Subframe, 500 GPM PTO pump.	
GE03	Classic Series Poly Tank / Spartan Metro X 4 dr - 1800 gallon Poly Tank 1/8" Alum. Body & Subframe, 500 GPM PTO pump.	
H. Emergency One (E-One)		
A. Aerials (Booms/Platforms, Ladders, Ladder/Platforms)		
HA01	E-One Typhoon, 4-Door Full-Tilt Welded Extruded Aluminum Cab, Six (6) Man Seating, Welded Extruded Aluminum Body, Single Axle, 1500 GPM Single Stage Pump, 500 Gallon Tank, Welded Extruded Aluminum HP75 - 75 FT. 550# Tip Load, Rear Mount Telescoping Ladder	
HA02	E-One Cyclone II, 4-Door Full-Tilt Welded Extruded Aluminum Cab, Six (6) Man Seating, Welded Extruded Aluminum Body, Single Axle, 1500 GPM Single Stage Pump, 500 Gallon Tank, Welded Extruded Aluminum HP78 - 78 FT. 650# Tip Load, Rear Mount Telescoping Ladder	
HA03	E-One Quest, 4-Door Full-Tilt Welded Extruded Aluminum Cab, Six (6) Man Seating, Welded Extruded Aluminum Body, Single Axle, 1500 GPM Single Stage Pump, 500 Gallon Tank, Welded Extruded Aluminum HP78 - 78 FT. 825# Tip Load, Rear Mount Telescoping Ladder	
HA04	E-One Cyclone II, 4 Door Full Tilt Welded Extruded Aluminum Cab, Six (6) Man Seating, Welded Extruded Aluminum Body, Single Axle, No Pump, No Tank, Welded Extruded Aluminum Metro 100 - 100 FT. 300# Tip Load, Rear Mounted Telescoping Ladder.	
HA05	E-One Cyclone II, 4-Door Full-Tilt Welded Extruded Aluminum Cab, Six (6) Man Seating, Welded Extruded Aluminum Body, Tandem Axle, 1500 GPM Single Stage Pump, 500 Gallon Tank, Welded Extruded Aluminum HP100 - 100 FT. 550# Tip Load, Rear Mounted Telescoping Ladder	
HA06	E-ONE Quest, 4 Door Full Tilt Welded Extruded Aluminum Cab, Six (6) Man Seating, Welded Extruded Aluminum Body, Tandem Axle, 1500 GPM Single Stage Pump, 300 Gallon Tank, Welded Extruded Aluminum CR137 - 137 FT. 300# Tip Load, Rear Mount Telescoping Ladder	
HA07	E-One Cyclone II, 4-Door Full-Tilt Welded Extruded Aluminum Cab, Six (6) Man Seating, Welded Extruded Aluminum Body, Tandem Axle, 1500 GPM Single Stage Pump, 300 Gallon Tank, Welded Extruded Aluminum L193 - 95' 1305# Tip Load, Mid-Mounted Telescoping Ladder Platform	
HA08	E-One Cyclone II, 4-Door Full-Tilt Welded Extruded Aluminum Cab, Six (6) Man Seating, Welded Extruded Aluminum Body, Tandem Axle, 1500 GPM Single Stage Pump, 300 Gallon Tank, Welded Extruded Aluminum L095- 92' 1025# Tip Load, Rear Mounted Telescoping Ladder with Platform	
HA09	E-ONE Cyclone II, 4 Door full Tilt Welded Extruded Aluminum Cab, Six (6) Man Seating, Welded Extruded Aluminum Body, Tandem Axle, 1500 GPM Single Stage Pump, 300 Gallon Tank, Welded Extruded Aluminum HP100 - 100 FT. 1305# Tip Load, Rear Mounted Telescoping Ladder with Platform	
HA10	E-One Cyclone II, 4-Door Full-Tilt Welded Extruded Aluminum Cab, Six (6) Man Seating, Welded Extruded Aluminum Body, Tandem Axle, 1500 GPM Single Stage Pump, 300 Gallon Tank, Welded Steel HPS105 - 105 FT. 575# Tip Load, Rear Mounted Telescoping Ladder	
HA11	E-One Cyclone II, 4-Door Full-Tilt Aluminum Cab, Extruded Aluminum Body, Tandem/Axle, 2000 GPM Single Stage Pump, 300 Gallon Tank, Bronto 116+ 1400# Tip Load Rear Mounted Telescoping & Articulating Steel Boom with Platform	

HA12	E-ONE Cyclone II, 4 Door full Tilt Welded Extruded Aluminum Cab, Six (6) Man Seating, Welded Extruded Aluminum Body, Tandem Axle, 1500 GPM Single Stage Pump, 300 Gallon Tank, Welded Steel HPS100P - 100 FT. 1305# Tip Load, Rear Mounted Telescoping Ladder with Platform	
HA13	E-One Typhoon, 4-Door Full-Tilt Welded Extruded Aluminum Cab, Six (6) Man Seating, Welded Extruded Aluminum Body, Single Axle, 1500 GPM Single Stage Pump, 500 Gallon Tank, Welded Aluminum 50' Boom - 50 FT. 300# Tip Load, Mid Mount Telescoping Boom with Rescue Ladder	
HA14	E-One Cyclone II, 4 Door Full Tilt Welded Extruded Aluminum Cab, Six (6) Man Seating, Welded Extruded Aluminum Body, Single Axle, 1500 GPM Single Stage Pump, 300 Gallon Tank, Welded Extruded Aluminum Metro 100 - HM100 FT. 300# Tip Load, Rear Mounted Telescoping Ladder.	
B. Wildland Fire Apparatus (Brush Fire)		
HB01	E-ONE Dord F550 4X4 Quick Attack Pumper, 500 GPM, Welded Extruded Aluminum Body, Single Axle, Side Mount Pump Module	
C. Pumper Fire Apparatus		
HC01	Freightliner M2, 2-Door Commercial Cab, Pumper, Welded Extruded Aluminum Body, Single Axle, 1250 GPM Pump, Side Mount Pump Module	
HC02	International 4400, 2-Door Commercial Cab, Pumper, Welded Extruded Aluminum Body, Single Axle, 1250 GPM Pump, Side Mount Pump Module	
HC03	Kenworth T370, 2-Door Commercial Cab, Pumper, Welded Extruded Aluminum Body, Single Axle, 1250 GPM Pump, Side Mount Pump Module	
HC04	E-One Typhoon, 4-Door Custom Full-Tilt Welded Aluminum Cab, Pumper, Welded Extruded Aluminum Body, Single Axle, 1250 GPM Pump, Side Mount Pump Module	
HC05	E-ONE Cyclone II, 4 Door Custom Full Tilt Welded Aluminum Cab, Rear Engine Pumper, Welded Extruded Aluminum Body, Single Axle, 1250 GPM Pump, Side Mount Pump Module	
HC06	E-ONE Quest, 4 Door Custom Full Tilt Welded Aluminum Cab, Pumper, Welded Extruded Aluminum Body, Single Axle, 1250 GPM Pump, Rear Mount Pump Module	
HC07	E-One Typhoon Urban Interface Pumper, 4-Door Custom Full-Tilt Welded Aluminum Cab, Pumper, Welded Extruded Aluminum Body, Single Axle, 1250 GPM Pump, Side Mount Pump Module	
HC07	Peterbilt 348, 2-Door Commercial Cab, Pumper, Welded Extruded Aluminum Body, Single Axle, 1250 GPM Pump, Side Mount Pump Module	
D. Special Service Apparatus (Walk-In & Non-Walk-in Bodies) Multi-use: Rescue, Re-Hab, Hazmat, Mobile Command Center		
HD01	Freightliner M2, 2-Door, OEM Cab, Single Axle, Welded Extruded Aluminum Body, Non-Walk-In Rescue	
HD02	International 4400, 2-Door, OEM Cab, Single Axle, Welded Extruded Aluminum Body, Non-Walk-In Rescue	
HD03	Kenworth T370, 2-Door, OEM Cab, Single Axle, Welded Extruded Aluminum Body, Non-Walk-In Rescue	
HD04	Peterbilt 348, 2-Door, OEM Cab, Single Axle, Welded Extruded Aluminum Body, Non-Walk-In Rescue	
HD05	Ford F550, 2-Door, OEM Cab, Single Axle, Welded Extruded Aluminum Body, Non-Walk-In Rescue	
HD06	E-One Typhoon, 4-Door Custom, Full-Tilt, Welded Aluminum Cab, Single Axle, Welded Extruded Aluminum Body, Non-Walk-In Rescue	
HD07	Freightliner M2, 2-Door, OEM Cab, Single Axle, Welded Stainless Body, Walk-In Rescue	
HD08	International 4400, 2-Door, OEM Cab, Single Axle, Welded Stainless Body, Walk-In Rescue	
HD09	Kenworth T370, 2-Door, OEM Cab, Single Axle, Welded Extruded Aluminum Body, Walk-In Rescue	
HD10	Peterbilt 348, 2-Door, OEM Cab, Single Axle, Welded Extruded Aluminum Body, Walk-In Rescue	
HD11	E-One Cyclone II, 4-Door Custom, Full-Tilt, Welded Aluminum Cab, Single Axle, Welded Extruded Aluminum Body, Walk-In Rescue	

E. Pumper/Tankers & Tankers		
HE01	Freightliner M2, 2-Door, Commercial Cab, Pumper/Tanker, Welded Extruded Aluminum Body, Tandem Axle, 1250 GPM Pump, Mid-Mounted Pump Module	
HE02	International, 2-Door, Commercial Cab, Pumper/Tanker, Welded Extruded Aluminum Body, Tandem Axle, 1250 GPM Pump, Mid-Mounted Pump Module	
HE03	Kenworth T370, 2-Door, Commercial Cab, Pumper/Tanker, Welded Extruded Aluminum Body, Tandem Axle, 1250 GPM Pump, Mid-Mounted Pump Module	
HE04	E-ONE CYCLONE II, 4-Door, Custom Full-Tilt, Welded Aluminum Cab, Pumper/Tanker, Welded Extruded Aluminum Body, Tandem Axle, 1250 GPM Pump, Mid-Mounted Pump Module	
HE05	International 4400, 2-Door Commercial Cab, 2000 Gallon Tanker, Wet Side Body, Single Axle, 500 GPM Pump	
HE06	Freightliner M2, 2-Door Commercial Cab, 2000 Gallon Tanker, Wet Side Body, Single Axle, 500 GPM Pump	
HE07	Kenworth T370, 2-Door Commercial Cab, 2000 Gallon Tanker, Wet Side Body, Single Axle, 500 GPM Pump	
HE08	Peterbilt 348, 2-Door Commercial Cab, 2000 Gallon Tanker, Wet Side Body, Single Axle, 500 GPM Pump	
HE09	International, 2-Door Commercial Cab, rear 3000 Gallon Tanker, Wet Side Body, Tandem Axle, 500 GPM Pump	
HE10	Freightliner M2, 2-Door Commercial Cab, rear 3000 Gallon Tanker, Wet Side Body, Tandem Axle, 500 GPM Pump	
HE11	Kenworth T370, 2-Door Commercial Cab, rear 3000 Gallon Tanker, Wet Side Body, Tandem Axle, 500 GPM Pump	
HE12	Peterbilt 348, 2-Door Commercial Cab, rear 3000 Gallon Tanker, Wet Side Body, Tandem Axle, 500 GPM Pump	
HE13	International 4400, 2-Door, Commercial Cab, 2000 Gallon Elliptical Vacuum Tanker, Welded Extruded Aluminum Body, Single Axle, 500 GPM Pump	
HE14	International, 2-Door, Commercial Cab, 3500 Gallon Elliptical Vacuum Tanker, Welded Extruded Aluminum Body, Tandem Axle, 500 GPM Pump	
F. Airport Rescue Fire-Fighting Vehicles		
HF01	E-ONE Titan 4x4 P801-Class 4 ARFF, Coil Spring Suspension, 1585 water/205 foam gallons, 500 lbs dry chemical, NFPA 414 & FAA Compliant)	
HF02	E-ONE Titan 6x6 P811, Class 5 ARFF, Coil Spring Suspension, 3170 water/420 foam gallons, 500 lbs dry chemical, NFPA 414 & FAA Compliant	
I. Emergency Vehicles, Inc. (EVI)		
D. Special Service Apparatus (Walk-In & Non-Walk In Bodies) Multi-use: Rescue, Re-Hab, Hazmat,		
ID01	Ford F-550 2-Door, Single Axle 10' Non-Walk-In Rescue (Aluminum)	
ID02	Ford F-550 2-Door, Single Axle 12' Non-Walk-In Rescue (Aluminum)	
ID03	Ford F-550 4-Door, Single Axle 12' Non-Walk-In Rescue (Aluminum)	
ID04	Ford F-550 2-Door, Single Axle 12' Walk-In Rescue (Aluminum)	
ID05	Freightliner M2, 2-Door, Single Axle 16' Non-Walk-In Rescue (Aluminum)	
ID06	International 4400, 2-Door, Single Axle 16' Non-Walk-In Rescue (Aluminum)	
ID07	Freightliner M2, 4-Door, Single Axle 16' Non-Walk-In Rescue (Aluminum)	
ID08	Freightliner M2, 2-Door, Single Axle 16' Walk-In Rescue (Aluminum)	
ID09	International 4400, 2-Door, Single Axle 16' Walk-In Rescue (Aluminum)	
ID10	Freightliner M2, 4-Door, Single Axle 18' Walk-In Rescue (Aluminum)	
ID11	International 4400, 4-Door, Single Axle 18' Walk-In Rescue (Aluminum)	
ID12	Freightliner M2, 2-Door, Single Axle 18' Crew-Body Rescue (Aluminum)	
ID13	Freightliner M2, 2-Door, Single Axle 18' Mobile Command Center (Aluminum)	
ID14	Spartan, 4-Door Full Tilt, Single Axle 21' Non-Walk-In Rescue (Aluminum)	
ID15	Spartan, 4-Door Full Tilt, Single Axle 21' Walk-In Rescue (Aluminum)	
ID16	Freightliner M2, 4-Door, Single Axle 25' Walk-In Rescue (Aluminum)	
ID17	International 4400, 4-Door, Single Axle 25' Walk-In Rescue (Aluminum)	

ID18	Freightliner M2, 4-Door, Tandem Axle 25' Walk-In Rescue (Aluminum)	
ID19	International 4400, 4-Door, Tandem Axle 25' Walk-In Rescue (Aluminum)	
ID20	Spartan, 4-Door, Full Tilt, Tandem Axle 30' Walk-In Rescue (Aluminum)	
ID21	Freightliner M2, 2-Door, Tandem Axle 30' Walk-In Command Center (Aluminum)	
ID22	Ford F-550 2-Door, Single Axle 14' Crew-Body Rescue (Aluminum)	
ID23	Ford F-550 4-Door, Single Axle 12' 1250 GPM Mini-Pumper (Aluminum)	
ID24	Ford F-550 2-Door, Single Axle 10' Quick Attack (Aluminum)	
ID25	Ford Expedition SUV Single Axle Command Vehicle	
ID26	Ford F-350 4-Door Pick Up, Single Axle Command Vehicle	
ID27	Ford F-550 2-Door, Single Axle 16' Walk-In Special Service Unit (Aluminum)	
ID28	Ford Transit 350, Single Axle Command Unit	
ID29	Freightliner M2 2-Door, Single Axle 32' Walk-In Command Center (Aluminum)	
ID30	Spartan, 3-Door, Single Axle 24' Crew-Body Haz-Mat Unit (Aluminum)	
ID31	Spartan, 3-Door, Single Axle 24' Non-Walk-In Haz-Mat Unit (Aluminum)	
ID32	Spartan, 4-Door Tandem Axle 26' Non-Walk-In Rescue (Aluminum)	
ID33	International 4400 2-Door, Single Axle 15' Air-Light Unit (Aluminum)	
ID32	Ford F-550 Super Cab, Single Axle 10' ESU Unit (Aluminum)	
J. Ferrara		
A. Aerials (Booms/Platforms, Ladders, Ladder/Platforms)		
JA01	Cinder, 4-Door Full-Tilt OEM Cab, Extruded Aluminum Body, Single Axle, 57' Rear Mounted Telescoping Ladder	
JA02	Igniter, 4-Door Full-Tilt OEM Cab, Extruded Aluminum Body, Single Axle, 57' Rear Mounted Telescoping Ladder	
JA03	Inferno, 4-Door Full-Tilt OEM Cab, Extruded Aluminum Body, Single Axle, 57' Rear Mounted Telescoping Ladder	
JA04	Cinder, 4-Door Full-Tilt OEM Cab, Extruded Aluminum Body, Single Axle, 77' Rear Mounted Telescoping Ladder	
JA05	Igniter, 4-Door Full-Tilt OEM Cab, Extruded Aluminum Body, Single Axle, 77' Rear Mounted Telescoping Ladder	
JA06	Inferno, 4-Door Full-Tilt OEM Cab, Extruded Aluminum Body, Single Axle, 77' Rear Mounted Telescoping Ladder	
JA07	Inferno, 4-Door Full-Tilt OEM Cab, Extruded Aluminum Body, Tandem Axle, 107' Rear Mounted Telescoping Ladder	
JA08	Inferno, 4-Door Full-Tilt OEM Cab, Extruded Aluminum Body, Tandem Axle, 127' Rear Mounted Telescoping Ladder	
JA09	Inferno, 4-Door Full-Tilt OEM Cab, Extruded Aluminum Body, Tandem Axle, 100' Mid-Mounted Telescoping Ladder	
JA10	Inferno, 4-Door Full-Tilt OEM Cab, Extruded Aluminum Body, Tandem Axle, 85' Mid-Mounted Telescoping Ladder with Platform	
JA11	Inferno, 4-Door Full-Tilt OEM Cab, Extruded Aluminum Body, Tandem Axle, 85' Rear Mounted Telescoping Ladder with Platform	
JA12	Inferno, 4-Door Full-Tilt OEM Cab, Extruded Aluminum Body, Tandem Axle, 100' Rear Mounted Telescoping Ladder with Platform	
JA13	Inferno, 4-Door Full-Tilt OEM Cab, Extruded Aluminum Body, Tandem Axle, 100' Mid-Mounted Telescoping Ladder with Platform	
B. Wildland Fire Apparatus (Brush Fire)		
JB01	Self-Contained Slip-In Unit	
JB02	Ferrara Brush Fire Apparatus, Ford Truck, Extruded Aluminum Flatbed	
JB03	Ferrara Brush Fire Apparatus, Dodge Truck, Extruded Aluminum Flatbed	
C. Pumper Fire Apparatus		
JC01	Freightliner M2, 2-Door, Extruded Aluminum Body, Single Axle, 1250 GPM Pump, Mid-Mounted Pumper	
JC02	Freightliner M2, 4-Door, Extruded Aluminum Body, Single Axle, 1250 GPM Pump, Mid-Mounted Pumper	
JC03	International 4400, 2-Door, Extruded Aluminum Body, Single Axle, 1250 GPM Pump, Mid-Mounted Pumper	

JC04	International 4400, 4-Door, Extruded Aluminum Body, Single Axle, 1250 GPM Pump, Mid-Mounted Pumper	
JC05	Custom Cinder, 4-Door, Full-Tilt Cab, Extruded Aluminum Body, Single Axle, 1500 GPM Pump, Mid-Mounted Pumper	
JC06	Custom Igniter, 4-Door, Full-Tilt Cab, Extruded Aluminum Body, Single Axle, 1500 GPM Pump, Mid-Mounted Pumper	
JC07	Custom Inferno, 4-Door, Full-Tilt Cab, Extruded Aluminum Body, Single Axle, 1500 GPM Pump, Mid-Mounted Pumper	
D. Special Service Apparatus (Walk-In & Non-Walk-in Bodies) Multi-use: Rescue, Re-Hab, Hazmat, Mobile Command Center		
JD01	Ford 550, 2-door Cab, Single Axle, Extruded Aluminum Body, NON-Walk-In LIGHT Rescue	
JD02	Ford 550, 2-door Super Cab, Single Axle, Extruded Aluminum Body, NON-Walk-In LIGHT Rescue	
JD03	Ford 550, 4-door Cab, Single Axle, Extruded Aluminum Body, NON-Walk-In LIGHT Rescue	
JD04	Freightliner M2, 2-door Cab, Single Axle, Extruded Aluminum Body, NON-Walk-In MEDIUM Rescue	
JD05	Freightliner M2, 4-door Cab, Single Axle, Extruded Aluminum Body, NON-Walk-In MEDIUM Rescue	
JD06	Freightliner M2, 2-door Cab, Single Axle, Extruded Aluminum Body, Walk-In MEDIUM Rescue	
JD07	Freightliner M2, 4-door Cab, Single Axle, Extruded Aluminum Body, Walk-In MEDIUM Rescue	
JD08	Cinder, 4-Door, Full-Tilt, OEM Cab, Single Axle, Extruded Aluminum Body, NON Walk-In HEAVY Rescue	
JD09	Cinder, 4-Door, Full-Tilt, OEM Cab, Single Axle, Extruded Aluminum Body, Walk-In HEAVY Rescue	
JD10	Igniter, 4-Door, Full-Tilt, OEM Cab, Single Axle, Extruded Aluminum Body, NON Walk-In HEAVY Rescue	
JD11	Igniter, 4-Door, Full-Tilt, OEM Cab, Single Axle, Extruded Aluminum Body, Walk-In HEAVY Rescue	
JD12	Inferno, 4-Door, Full-Tilt, OEM Cab, Single Axle, Extruded Aluminum Body, NON Walk-In HEAVY Rescue	
JD13	Inferno, 4-Door, Full-Tilt, OEM Cab, Single Axle, Extruded Aluminum Body, Walk-In HEAVY Rescue	
JD14	Inferno, 4-Door, Full-Tilt, OEM Cab, Single Axle, Extruded Aluminum Body, Incident Command Vehicle	
E. Pumper/Tankers & Tankers		
JE01	M2 Freightliner, 2-Door, Extruded Aluminum Body, Tandem Axle, 1250 GPM Pump, Mid-Mounted Pumper/Tanker (3000 Gallons)	
JE02	M2 Freightliner, 4-Door, Extruded Aluminum Body, Tandem Axle, 1250 GPM Pump, Mid-Mounted Pumper/Tanker (3000 Gallons)	
JE03	Custom Cinder 2, 4-Door, Extruded Aluminum Body, Tandem Axle, 1250 GPM Pump, Mid-Mounted Pumper/Tanker (3000 Gallons)	
JE04	Custom Igniter, 4-Door, Extruded Aluminum Body, Tandem Axle, 1250 GPM Pump, Mid-Mounted Pumper/Tanker (3000 Gallons)	
JE05	Custom Inferno, 4-Door, Extruded Aluminum Body, Tandem Axle, 1250 GPM Pump, Mid-Mounted Pumper/Tanker (3000 Gallons)	
K. Firematic		
B. Wildland Fire Apparatus (Brush Fire)		
KB01	Firematic, RALLY B.R.A.T. ® Ford F550, 4WD, 4-Door, Aluminum flatbed body, 400 Gallon Water Tank, Hale 30FS/Deutz Diesel Pump, Pump and Roll Capability, Super Single wheels and tires	
KB02	Firematic, Rally B.R.A.T. ® Ford F550, 4WD, 4-Door, Aluminum compartment body, 400 Gallon Water Tank, Hale 30FS/Deutz Diesel Pump, Pump and Roll Capability, Super Single wheels and tires	

KB03	Firematic, Rally B.R.A.T. ® Ford F350, 4WD, 2-Door , Aluminum flatbed body, 250 Gallon Water Tank, Hale HPX200 Pump, Pump and Roll Capability, Super Single wheels and tires	
KB04	Firematic, Army 2.5 ton Brush Breaker, 6WD, 2-Door , Steel flatbed and tube body, 600 Gallon Water Tank, Hale 30FS/Deutz Diesel Pump, Pump and Roll Capability	
KB05	Firematic, Army 5 ton Brush Breaker, 6WD, 2-Door , Steel flatbed and tube body, 1000 Gallon Water Tank, Hale 30FS/Deutz Diesel Pump, Pump and Roll Capability, Super Single wheels and tires	
KB06	Firematic, Rally B.R.A.T. ® Dodge 5500, 4WD, 4-Door , Aluminum flatbed body, 400 Gallon Water Tank, Hale 30FS/Deutz Diesel Pump, Pump and Roll Capability, Super Single wheels and tires	
KB07	Firematic, B.R.A.T. ® Ford F550, 4WD, 4-Door , Aluminum flatbed body, Aluminum investment protection cage, 400 Gallon Water Tank, Hale 30FS/Deutz Diesel Pump, Pump and Roll Capability, Super Single wheels and tires	
KB08	Firematic, Rally Grass Rig Ford F450, 4WD, 2-Door , Aluminum flatbed body with walkway, 300 Gallon Water Tank, Hale HPX200 Pump, Pump and Roll Capability, Super Single wheels and tires	
C. Pumper Fire Apparatus		
KC01	Firematic, B.R.A.T. ® 1000. Commercial Pumper, Aluminum compartment body, Mid Mount, Ford F550 4x4, 300 Gallon Water Tank, 1250 GPM Pump	
KC02	Firematic, Rally B.R.A.T. ® 1000. Commercial Pumper, Aluminum flatbed body, Mid Mount, Ford F550 4x4, 300 Gallon Water Tank, 1250 GPM Pump	
KC03	Firematic, Brute Commercial Pumper, Aluminum compartment body, Front Mount, Freightliner 4x4, 700 Gallon Water Tank, 1250 GPM Pump	
KC04	Firematic, Brute Commercial Pumper, Aluminum compartment body, Front Mount, International 7400 4x4, 700 Gallon Water Tank, 1000 GPM Pump	
KC05	Firematic, Brute Commercial Pumper, Aluminum compartment body, Mid Mount, 750 Gallon Water Tank, 1250 GPM Pump	
D. Special Service Apparatus (Walk-In & Non-Walk In Bodies) Multi-use: Rescue, Re-Hab, Hazmat, Mobile Command Center		
KD01	Firematic, Rescue B.R.A.T. ® Non Walk In, Aluminum Body Light Rescue, Ford F550	
KD02	Firematic, Rescue B.R.A.T. ® Walk In, Aluminum Body Light Rescue, Ford F550	
KD03	Firematic, Commercial Rescue, non Walk In, Aluminum Body	
KD04	Firematic, Commercial Rescue, Walk In, Aluminum Body	
L. HME		
A. Aerials (Booms/Platforms, Ladders, Ladder/Platforms)		
LA01	HME Spectr, 4-Door Custom Full-Tilt Extruded Aluminum Cab, Six (6) Man Seating, Single Axle, Stainless Steel Body, 1500 GPM Single Stage Pump, 400 Gallon Tank, Steel Ladder HAF80L, 1000# Tip Load, Rear Mounted Telescoping Ladder	
LA02	HME 1871W, 4-Door Custom Full-Tilt Extruded Aluminum Cab, Six (6) Man Seating, Single Axle, Stainless Steel Body, 1500 GPM Single Stage Pump, 400 Gallon Tank, Steel Ladder HAF80L, 1000# Tip Load, Rear Mounted Telescoping Ladder	
LA03	HME Spectr, 4-Door Custom Full-Tilt Extruded Aluminum Cab, Six (6) Man Seating, Tandem Axle, Stainless Steel Body, 1500 GPM Single Stage Pump, 400 Gallon Tank, Steel Ladder HAF111L, 1000# Tip Load, Rear Mounted Telescoping Ladder	
LA04	HME 1871W, 4-Door Custom Full-Tilt Extruded Aluminum Cab, Six (6) Man Seating, Tandem Axle, Stainless Steel Body, 1500 GPM Single Stage Pump, 400 Gallon Tank, Steel Ladder HAF111L, 1000# Tip Load, Rear Mounted Telescoping Ladder	
LA05	HME SFO, 4-Door Custom Full-Tilt Extruded Aluminum Cab, Six (6) Man Seating, Single Axle, Stainless Steel Body, 1500 GPM Single Stage Pump, 500 Gallon Tank, HAF51T, 1000# Tip Load, Rear Mounted Steel Boom	
LA06	HME Spectr, 4-Door Custom Full-Tilt Extruded Aluminum Cab, Six Man Seating, Tandem Axle, Stainless Steel Body, 10GPM Single Stage Pump, 500 Gallon Tank, Stainless Platform HAF104P, 500# Tip Load, Rear Mounted Telescoping Ladder	
B. Wildland Fire Apparatus (Brush Fire)		
LB01	HME Ford F-550 4x4 Initial Attack MiniEvo, 1500 GPM Side Mounted Pump, Stainless Steel Body, Single Axle, 400 Gallons	

LB02	HME SFO Initial Attack Type I, 4-Door Custom Full-Tilt Extruded Aluminum Cab, Six (6) Man Seating, 1250 GPM Side Mounted Pump, Stainless Steel Body, Single Axle, 850 Gallons	
LB03	HME International 7400 4x4 Quick Attack Type III/34D, 500 GPM Side Mounted Pump, Stainless Steel Body, Single Axle, 500 Gallons	
C. Pumper Fire Apparatus		
LC01	HME Spectr, 4-Door Custom Full-Tilt Extruded Aluminum Cab, Six (6) Man Seating, Pumper, Stainless Steel Body, Single Axle, 1250 GPM Side Mounted Pump, 1045 Gallons	
LC02	HME 1871W, 4-Door Custom Full-Tilt Extruded Aluminum Cab, Six (6) Man Seating, Pumper, Stainless Steel Body, Single Axle, 1250 GPM Side Mounted Pump, 1045 Gallons	
LC03	HME SFO, 4-Door Custom Full-Tilt Extruded Aluminum Cab, Six (6) Man Seating, Pumper, Stainless Steel Body, Single Axle, 1250 GPM Side Mounted Pump, 1045 Gallons	
LC04	HME International 7400 2-Door Commercial Cab, Pumper, Stainless Steel Body, Single Axle, 1250 GPM Side Mounted Pump, 1045 Gallons	
LC05	HME International 7400 4-Door Commercial Cab, Pumper, Stainless Steel Body, Single Axle, 1250 GPM Side Mounted Pump, 1045 Gallons	
LC06	HME Freightliner M2 2-Door Commercial Cab, Pumper, Stainless Steel Body, Single Axle, 1250 GPM Side Mounted Pump, 1045 Gallons	
LC07	HME Freightliner M2 4-Door Commercial Cab, Pumper, Stainless Steel Body, Single Axle, 1250 GPM Side Mounted Pump, 1045 Gallons	
LC08	HME SFO R.A.T., 4-Door Custom Full-Tilt Extruded Aluminum Cab, Six (6) Man Seating, Pumper, Stainless Steel Body, Single Axle, 1250 GPM Side Mounted Pump, 500 Gallons	
LC09	HME 4x4 SFO H.X.R., 4-Door Custom Full-Tilt Extruded Aluminum Cab, Six (4) Man Seating, Pumper, Stainless Steel Body, Single Axle, 1500 GPM Side Mounted Pump, 500 Gallon Tank, Michelin 445/50R 22.5 Super Single Tires	
D. Special Service Apparatus (Walk-In & Non-Walk-in Bodies) Multi-use: Rescue, Re-Hab, Hazmat, Mobile Command Center		
LD01	HME Spectr, 4-Door Custom Full-Tilt Extruded Aluminum Cab, Six (6) Man Seating, Single Axle, 14' Stainless Steel Body, Non-Walk-In Rescue	
LD02	HME 1871W, 4-Door Custom Full-Tilt Extruded Aluminum Cab, Six (6) Man Seating, Single Axle, 14' Stainless Steel Body, Non-Walk-In Rescue	
LD03	HME SFO, 4-Door Custom Full-Tilt Extruded Aluminum Cab, Six (6) Man Seating, Single Axle, 14' Stainless Steel Body, Non-Walk-In Rescue	
LD04	HME Spectr, 4-Door Custom Full-Tilt Extruded Aluminum Cab, Six (6) Man Seating, Single Axle, 18' Stainless Steel Body, Non-Walk-In Rescue	
LD05	HME 1871W, 4-Door Custom Full-Tilt Extruded Aluminum Cab, Six (6) Man Seating, Single Axle, 18' Stainless Steel Body, Non-Walk-In Rescue	
LD06	HME SFO, 4-Door Custom Full-Tilt Extruded Aluminum Cab, Six (6) Man Seating, Single Axle, 18' Stainless Steel Body, Non-Walk-In Rescue	
LD07	HME Ford F-550 4x4 4-Door Light Rescue PackRat, Non-Walk-In Stainless Steel Rescue Body	
E. Pumper/Tankers & Tankers		
LE01	HME Spectr, 4-Door Custom Full-Tilt Extruded Aluminum Cab, Six (6) Man Seating, Stainless Steel Body, Tandem Axle, 1250 GPM Side Mounted Pumper/Tanker, 3000 Gallons	

LE06	HME International 7600 4-Door Commercial Cab, Stainless Steel Body, Tandem Axle, 1250 GPM Side Mounted Pumper/Tanker, 3000 Gallons	
M. KME		
A. Aerials (Booms/Platforms, Ladders, Ladder/Platforms)		
MA01	KME, 4-Door Full-Tilt Aluminum Cab, Formed Aluminum Body, Single Axle, 79' 500# Rear Mounted Telescoping Steel Ladder	
MA02	KME, 4-Door Full-Tilt Aluminum Cab, Formed Aluminum Body, Tandem Axle, 103', 4 Section, 500# Rear Mounted Telescoping Steel Ladder	
MA03	KME, 4-Door Full-Tilt Aluminum Cab, Formed Aluminum Body, Tandem Axle, 79' 750# Rear Mounted Telescoping Steel Ladder	
MA04	KME, 4-Door Full-Tilt Aluminum Cab, Formed Aluminum Body, Tandem Axle, 123' 500# Rear Mounted Telescoping Steel Ladder	
MA05	KME, 4-Door Full-Tilt Aluminum Cab, Formed Aluminum Body, Tandem Axle, 102' 1000# Rear Mounted Telescoping Ladder with Platform	
MA06	KME, 4-Door Full-Tilt Aluminum Cab, Formed Aluminum Body, Tandem Axle, 100' 1000# Mid-Mounted Telescoping Ladder with Platform	
MA07	KME, 4-Door Full-Tilt Aluminum Cab, Formed Aluminum Body, Single Axle, 100' 500# Tractor (Mid-Mount), Telescoping Steel Ladder	
MA08	KME, 4-Door Full-Tilt Aluminum Cab, Formed Aluminum Body, Single Axle, 55' Water Tower (FireStix)	
MA09	International 4400, 4-Door, Formed Aluminum Body, Single Axle, 55' Water Tower (FireStix)	
MA10	KME, 4-Door Full-Tilt Aluminum Cab, Formed Aluminum Body, Tractor Drawn Aerial (TDA), 100', 4 Section 500# Steel Telescoping Ladder	
B. Wildland Fire Apparatus (Brush Fire)		
MB01	Ford F-550, 4 x 4, 2-Door, Skid Mounted Pumper Body	
MB02	Ford F-550, 4 x 4, 2-Door, Flatbed Style Skid Mounted Pumper	
MB03	Ford F-550, 4 x 4, 2-Door, Aluminum Minipumper Body, 300 gal. Tank, 1000 gpm Midship PTO Pump	
MB04	Intl 7300 4 x 4, 4-Door, Aluminum Minipumper Body, 500 gal. Tank, 1000 gpm Midship PTO Pump, 26,000lb GVWR	
MB05	International 7400, 4x4, 4-Door, Ridgerunner, Dual Pump, 500/20 Gals Water/Foam, NFPA 1901/1906	
MB06	International 7400, 4 x 4, 4-Door, OEM Interface Pumper, Formed Alum Body, Single Axle, 750 GPM, 500 Gallon Water	
C. Pumper Fire Apparatus		
MC01	International 4400, 2-Door, OEM Pumper, Formed Aluminum Body, Single Axle, 1250 GPM Pump, 1000 Gal Tank-Legacy Series Pumper	
MC02	International 4400, 2-Door, OEM Pumper, Formed Aluminum Body, Single Axle, 1250 GPM Pump, 1000 Gal Tank-Challenger Series Pumper	
MC03	International 4400, 2-Door, OEM Pumper, Formed Aluminum Body, Single Axle, 1250 GPM Pump, 750 Gal Tank-Flex Pumper	
MC04	KME Custom, 4-Door, Full-Tilt, Aluminum Cab, Formed Aluminum Body, Single Axle, 1250 GPM Pump, 750 Gal Tank-Flex Pumper	
MC05	KME Custom, 4-Door, Full-Tilt, Aluminum Cab, Alum Body, Single Axle, 1250 GPM Pump, Rear-Mounted Pumper	
MC06	KME Custom, 4-Door, Full-Tilt, Aluminum Cab, Alum Body, Single Axle, 2000 GPM Pump, 1000 Gal Tank-Flex Pumper	
MC07	International 4400, 2-Door, Alum Body, Single Axle, 1250 GPM Pump, Rear-Mounted Pumper	
D. Special Service Apparatus (Walk-In & Non-Walk-in Bodies) Multi-use: Rescue, Re-Hab, Hazmat, Mobile Command Center		
MD01	Ford F-550 4 x 2 Chassis, 2 Door, Light Duty Walk-Around Rescue	
MD02	Intl 4300, 4 x 2, 2-Door, Medium Duty Walk-Around Rescue	
MD03	International 4400, 4 x 2, 2-Door, Medium Duty Walk-In Rescue	
MD04	KME Custom, 4-Door, Full-Tilt, Aluminum Cab, Alum Body, Single Axle, Heavy Duty Walk-Around Rescue	
MD05	International 4400, 2-Door, Air/Light Special Service Walk-Around Rescue	

MD06	KME Custom, 4-Door, Full-Tilt, Aluminum Cab, Alum Body, Single Axle, Heavy Duty Combination Walk-in / Walk-Around Rescue	
MD07	International 4400 4x2, 2-Door, 10 person Crew Carrier	
E. Pumper/Tankers & Tankers		
ME01	International 4400, 2-Door, Aluminum Treadplate Body, Single Axle, 1250 GPM Pump, Painted 1800 Gal Elliptical Tank-LE Series Tanker	
ME02	International 7400, 2-Door, Aluminum Treadplate Body, Tandem Axle, 1250 GPM Pump, Painted 2500 Gal Elliptical Tank-LE Series Tanker	
ME03	International 4400, 2-Door, Aluminum Treadplate Body, Single Axle, 500 GPM Pump, Painted 1800 Gal Wetside Tank-LE Series Tanker	
ME04	International 4400, 2-Door, Aluminum Body, Single Axle, 500 GPM Pump, 2,000 Gal Legacy Elliptical Tanker	
ME05	International 4400, 2-Door, Aluminum Body, Single Axle, 500 GPM Pump, 2,000 Gal Legacy Wetside Tanker	
ME06	International 7400, 2-Door, Aluminum Treadplate Body, Tandem Axle, 500 GPM Pump, Painted 2500 Gal Wetside Tank-LE Series Tanker	
ME07	International 4400, 2-Door, Formed Galvanneal Body, Single Axle, 750 GPM Pump, 1800 Gal Eliminator T Tank	
ME08	International 7400, 2-Door, Formed Galvanneal Body, Tandem Axle, 750 GPM Pump, 3000 Gal Eliminator T Tank	
ME09	International 4400, 2-Door, Formed Galvanneal Body, Single Axle, 1250 GPM Pump, 1800 Gal T-Tank-Flex Pumper Tanker	
ME10	International 7400, 2-Door, Formed Galvanneal Body, Tandem Axle, 1250 GPM Pump, 2500 Gal T-Tank-Flex Pumper Tanker	
ME11	KME Custom, 4-Door, Full-Tilt, Aluminum Cab, Alum Body, Tandem Axle, 3,000 Gallon, Pumper-Tanker with 2,000gpm Pump	
F. Airport Rescue Fire-Fighting Vehicles		
MF01	Ford F550, 4 x 4, 4-Door, Class 1 RIV, 120 GAL AFFF Pre-mix	
MF02	Ford F550, 4 x 4, 4-Door, Class 2 RIV, 500 GPM Pump, 300/40 Gal Water/Foam Tank	
MF03	International 7400 4 x 4, 2-Door, Class 3 RIV, 500 GPM Pump, 500/75 Gal Water/Foam Tank	
MF04	KME Custom Class 4 ARFF, 4 x 4, 2000 GPM, 1500/200 Gal Water/Foam Tank	
MF05	KME Custom Class 5 ARFF, 6 x 6, 2000 GPM, 3000/400 Gal Water/Foam Tank	
N. Marion		
A. Aerials (Booms/Platforms, Ladders, Ladder/Platforms)		
NA01	Spartan 4-Door, Aluminum Tilt Cab, Extruded Aluminum Body, 1500 GPM Pump, rear mount, 75' 3-section, telescopic steel ladder, Single Axle, 500#, 300 Gal. Tank	
NA02	Spartan 4-Door, Aluminum Tilt Cab, Extruded Aluminum Body, 1500 GPM Pump, Rear Mount, 110' 4-section telescopic steel ladder, Tandem Axle, 750#, 300 Gal. Tank	
C. Pumper Fire Apparatus		
NC01	IH 4400, 2-Door, Pumper, Extruded Aluminum Body, Single axle, 1250 GPM Pump, Side Mounted, 750 Gal. Tank	
NC02	Freightliner M2, 2-Door, Pumper, Extruded Aluminum Body, Single Axle, 1250 GPM Pump, Side Mounted, 750 Gal. Tank	
NC03	Spartan 4-Door, Pumper, Extruded Aluminum Body, Single Axle, 1250 GPM Pump, Side Mounted, 750 Gal. Tank	
D. Special Service Apparatus (Walk-In & Non-Walk-in Bodies) Multi-use: Rescue, Re-Hab, Hazmat, Mobile Command Center		
ND01	Ford F550, 2-Door, Aluminum Extruded Body, Single Axle, Non-Walk-in, Roll up doors, Rescue 12'	
ND02	IH4400, 2-Door, Aluminum Extruded Body, Single Axle, Non-Walk-in, Roll up doors, Rescue 17'	
ND03	Spartan 4-Door, Aluminum Tilt Cab, 10" Raised Roof, Aluminum Extruded Body, Single Axle, Non-Walk-in, Roll up doors, Rescue 17'	
ND04	IH4400, 2-Door, Aluminum Extruded Body, Single Axle, Walk-in, Roll up doors, Rescue 19'	

ND05	Spartan 4-Door, Aluminum Tilt Cab, 10" Raised Roof, Aluminum Extruded Body, Walk-in, Single Axle, Roll up doors, Rescue 19'	
E. Pumper/Tankers & Tankers		
NE01	IH4400, 2-Door, Extruded Aluminum Body, Single Axle, 1250 GPM Pump, 1800 Gal. Tank, Single Dump Valve	
NE02	IH7400, 2-Door, Extruded Aluminum Body, Tandem Axle, 1250 GPM Pump, 3000 Gal. Tank, 3 Dump Valves	
NE03	Spartan 2-Door, CustomTilt Cab, Extruded Aluminum Body, Single Axle, 1250 GPM Pump, 1800 Gal. Tank, Single Dump Valve	
O. Maintainer Custom Bodies, Inc. (MCB)		
B. Wildland Fire Apparatus		
OB01	MCB Responder Series Quick-Attack, 300 Gallon Tank & Hale HPX 200 Pump, 10' Aluminum Rescue Style Body on Ford F-550 Diesel, 4-Door, 60CA, 4X4 chassis.	
OB02	MCB Responder Series Quick-Attack, 300 Gallon Tank & Hale HPX 200 Pump, 10' Aluminum Rescue Style Body on Dodge RAM 5500 Diesel, 4-Door, 60CA, 4X4 chassis.	
D. Special Service Apparatus (Walk-In & Non-Walk-in Bodies) Multi-use: Rescue, Re-Hab, Hazmat, Mobile Command Center		
OD01	MCB Responder Series 10' All Aluminum Walk-around rescue on Ford F-550 Diesel, 4-Door, 4X4, 60"CA chassis	
OD02	MCB Responder Series 10' All Aluminum Walk-around rescue on Dodge RAM 5500 Diesel, 4-Door, 4X4, 60"CA chassis	
OD03	MCB Responder Series 12' All Aluminum Walk-around rescue on Ford F-550 Diesel, 4-Door, 4X4, 84"CA chassis	
OD04	MCB Responder Series 12' All Aluminum Walk-around rescue on Dodge RAM 5500 Diesel, 4-Door, 4X4, 84"CA chassis	
OD05	MCB Responder Series 15' All Aluminum Walk-around rescue on Ford F-550 Diesel, 2-Door, 4X4, 120"CA chassis	
OD06	MCB Responder Series 15' All Aluminum Walk-around rescue on Dodge RAM 5500 Diesel, 2-Door, 4X4, 120"CA chassis	
OD07	MCB Responder Series 18' All Aluminum Walk-around rescue on IH 4400 Series 2-Door 4X2	
OD08	MCB Responder Series 18' All Aluminum Walk-around rescue on Freightliner M2-106 Series 2-Door 4X2	
OD09	MCB Responder Series 18' All Aluminum Walk-around rescue on Spartan Gladiator Series 4-Door 4X2	
OD10	MCB Responder Series 22' All Aluminum Walk-around rescue on IH 4400 Series 2-Door 4X2	
OD11	MCB Responder Series 22' All Aluminum Walk-around rescue on Freightliner M2-106 Series 2-Door 4X2	
OD12	MCB Responder Series 22' All Aluminum Walk-around rescue on Spartan MetroStar Series 4-Door 4X2	
OD13	MCB Responder Series 28' All Aluminum Walk-around rescue on IH 7500 Series 2-Door 4X2	
OD14	MCB Responder Series 28' All Aluminum Walk-around rescue on Freightliner M2-106 Series 2-Door 4X2	
OD15	MCB Responder Series 28' All Aluminum Walk-around rescue on Spartan MetroStar Series 4-Door 4X2	
OD16	MCB Responder Series 10' All Aluminum Walk-in rescue on Ford F-550 Diesel, 4-Door, 4X4, 60"CA chassis	
OD17	MCB Responder Series 10' All Aluminum Walk-in rescue on Dodge RAM 5500 Diesel, 4-Door, 4X4, 60"CA chassis	

OD18	MCB Responder Series 12' All Aluminum Walk-in rescue on Ford F-550 Diesel, 4-Door, 4X4, 84"CA chassis	
OD19	MCB Responder Series 12' All Aluminum Walk-in rescue on Dodge RAM 5500 Diesel, 4-Door, 4X4, 84"CA chassis	
OD20	MCB Responder Series 15' All Aluminum Walk-in rescue on Ford F-550 Diesel, 2-Door, 4X4, 120"CA chassis	
OD21	MCB Responder Series 15' All Aluminum Walk-in rescue on Dodge RAM 5500 Diesel, 2-Door, 4X4, 120"CA chassis	
OD22	MCB Responder Series 18' All Aluminum Walk-in rescue on IH 4400 Series 2-Door 4X2	
OD23	MCB Responder Series 18' All Aluminum Walk-in rescue on Freightliner M2-106 Series 2-Door 4X2	
OD24	MCB Responder Series 18' All Aluminum Walk-in rescue on Spartan MetroStar Series 4-Door 4X2	
OD25	MCB Responder Series 22' All Aluminum Walk-in rescue on IH 4400 Series 2-Door 4X2	
OD26	MCB Responder Series 22' All Aluminum Walk-in rescue on Freightliner M2-106 Series 2-Door 4X2	
OD27	MCB Responder Series 22' All Aluminum Walk-in rescue on Spartan MetroStar Series 4-Door 4X2	
OD28	MCB Responder Series 28' All Aluminum Walk-in rescue on IH 7500 Series 2-Door 4X2	
OD29	MCB Responder Series 28' All Aluminum Walk-in rescue on Freightliner M2-106 Series 2-Door 4X2	
OD30	MCB Responder Series 28' All Aluminum Walk-in rescue on Spartan MetroStar Series 4-Door 4X2	
OD31	MCB Responder Series 15' All Aluminum Walk-in 15-Passenger Crew Carrier Body on IH 4400 Series 2-Door 4X2	
OD32	MCB Responder Series 15' All Aluminum Walk-in 15-Passenger Crew Carrier Body on Freightliner 2-Door 4X2	
OD33	MCB Responder Series 14' All Aluminum Combination rescue on Ford F-550 Diesel, 2-Door, 4X4, 84"CA chassis	
OD34	MCB Responder Series 14' All Aluminum Combination rescue on Dodge RAM Diesel, 2-Door, 4X4, 84"CA chassis	
OD35	MCB Responder Series 15' All Aluminum Combination rescue on Ford F-550 Diesel, 2-Door, 4X4, 120"CA chassis	
OD36	MCB Responder Series 15' All Aluminum Combination rescue on Dodge RAM 5500 Diesel, 2-Door, 4X4, 120"CA chassis	
OD37	MCB Responder Series 18' All Aluminum Combination rescue on IH 4400 Series 2-Door 4X2	
OD38	MCB Responder Series 18' All Aluminum Combination rescue on Freightliner M2-106 Series 2-Door 4X2	
OD39	MCB Responder Series 22' All Aluminum Combination rescue on IH 4400 Series 2-Door 4X2	
OD40	MCB Responder Series 22' All Aluminum Combination rescue on Freightliner M2-106 Series 2-Door 4X2	
OD41	MCB Responder Series 28' All Aluminum Mobile Command Center on IH 7600 2-Door 4X2	
OD42	MCB Responder Series 28' All Aluminum Mobile Command Center on M2-106 2-Door 4X2	
OD43	MCB Responder Series 28' All Aluminum Mobile Command Center on Spartan MetroStar 4-Door 4X2	
OD44	MCB Responder Series 28' All Aluminum Mobile Command Center on Spartan Gladiator 4-Door 4X2	
P. Metro Fire Apparatus Specialists		
B. Wildland Fire Apparatus (Brush Fire)		
PB01	Self Contained Slide In Unit, 250 gallon	
PB02	Metro Brush Truck, Ford F450 2Dr, Aluminum Flat Bed, 300 Tank	
PB03	Metro Brush Truck, Ford F550 2Dr, Aluminum Flat Bed, 300 Tank	

PB04	Metro Brush Truck, Ford F650 2Dr, Aluminum Flat Bed, 300 Tank	
C. Pumper Fire Apparatus		
PC01	Metro Mini-Pumper, Ford F550 2Dr, Aluminum Body, 1250gpm pump, 500 Tank	
PC02	Metro CAFS Mini-Pumper, Ford F550 2Dr, Aluminum Body, 1250gpm pump, 500 Tank	
D. Special Service Apparatus (Walk-In & Non-Walk-in Bodies) Multi-use: Rescue, Re-Hab, Hazmat, Mobile Command Center		
PD01	Metro Light Rescue, Ford F550 2Dr, Aluminum Body, Non-Walk-In	
PD02	International 4400, 2-Door, OEM Cab, Single Axle, Aluminum Body, Non-Walk-In Rescue	
PD03	Spartan, Full-Tilt, Aluminum Cab, Single Axle, Aluminum Body, Non-Walk-In Body	
PD04	International 4400, 2-Door, OEM Cab, Single Axle, Aluminum Body, Walk-In Rescue	
PD05	Spartan, Full-Tilt, Aluminum Cab, Single Axle, Aluminum Body, Walk-In Body	
Q. Midwest Fire		
B. Wildland Fire Apparatus (Brush Fire)		
QB01	Midwest Fire Brush Unit - F-550 Diesel, Aluminum Flatbed, Pump and Roll Capabilities, 400 GPM portable pump, 250 gallons, Regular Cab, 60" CA	
QB02	Midwest Fire Brush Unit - F-550 Diesel, Aluminum Flatbed, Pump and Roll Capabilities, 400 GPM portable pump, 250 gallons, Regular Cab, 84" CA	
QB03	Midwest Fire <i>All-Poly</i> Quick Attack - F-550 Diesel, Regular Cab, 400 GPM portable pump, 250 gallons, ROM Doors, 84" CA	
C. Pumper Fire Apparatus		
QC01	Midwest Fire <i>All-Poly</i> Pumper, 1000 Gallon, Rescue Style Lockers, Freightliner M2 Regular Cab, 1250 GPM Pump, Side Mounted Pump, Single Axle	
QC02	Midwest Fire <i>All-Poly</i> Pumper, 1000 Gallon, Rescue Style Lockers, Freightliner M2 Crew Cab, 1250 GPM Pump, Side Mounted Pump, Single Axle	
E. Pumper/Tankers & Tankers		
QE01	Midwest Fire <i>All-Poly</i> Tanker-Pumper, 2000 Gallon, Freightliner M2, 1000 GPM PTO, Pump and Roll, Single Axle	
QE02	Midwest Fire <i>All-Poly</i> Tanker-Pumper, 3000 Gallon, Freightliner M2, 1000 GPM PTO, Pump and Roll, Tandem Axle	
QE03	Midwest Fire <i>All-Poly</i> Tanker, 2000 Gallon, Freightliner M2, 750 GPM PTO pump, Pump and Roll, Single Axle, Under 30'	
QE04	Midwest Fire <i>All-Poly</i> Tanker, 3000 Gallon, Freightliner M2, 250 GPM portable pump, pump and roll	
R. Nevada Pacific Fire & Safety Inc.		
B. Wildland Fire Apparatus (Brush Fire)		
RB01	Brush Fire Apparatus, Ford F-450, 2 door, gas engine Steel Flatbed	
RB02	Brush Fire Apparatus Ford F-550, 2 Door, Gas Engine, Steel Flatbed w/ work stations	
RB03	Brush Fire Apparatus, Ford F-550 2 Dr, Diesel engine Extruded Aluminum Flatbed w/ Aluminum compartments	
RB04	Brush Fire Apparatus, Ford F-550, 2 Dr, Diesel engine Ply-Utility Body	
RB05	Brush Fire Apparatus, Ford F-550 2 Door, Diesel Engine, with Aluminum Flatbed w/ work stations, Aluminum Compartments	
RB06	Ford F-550 XL 4x4, 2-Dr, Gas Engine, 60" CA, Brush Truck, Aluminum flatbed and compartments 300 Gallon Tank, Water Pump, 200gpm Pump.	

RB07	Ford F-550 XL 4X4, 2-Dr., 60" CA, Gas engine Brush Truck, Aluminum flatbed w/ Poly Compartment., 300 Gallon Tank, 240 gpm water pump.	
RB08	Ford F-550 XL 4x4 Crew Cab, Diesel Engine, 60" CA, 9' Multi-Purpose Brush Truck, Aluminum flatbed 300 Gallon Tank, 300 gpm Water Pump.	
RB09	Ford F-550 XL 4x4, 2-Dr, Diesel Engine, 165" WB, 12' Rescue Brush Truck, 300 Gallon Tank, Diesel Driven 220 gpm Water Pump.	
RB10	Brush Fire Apparatus, Ford F-550, 60" CA, Crew Cab, Diesel Engine Steel Flatbed W/ work stations and Aluminum cabinets, 300 gal drop in tank 200 gpm pump	
RB11	Brush Fire Apparatus, Ford F-550, Crew Cab, Diesel Engine 60" CA Aluminum Flatbed with work stations and Poly cabinets, 300 gal drop in tank 200 gpm pump	
RB12	Brush Fire Apparatus, Ford F-550, 60" CA, 2 Door, Gas Engine, Steel Flatbed W/ work stations and Aluminum cabinets, 300 gal drop in tank 200 gpm pump	
RB13	Self- Contained Slip-In Unit, Fire skid unit 11hp Honda pump 200gal tank hose reel with hose (option foam cell system & gallon tank sizes).	
RB14	Self-Contained Slip-In-Unit, Fire skid unit 19 hp diesel pump 300 gal tank hose reel with hose, (option foam cell system & gallon tank sizes)	
RB15	Self-Contained Slip-In-Unit, Fire skid unit 20 hp gasoline pump 400 gal tank hose reel with hose, (option foam cell system & gallon tank sizes)	
RB16	Self-Contained Slip-In-Unit, Fire skid unit 20 hp gasoline pump 400 gal tank hose reel with hose, (option foam cell system & gallon tank sizes)	
RB17	Self-Contained Slip-In-Unit, Fire skid unit CAFS 400gal tank(STORED ENERGY) hose reel with hose (potion foam cell system & purple K, & gallon tank sizes).	
RB18	Self-Contained Glider Kit Aluminum flatbed, Poly comartments, 300 gal Tank 200gpm pump.	
RB19	Self-Contained Glider Kit Aluminum flat bed, w/ Poly compartments, 300 gal Tank, 200gpm pump	
RB20	Self-Contained Glider Kit Aluminum flatbed, Aluminum compartments, 300 gal Tank 200gpm pump.	
RB21	Brush fire apparatus Freighliner M2-106 4WD standard cab with aluminum flatbed, aluminum compartments, 800 gallon tank, Diesel 300 gpm pump. Emergency lighting packag.	
RB22	Brush fire apparatus Freighliner M2-106 4WD EXTENDED cab with aluminum flatbed, aluminum compartments, 800 gallon tank, Diesel 300 gpm pump. Emergency lighting packag.	
RB23	Brush fire apparatus Freighliner M2-106 4WD CREW CAB with aluminum flatbed, aluminum compartments, 800 gallon tank, Diesel 300 gpm pump. Emergency lighting packag.	

S. OshKosh

F. Airport Rescue Fire-Fighting Vehicles

SF01	Oshkosh Striker 4x4, 2-Door, Aluminum Cab, 2 Passenger Seating, Roof Turret (375/750 gpm), bumper Turret (300 gpm), One Handline (Foam/Water), Water Tank Capacity (1500 gal.), Foam Tank Capacity (210 gal.), Fire Pump (Power divider driven Waterous CRQA, Single Stage Centrifugal, 1950 gpm at 240 psi)	
SF02	Oshkosh Striker 6x6, 2-Door, Aluminum Cab, 2 Passenger Seating, Roof Turret (600/1200 gpm), bumper Turret (300 gpm), One Handline (Foam/Water), Water Tank Capacity (3000 gal.), Foam Tank Capacity (420 gal.), Fire Pump (Power divider driven Waterous CRQA, Single Stage Centrifugal, 1950 gpm at 240 psi)	
SF03	Oshkosh Striker 8x8, 2-Door, Aluminum Cab, 2 Passenger Seating, Roof Turret (600/1200 gpm), bumper Turret (300 gpm), One Handline (Foam/Water), Water Tank Capacity (4500 gal.), Foam Tank Capacity (420 gal.), Fire Pump (Power divider driven Waterous CRQA, Single Stage Centrifugal, 1950 gpm at 240 psi)	

SF04	Oshkosh New Generation Striker 8x8, 2-Door, Aluminum Cab, 2 Passenger Seating, Roof Turret (600/1200 gpm), bumper Turret (300 gpm), One Handline (Foam/Water), Water Tank Capacity (4500 gal.), Foam Tank Capacity (420 gal.), Fire Pump (Waterous CRQA, Single Stage Centrifugal, 1950 gpm at 240 psi), dual engine driveline	
SF05	Oshkosh Stinger Class 2 ARFF vehicle; 2-Door Ford 4x4 F550 Cab/chassis, 2 Passenger Seating, Bumper Turret, one (1) twin agent handline, Water Tank Capacity (300 gal.), Foam Tank Capacity (40 gal.), Dry Chemical 500 pounds.	
T. Pierce		
A. Aerials (Booms/Platforms, Ladders, Ladder/Platforms)		
TA01	Pierce Enforcer Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Single Axle, 75' Rear-Mounted Telescoping Ladder (500#)	
TA02	Pierce Enforcer Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Tandem Axle, 75' Rear-Mounted Telescoping Ladder (500#)	
TA03	Pierce Enforcer Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Single Axle, 107' Rear-Mounted Telescoping Ladder	
TA04	Pierce Enforcer Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Tandem Rear Axle, 107' Rear-Mounted Telescoping Ladder	
TA05	Pierce Enforcer Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Tandem Rear Axle, 110' Rear-Mounted Telescoping Platform	
TA06	Pierce Enforcer Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Tandem Axle, 105' Rear-Mounted Telescoping Ladder (500#)	
TA07	Pierce Arrow Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Tandem Axle, 100' Mid-Mounted Telescoping Ladder (#500)	
TA08	Pierce Arrow Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Tandem Axle, 85' Rear-Mounted Telescoping Ladder with Platform (750#)	
TA09	Pierce Arrow Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Tandem Axle, 95' Mid-Mounted Telescoping Ladder with Platform (750#)	
TA10	Pierce Arrow Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Tandem Axle, 100' Rear-Mounted Telescoping Ladder with Platform (750#)	
TA11	Pierce Arrow Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Single Axle, 100' Tractor Drawn - Mid-Mounted Telescoping Ladder (#500)	
TA12	Pierce Arrow Chassis, 4-Door Full Tilt Aluminum Cab, Formed Aluminum Body, Single Axle, 107' Tractor Drawn - Mid-Mounted Telescoping Ladder (#500)	
B. Wildland Fire Apparatus (Brush Fire)		
TB01	Pierce Brush Fire Apparatus, Ford F450, Formed Aluminum Utility Body	
TB02	Pierce Brush Fire Apparatus, Ford F-550 Mini Pumper 500 gpm, 300 tank	
TB03	Freightliner 4-Door 4 x 4 Wildland, 500 water, 1000 gpm Pump	
C. Pumper Fire Apparatus		
TC01	M2 Freightliner, 2-Door, OEM Cab, Aluminum Body, Single Axle, 1250 GPM Pump, Mid-Mounted Pumper	
TC02	IHC, 2-Door, OEM Cab, Aluminum Body, Single Axle, 1250 GPM Pump, Mid-Mounted Pumper	

TC03	KW, 2-Door, OME Cab, Aluminum Body, Single Axle, 1250 GPM Pump, Mid-Mounted Pumper	
TC04	Peterbilt, 2-Door, OME Cab, Aluminum Body, Single Axle, 1250 GPM Pump, Mid-Mounted Pumper	
TC05	Pierce Saber FR, 4-Door, Full-Tilt, Aluminum Cab, Aluminum Body, Single Axle, 1250 GPM Pump, Mid-Mounted Pumper	
TC06	Pierce Enforcer, 4-Door, Full-Tilt, Aluminum Cab, Aluminum Body, Single Axle, 1250 GPM Pump, Mid-Mounted Pumper	
TC07	Pierce Dash CF, 4-Door, Full-Tilt, Aluminum Cab, Aluminum Body, Single Axle, 1250 GPM Pump, PUC Body Pumper	
D. Special Service Apparatus (Walk-In & Non-Walk-in Bodies) Multi-use: Rescue, Re-Hab, Hazmat, Mobile Command Center		
TD01	Ford F-550 4-Door, 12' Non-Walk-in Formed Aluminum Body	
TD02	M2 Freightliner, 2-Door, OEM Cab, Single Axle, Formed Aluminum Body, Non-Walk-In Body	
TD03	IHC, 2-Door, OEM Cab, Single Axle, Formed Aluminum Body, Non-Walk-In Body	
TD04	Kenworth, 2-Door, OEM Cab, Single Axle, Formed Aluminum Body, Non-Walk-In Body	
TD05	Peterbilt, 2-Door, OEM Cab, Single Axle, Formed Aluminum Body, Non-Walk-In Body	
TD06	Pierce Saber FR, Full-Tilt, Aluminum Cab, Single Axle, Formed Aluminum Body, Non-Walk-In HDR Body	
TD07	Pierce Enforcer 4-Door, Aluminum Cab, Single Axle, Formed Aluminum Body, Non-Walk-in HDR Body	
TD08	Pierce Velocity 4-Door Aluminum Cab, Tandem Axle Non-Walk-in HDR Body	
TD09	M2 Freightliner, 2-Door, OEM Cab, Single Axle, Formed Aluminum Body, Walk-In Body	
TD10	IHC, 2-Door, OEM Cab, Single Axle, Formed Aluminum Body, Walk-In Body	
TD11	Kenworth, 2-Door, OEM Cab, Single Axle, Formed Aluminum Body, Walk-In Body	
TD12	Peterbilt, 2-Door, OEM Cab, Single Axle, Formed Aluminum Body, Walk-In Body	
TD13	Pierce Enforcer 4-Door, Full Tilt, Aluminum Cab, Single Axle, Formed Aluminum Body, Walk-in HDR Body	
TD14	Pierce Velocity 4-Door Aluminum Cab, Tandem Axle Walk-in HDR Body	
E. Pumper/Tankers & Tankers		
TE01	Freightliner 2 Door, Single Axle Tanker, Aluminum Body w/2000 water & 500 pump	
TE02	IHC 2dr Single Axle Tanker, Aluminum Body w/2000 water & 500 pump	
TE03	Kenworth 2dr Single Axle Tanker, Aluminum Body w/2000 water & 500 pump	
TE04	Peterbilt 2dr Single Axle Tanker, Aluminum w/2000 water & 500 pump	
TE05	Pierce Saber FR, 4-Door, Full-Tilt, Aluminum Cab, Pumper/Tanker, Aluminum Body, Single Axle, 1000 GPM Pump, Mid-Mounted	
TE06	Pierce Enforcer, 4-Door, Full-Tilt, Aluminum Cab, Pumper/Tanker, Aluminum Body, Tandem Axle, 1000 GPM Pump, Mid-Mounted	
TE07	Freightliner 2dr, Tandem Axle Tanker, Aluminum Body w/3000 water & 500 pump	
TE08	IHC 2dr Tandem Axle Tanker, Aluminum Body w/3000 water & 500 pump	
TE09	Kenworth 2dr Tandem Axle Tanker, Aluminum Body w/3000 water & 500 pump	

TE10	Peterbilt 2dr Tandem Axle Tanker, Aluminum w/3000 water & 500 pump	
TE11	Pierce Saber FR, 4-Door, Full-Tilt, Aluminum Cab, Aluminum Body, Single Axle, 1000 GPM Pump, Mid-Mounted Elliptical Tanker	
TE12	Pierce Enforcer, 4-Door, Full-Tilt, Aluminum Cab, Aluminum Body, Tandem Axle, 1000 GPM Pump, Mid-Mounted Elliptical Tanker	
U. Rosenbauer		
F. Airport Rescue Fire-Fighting Vehicles		
UF01	Rosenbauer Panther 1500, 2-Door, Aluminum Cab, High Performance Off Road suspension, 3 Passenger Seating, Roof Turret (375/750 gpm), bumper Turret (300 gpm), One (1) left side pre-connected Handline (Foam/Water) one (1) right side twin agent handline, Water Tank Capacity (1500 gal.), Foam Tank Capacity (200 gal.), Dry Chemical 500 pounds, Fire Pump (Power divider driven Rosenbauer N80, Dual Stage Centrifugal high pressure, 2100 gpm)	
UF02	Rosenbauer Panther 3000, 2-Door, Aluminum Cab, High Performance Off Road suspension, 3 Passenger Seating, Roof Turret (600/1200 gpm), bumper Turret (300 gpm), One (1) left side pre-connected Handline (Foam/Water) one (1) right side twin agent handline, Water Tank Capacity (3000 gal.), Foam Tank Capacity (400 gal.), Dry Chemical 500 pounds, Fire Pump (Power divider driven Rosenbauer N80, Dual Stage Centrifugal high pressure, 3100 gpm)	
UF03	Rosenbauer Panther 3000 with HRET, 2-Door, Aluminum Cab, High Performance Off Road suspension, 2 Passenger Seating, 1000 gpm High Reach Extendable turret (500/1000 gpm), bumper Turret (300 gpm), One (1) left side pre-connected Handline (Foam/Water) one (1) right side twin agent handline, Water Tank Capacity (3000 gal.), Foam Tank Capacity (400 gal.), Dry Chemical 500 pounds, Fire Pump (Power divider driven Rosenbauer N80, Dual Stage Centrifugal high pressure, 2100 gpm)	
UF04	Rosenbauer Airwolf C2 2-Door Ford 4x4 F550 Cab/chassis, 2 Passenger Seating, bumper Turret, one (1) twin agent handline, Water Tank Capacity (300 gal.), Foam Tank Capacity (40 gal.), Dry Chemical 500 pounds, Fire Pump 250 gpm	
UF05	Rosenbauer Airwolf C3 2-Door International 7400 4x4 Cab/chassis, 2 Passenger Seating, bumper Turret, one (1) twin agent handline, Water Tank Capacity (500 gal.), Foam Tank Capacity (60 gal.), Dry Chemical 500 pounds, Fire Pump 250 gpm	
V. Rosenbauer Minnesota LLC		
A. Aerials (Booms/Platforms, Ladders, Ladder/Platforms)		
VA01	Rosenbauer Commander, 4-Door Tilt Cab, Extruded Aluminum Body, Single Axle, 78' Rear Mount Steel Ladder	
VA02	Rosenbauer Commander, 4-Door Tilt Cab, Extruded Aluminum Body, Tandem Axle, 78' Rear Mount Steel Ladder	
VA03	Rosenbauer Commander, 4-Door Tilt Cab, Extruded Aluminum Body, Tandem Axle, 100' Rear Mount Steel Ladder	
VA04	Rosenbauer Commander, 4-Door Tilt Cab, Extruded Aluminum Body, Tandem Axle, 109' Rear-Mount Steel Ladder	
VA05	Rosenbauer Commander, 4-Door Tilt Cab, Extruded Aluminum Body, Tandem Axle, 100' Mid-Mount Steel Ladder	
VA06	Rosenbauer Commander, 4-Door Tilt Cab, Extruded Aluminum Body, Tandem Axle, 101' Rear Mount Steel Platform	
VA07	Rosenbauer Commander, 4-Door Tilt Cab, Extruded Aluminum Body, Tandem Axle, 104' Rear Mount Steel Platform	
VA08	Rosenbauer Commander, 4-Door Tilt Cab, Extruded Aluminum Body, Tandem Axle, 100' Mid Mount Steel Platform	
VA09	Rosenbauer Commander, 4-Door Tilt Cab, Extruded Aluminum Body, Single Axle, 104' Tractor Drawn Steel Ladder	
VA10	Rosenbauer Commander, 4-Door Tilt Cab, Extruded Aluminum Body, Single Axle, 65' Rear Mount Steel Ladder	
VA11	Rosenbauer Commander, 4-Door Tilt Cab, Extruded Aluminum Body, Single Axle, 51' Rear Mount Boom	
VA12	Rosenbauer Commander, 4-Door Tilt Cab, Extruded Aluminum Body, Single Axle, 68' Rear Mount Boom	

VA13	Rosenbauer Commander, 4-Door Tilt Cab, Extruded Aluminum Body, Single Axle, 102' Raptor Rear Mount Ladder	
VA14	Rosenbauer Commander, 4-Door Tilt Cab, Extruded Aluminum Body, Tandem Axle, 114' Articulating-Telescoping T-REX Platform	
B. Wildland Fire Apparatus		
VB01	IH 4400, 4x4, 2-Door, OEM Timberwolf, Pumper, Extruded Aluminum Body, Single Axle, 1250 GPM Pump, Rear Mount	
C. Pumper Fire Apparatus		
VC01	M2 Freightliner, 2-Door, OEM, Pumper, Extruded Aluminum Body, Single Axle, 1250 GPM Pump, Side-Mounted Pumper	
VC02	IH4400, 2-Door, OEM, Pumper, Extruded Aluminum Body, Single Axle, 1250 GPM Pump, Side-Mounted Pumper	
VC03	Peterbilt, 2-Door, OEM, Pumper, Extruded Aluminum Body, Single Axle, 1250 GPM Pump, Side-Mounted Pumper	
VC04	Rosenbauer Commander, 4-Door Full-Tilt, Aluminum Pumper, Extruded Aluminum Body, Single Axle, 1250 GPM Pump, Side-Mounted Pumper	
VC05	Rosenbauer Commander, 4-Door Full-Tilt, Aluminum Pumper, Extruded Aluminum Body, Single Axle, 1500 GPM Pump, Side-Mounted Pumper	
VC06	Rosenbauer Commander, 4-Door Full-Tilt, Aluminum Pumper, Extruded Aluminum Body, Single Axle, 1500 GPM Pump, Rear-Mounted Pumper	
VC07	Ford F550, 4x2, 2-Door OEM Cab, Mini Pumper, Formed Aluminum Body, 500 GPM PTO Pump, Side Mounted	
D. Special Service Apparatus (Walk-In & Non-Walk-in Bodies) Multi-use: Rescue, Re-Hab, Hazmat, Mobile Command Center		
VD01	M2 Freightliner, 2-Door, OEM Cab, Single Axle, Extruded Aluminum Body, Non-Walk-In Body	
VD02	IH4400, 2-Door, OEM Cab, Single Axle, Extruded Aluminum Body, Non-Walk-In Body	
VD03	M2 Freightliner, 2-Door, OEM Cab, Tandem Axle, Extruded Aluminum Body, Non-Walk-In Body	
VD04	Ford F-550, 2-Door, OEM Ccab, Single Axle, Extruded Aluminum Body, Non-Walk-In Body	
VD05	Rosenbauer Commander, 4-Door Full-Tilt, Aluminum Cab, Single Axle, Extruded Aluminum Body, Non-Walk-In Body	
VD06	Rosenbauer Commander, 4-Door Full-Tilt, Aluminum Cab, Tandem Axle, Extruded Aluminum Body, Non-Walk-In Body	
VD07	M2 Freightliner, 2-Door, OEM Cab, Single Axle, Extruded Aluminum Body, Walk-In Body	
VD08	IH4400, 2-Door, OEM Cab, Single Axle, Extruded Aluminum Body, Walk-In Body	
VD09	M2 Freightliner, 2-Door, OEM Cab, Tandem Axle, Extruded Aluminum Body, Walk-In Body	
VD10	Rosenbauer Commander, 4-Door Full-Tilt, Aluminum Cab, Single Axle, Extruded Aluminum Body, Walk-In Body	
VD11	Rosenbauer Commander, 4-Door Full-Tilt, Aluminum Cab, Tandem Axle, Extruded Aluminum Body, Walk-In Body	
E. Pumper/Tankers & Tankers		
VE01	M2 Freightliner, 2-Door, OEM Cab, Pumper/Tanker, Extruded Aluminum Body, 1800 Gallon Tank, Single Axle, 1250 GPM Pump, Mid-Mounted	
VE02	IH4400, 2-Door, OEM Cab, Pumper/Tanker, Extruded Aluminum Body, 1800 Gallon Tank, Single Axle, 1250 GPM Pump, Mid-Mounted	
VE03	M2 Freightliner, 2-Door, OEM Cab, Pumper/Tanker, Extruded Aluminum Body, 2000 Gallon Tank, Tandem Axle, 1250 GPM Pump, Mid-Mounted	
VE04	Rosenbauer Commander, 4-Door Full-Tilt, Aluminum Cab, Pumper/Tanker, Extruded Aluminum Body, 1800 Gallon Tank, Single Axle, 1250 GPM Pump, Mid-Mounted	
VE05	Rosenbaue Commander, 4-Door Full-Tilt, Aluminum Cab, Pumper/Tanker, Extruded Aluminum Body, 2000 Gallon Tank, Tandem Axle, 1250 GPM Pump, Mid-Mounted	
W. Rosenbauer South Dakota LLC		
A. Aerials (Booms/Platforms, Ladders, Ladder/Platforms)		

WA01	Rosenbauer Commander 4-Door Tilt Cab, Formed Aluminum Body, Single Axle, 78' Rear Mount Steel Ladder	
WA02	Rosenbauer Commander 4-Door Tilt Cab, Formed Aluminum Body, Tandem Axle, 78' Rear Mount Steel Ladder	
WA03	Rosenbauer Commander 4-Door Tilt Cab, Formed Aluminum Body, Tandem Axle, 100' Rear Mount Steel Ladder	
WA04	Rosenbauer Commander 4-Door Tilt Cab, Formed Aluminum Body, Tandem Axle, 109' Rear Mount Steel Ladder	
WA05	Rosenbauer Commander 4-Door Tilt Cab, Formed Aluminum Body, Tandem Axle, 100' Mid-Mount Steel Ladder	
WA06	Rosenbauer Commander 4-Door Tilt Cab, Formed Aluminum Body, Tandem Axle, 101' Rear Mount Steel Platform	
WA07	Rosenbauer Commander 4-Door Tilt Cab, Formed Aluminum Body, Tandem Axle, 104' Rear Mount Steel Platform	
WA08	Rosenbauer Commander 4-Door Tilt Cab, Formed Aluminum Body, Tandem Axle, 100' Mid-Mount Steel Platform	
WA09	Rosenbauer Commander 4-Door Tilt Cab, Formed Aluminum Body, Single Axle, 65' Rear Mount Steel Ladder	
WA10	Rosenbauer Commander 4-Door Tilt Cab, Formed Aluminum Body, Single Axle, 51' Rear Mount Boom	
WA11	Rosenbauer Commander 4-Door Tilt Cab, Formed Aluminum Body, Single Axle, 68' Rear Mount Boom	
WA12	Rosenbauer Commander 4-Door Tilt Cab, Formed Aluminum Body, Single Axle 75' Mid Mount Steel Ladder	
WA13	Rosenbauer Commander 4-door Tilt Cab, Formed Aluminum Body, Single Axle, 75' Mid Mount Steel Platform	
WA14	M2 Freightliner, 2-Door OEM Cab, Formed Aluminum Body, Single Axle, 51' Rear Mount Boom	
B. Wildland Fire Apparatus		
WB01	M2 Freightliner, 4x4, 2-Door OEM Cab, WILDLAND Pumper, FX Formed Aluminum Body, Single Axle, 1000 GPM Pump, Side Mounted	
WB02	M2 Freightliner, 4x4, 2-Door OEM Cab, WILDLAND CT Pumper, Formed Stainless Steel Body, Single Axle, 1000 GPM Pump, Rear Mounted	
WB03	IH4400, 4x4, 2-Door OEM Cab, WILDLAND Pumper, FX Formed Aluminum Body, Single Axle, 1000 GPM Pump, Side Mounted	
WB04	IH4400, 4x4, 2-Door OEM Cab, WILDLAND CT Pumper, Formed Stainless Steel Body, Single Axle, 1000 GPM Pump, Rear Mounted	
WB05	M2 Freightliner, 4x4, 2-Door OEM Cab, MAVERICK Pumper, Aluminum Body, Single Axle, 1000 GPM Pump, 1500 Gallon Tank	
WB06	IH4400, 4x4, 2-Door OEM Cab, MAVERICK Pumper, Aluminum Body, Single Axle, 1000 GPM Pump, 1500 Gallon Tank	
WB07	Ford F550, 4x4, 2-Door OEM Cab, Wildland Aluminum Huck Bolt Body, 200 GPM Pump, 300 Gallon Tank	
C. Pumper Fire Apparatus		
WC01	M2 Freightliner, 2-Door OEM Cab, Pumper, Formed Aluminum Body, Single Axle 1250 GPM Pump, Side Mounted	
WC02	IH4400, 2-Door OEM Cab, Pumper, Formed Aluminum Body, Single Axle, 1250GPM Pump, Side Mounted	
WC03	Peterbilt, 2-Door OEM Cab, Pumper, Formed Aluminum Body, Single Axle, 1250 GPM Pump, Side Mounted	
WC04	M2 Freightliner, 2-Door OEM Cab, Firestar Pumper, Formed Aluminum Body, Single Axle 1250 GPM Pump, Side Mounted	
WC05	Rosenbauer Commander, 4-Door Full-Tilt Aluminum Cab, Formed Aluminum Body, Single Axle, 1250 GPM Pump, Side Mounted	
WC06	Rosenbauer Commander, 4-Door Full-Tilt Aluminum Cab, Formed Aluminum Body, Single Axle, 1250 GPM Pump, Rear Mounted	
WC07	Rosenbauer Commander, 4-Door Full-Tilt Aluminum Cab, Formed Aluminum Body, Single Axle, 1500 GPM Pump, Side Mounted	

WC08	Rosenbauer Commander, 4-Door Full-Tilt Aluminum Cab, Formed Aluminum Body, Single Axle, 1500 GPM Pump, Rear Mounted	
WC09	Rosenbauer Warrior, 4-Door Full-Tilt, Aluminum Cab, Formed Aluminum Body, Single Axle, 1250 GPM Pump, Side Mounted	
WC10	Ford F550, 4x2, 2-Door OEM Cab, Mini Pumper, Formed Aluminum Body, 500 GPM PTO Pump, Side Mounted	
WC11	IH TERRASTAR, 4x4, 2-Door OEM Cab, Mini Pumper, Formed Aluminum Body, 500 GPM PTO Pump, Side Mounted	
D. Special Service Apparatus (Walk-In & Non-Walk-in Bodies) Multi-use: Rescue, Re-Hab, Hazmat, Mobile Command Center		
WD01	M2 Freightliner, 2-Door, OEM Cab, Single Axle, Formed Aluminum Body, Non-Walk-In Body	
WD02	IH4400, 2-Door, OEM Cab, Single Axle, Formed Aluminum Body, Non-Walk-In Body	
WD03	Rosenbauer Commander, 4-Door, Full-Tilt, Aluminum Cab, Single Axle, Formed Aluminum Body, Non-Walk-In Body	
WD04	Rosenbauer Commander, 4-Door, Full-Tilt, Aluminum Cab, Tandem Axle, Formed Aluminum Body, Non-Walk-In Body	
WD05	M2 Freightliner, 2-Door, OEM Cab, Single Axle, Formed Aluminum Body, Walk-In Body	
WD06	IH4400, 2-Door, OEM Cab, Single Axle, Formed Aluminum Body, Walk-In Body	
WD07	Rosenbauer Commander, 4-Door, Full-Tilt, Aluminum Cab, Single Axle, Formed Aluminum Body, Walk-In Body	
WD08	Rosenbauer Commander, 4-Door, Full-Tilt, Aluminum Cab, Tandem Axle, Formed Aluminum Body, Walk-In Body	
WD09	Ford F-550, 2-Door, OEM Cab, Single Axle, Formed Aluminum Body, Non-Walk-In Body	
E. Pumper/Tankers & Tankers		
WE01	M2 Freightliner, 2-Door, OEM Cab, Pumper/Tanker, Formed Aluminum Body, 1800 Gallon Tank, Single Axle, 1250 GPM Pump, Mid-Mounted	
WE02	M2 Freightliner, 2-Door, OEM Cab, Pumper/Tanker, Formed Aluminum Body, 2000 Gallon Tank, Tandem Axle, 1250 GPM Pump, Mid-Mounted	
WE03	IH4400, 2-Door, OEM Cab, Pumper/Tanker, Formed Aluminum Body, 1800 Gallon Tank, Single Axle, 1250 GPM Pump, Mid-Mounted	
WE04	IH7400, 2-Door, OEM Cab, Pumper/Tanker, Formed Aluminum Body, 2000 Gallon Tank, Tandem Axle, 1250 GPM Pump, Mid-Mounted	
WE05	Kenworth T300, 2-Door, OEM Cab, Pumper/Tanker, Formed Aluminum Body, 1800 Gallon Tank, Single Axle, 1250 GPM Pump, Mid-Mounted	
WE06	Kenworth T300, 2-Door, OEM Cab, Pumper/Tanker, Formed Aluminum Body, 2000 Gallon Tank, Tandem Axle, 1250 GPM Pump, Mid-Mounted	
WE07	Rosenbauer Commander, 4-Door Full-Tilt, Aluminum Cab, Pumper/Tanker, Formed Aluminum Body, 1800Gallon Tank, Single Axle, 1250 GPM Pump, Mid-Mounted	
WE08	Rosenbauer Commander, 4-Door Full-Tilt, Aluminum Cab, Pumper/Tanker, Formed Aluminum Body, 2000 Gallon Tank, Tandem Axle, 1250 GPM Pump, Mid-Mounted	
WE09	M2 Freightliner, 2-Door, OEM Cab, Wet Side Tanker, Formed Aluminum Body, 3000 Gallon Tank, Tandem Axle, 1250 GPM Pump, Mid-Mounted	
X. Seagrave		
A. Aerials (Booms/Platforms, Ladders, Ladder/Platforms)		
XA01	Seagrave Marauder II Custom 4-Door Full Tilt Stainless Steel Cab and Body, Single Axle, 75' Rear Mount Ladder (Meanstick) Telescoping Ladder (500#)	
XA02	Seagrave Marauder II Custom 4-door Full Tilt Stainless Steel Cab and Body, Tandem Axle, 100' Rear Mount Ladder Telescoping (500#)	
XA03	Seagrave Marauder II Custom 4-door Full Tilt Stainless Steel Tractor and Body, Single Axle, 100' Tractor Drawn Aerial - Mid Mounted Telescoping Ladder (250#)	
XA04	Seagrave Marauder II Custom 4-door Full Tilt Stainless Steel Tractor and Body, Single Axle, 100' Tractor Drawn Aerial - Mid Mounted Telescoping Ladder (500#)	
XA05	Seagrave Marauder II Custom 4-door Full Tilt Stainless Steel Cab and Body, Tandem Axle, 105' Rear Mount Telescoping Ladder Platform (1200#)	

XA06	Seagrave Marauder II Custom 4-door Full Tilt Stainless Steel Cab and Body, Tandem Axle, 75' Mid Mounted Telescoping Platform (1000#) - Aerialscope	
XA07	Seagrave Marauder II Custom 4-Door Full Tilt Stainless Steel Cab and Body, Tandem Axle, 95' Mid Mount Telescoping Platform (1000#) - Aerialscope	
XA08	Seagrave Marauder II Custom 4-Door Full Tilt Stainless Steel Cab and Body, Single Axle, 60' Articulating Water Tower.	
B. Wildland Fire Apparatus (Brush Fire)		
XB01	Ford F550, 2-Door, OEM Cab, 4x4, Brush Truck, Aluminum Bed with Aluminum Compartments	
XB02	Freightliner, 4-Door, OEM Cab, 4 x 4, Wildland Pumper, Polypropylene Body, 1250 GPM Pump, Side Mount	
XB03	Freightliner, 4-Door, OEM Cab, 4 x 4, Wildland Pumper, Stainless Steel Body, 1250 GPM Pump, Side Mount	
C. Pumper Fire Apparatus		
XC01	Seagrave Marauder II, Custom 4-Door Full Tilt Stainless Steel Cab and Body, Single Rear Axle, 1500 GPM Pump, Mid Mounted Pump	
XC02	Freightliner, 4-Door, OEM Cab, Aluminum Body, Single Axle, 1250 GPM Pump, Mid Mounted Pump	
XC03	Freightliner, 2-Door, OEM Cab, Polypropylene Body, Single Axle, 1250 GPM Pump, Mid Mounted Pump	
D. Special Service Apparatus (Walk-In & Non-Walk-in Bodies) Multi-use: Rescue, Re-Hab, Hazmat, Mobile Command Center		
XD01	Seagrave Marauder II Custom 4-Door Full Tilt Stainless Steel Cab and Body, Single Axle, Non-Walk In Body	
XD02	Freightliner, 2-Door, OEM Cab, Single Axle, Polypropylene Rescue, Non-Walk-In Body	
E. Pumper/Tankers & Tankers		
XE01	Seagrave Marauder II Custom 4-Door Full Tilt Stainless Steel Cab and Body, Tandem Axle, 1500 GPM Pump, Mid Mounted Pump, 2000 Gallon Tank	
XE02	Freightliner, 2-Door, OEM Cab, Polypropylene Body, Single Axle, PTO Pump, Side Mount, 2000 Gallon Tank	
XE03	Freightliner, 2-Door, OEM Cab, Polypropylene Body, Tandem Axle, PTO Pump, Side Mount, 3000 Gallon Tank	
XE04	Freightliner, 2-Door, OEM Cab, Polypropylene Body, Tandem Axle, Gas Pump, 3000 Gallon Tank	
Y. Skeeter		
B. Wildland Fire Apparatus (Brush Fire)		
YB01	Slip In Unit: Complete Slip in firefighting package for flatbed or pickup bed. Heavy Duty frame, 200 GPM pump, 300 gallon poly tank. 150' hose reel. Hose Tray. Stainless steel plumbing.	
YB02	Skeeter Type 3 or 4 F-650: Brush unit, Large (33,000 gvw). Custom firefighting body. 750 gallon poly tank. 200-750 gpm pump. 150' hose reel. Stainless steel plumbing. Hose tray. Tool tray. Side body compartments.	
YB03	Skeeter Type 5 F-550: Brush unit, Medium (19,500 gvw). Custom firefighting body. 400 gallon poly tank. 200 gpm pump. 150' hose reel. Stainless steel plumbing. Hose tray. Tool tray. Side body compartments.	
YB04	Skeeter Type 6 F-350: Brush unit, Small (13,000 gvw). Custom firefighting body. 300 gallon poly tank. 200 gpm pump. 150' hose reel. Stainless steel plumbing. Hose tray. Tool tray. Side body compartments.	
YB05	Type 5 Ram 5500 (19,000 GVW) Brush Unit Medium – 400 gallons/200 GPM pump. Hose Reel.	
YB06	Type 6 Ram 3500 (12,500 GVW) Brush Unit Small – 300 gallons/200 GPM pump. Hose Reel	
YB07	Type 3 International 7400 (35,000 GVW) Brush Unit Large – 750 gallons/200-750 GPM Pump. Hose reel.	
YB08	Type 3 Freightliner M2 (37,000 GVW) Brush Unit Large – 750 gallons/200-750 GPM Pump. Hose reel.	

YB09	Squad Rescue Ford F-450 - Small Rescue Body with (2) Front Vertical Compartments, (2) Rear Vertical Compartments and (2) Center Compartments	
YB10	Squad Rescue Ram - 4500 Small Rescue Body with (2) Front Vertical Compartments, (2) Rear Vertical Compartments and (2) Center Compartments	
Z. Smeal		
A. Aerials (Booms/Platforms, Ladders, Ladder/Platforms)		
ZA01	75' Rear Mount Telescoping Ladder, Aluminum Body, Spartan Metro Star 4-Door Tilt Cab, Single Axle	
ZA02	75' Rear Mount Telescoping Ladder, Aluminum Body, Spartan Metro Star 4-Door Tilt Cab, Tandem Axle	
ZA03	55' Rear Mount Telescoping Ladder, Aluminum Body, Spartan Metro Star 4-Door Tilt Cab, Single Axle	
ZA04	100' Mid Mount Telescoping Ladder, Aluminum Body, Spartan Gladiator 4-Door Tilt Cab, Tandem Axle	
ZA05	105' Rear Mount Telescoping Ladder, Aluminum Body, Spartan Gladiator 4-Door Tilt Cab, Tandem Axle	
ZA06	110' Rear Mount Telescoping Ladder, Aluminum Body, Spartan Gladiator 4-Door Tilt Cab, Tandem Axle	
ZA07	125' Rear Mount Telescoping Ladder, Aluminum Body, Spartan Gladiator 4-Door Tilt Cab, Tandem Axle	
ZA08	85' Mid-Mount Telescoping Ladder with Platform, Aluminum Body, Spartan Gladiator 4-Door Tilt Cab, Tandem Axle	
ZA09	93' Mid-Mount Telescoping Ladder with Platform, Aluminum Body, Spartan Gladiator 4-Door Tilt Cab, Tandem Axle	
ZA10	100' Rear-Mount Telescoping Ladder with Platform, Aluminum Body, Spartan Gladiator 4-Door Tilt Cab, Tandem Axle	
ZA11	100' Mid-Mount Telescoping Ladder with Platform, Aluminum Body, Spartan Gladiator, 4-Door Tilt Cab, Tandem Axle	
ZA12	100' Tractor Drawn Telescoping Ladder, Aluminum Body, Spartan Gladiator 4-Door Tilt Cab, Single Axle	
ZA13	105' Tractor Drawn Telescoping Ladder, Aluminum Body, Spartan Gladiator 4-Door Tilt Cab, Single Axle	
ZA14	105' Tractor Drawn Telescoping Ladder Quint, Aluminum Body, Spartan Gladiator 4-Door Tilt Cab, Tandem Axle	
ZA15	Squirt 54' Rear Mount Articulating Water Tower, Aluminum Body, Spartan Metro Star 4-Door Tilt Cab, Single Axle	
ZA16	Tele-Squirt 50' Rear Mount Water Tower w/ Ladder, Aluminum Body, Spartan Metro Star 4-Door Tilt Cab, Single Axle	
ZA17	Tele-Squirt 65' Rear Mount Water Tower w/ Ladder, Aluminum Body, Spartan Metro Star 4-Door Tilt Cab, Single Axle	
ZA18	Snorkle 55' Rear Mount Articulating Platform, Aluminum Body, Spartan Metro Star 4-Door Tilt Cab, Single Axle	
B. Wildland Fire Apparatus (Brush Fire)		
ZB01	International 4-Door Chassis 4x4, OEM Cab, Aluminum Body, Single Axle, 500 GPM Pump, Mid-Mounted Type III Heavy Wildland Engine.	
ZB02	Spartan Metrostar 4-Door Chassis, Aluminum Body, Single Axle, 1500 GPM Pump, Mid-Mounted Type I Wildland Urban Interface Engine.	
C. Pumper Fire Apparatus		
ZC01	Pumper, Midship, 1250 GPM, Aluminum Body, Freightliner 2-Door Chassis, OEM Cab	
ZC02	Pumper, Midship, 1250 GPM, Aluminum Body, Freightliner 4-Door Chassis, OEM Cab	
ZC03	Pumper, Midship, 1250 GPM, Custom Series, Aluminum Body, Spartan Metro Star 4-Door Chassis, Single Axle, Aluminum Tilt Cab	
ZC04	Pumper, Midship, 1250 GPM, Custom Series, Aluminum Body, Spartan Metro Star 4-Door Chassis, Tandem Axle, Aluminum Tilt Cab	

E. Pumper/Tankers & Tankers		
ZE01	Pumper/Tanker, Midship, 1500 GPM, 1500 Gallon, Aluminum Body, Spartan, Freightliner 2-Door Chassis, Aluminum Tilt Cab, Single Axle	
ZE02	Pumper/Tanker, Midship, 1250 GPM, 3000 Gallon, Aluminum Body, Spartan, Freightliner 2-Door Chassis, Aluminum Tilt Cab, Tandem Axle	
AA. Spartan ERV		
A. Aerials (Booms/Platforms, Ladders, Ladder/Platforms)		
AAA01	Spartan Metro Star 4-Door Tilt Cab, Single Axle, Aluminum Body, 55' Rear Mount Telescoping Ladder	
AAA02	Spartan 4-Door Full-Tilt, Aluminum Body, Single Axle, 75' Steel Rear Mounted Telescoping Ladder	
AAA03	Spartan 4-Door Full-Tilt, Aluminum Body, Tandem Axle 75' Steel Rear Mounted Telescoping Ladder	
AAA04	Spartan 4-Door Full-Tilt, Aluminum Body, Tandem Axle, 105' Rear Mounted Telescoping Ladder	
AAA05	Spartan 4-Door Full-Tilt, Aluminum Body, Tandem Axle, 100' Steel Rear Mounted Telescoping Ladder/Platform	
AAA06	Spartan Gladiator 4-Door Tilt Cab, Tandem Axle, Aluminum Body, 110' Rear Mount Telescoping Ladder	
AAA07	Spartan Gladiator 4-Door Tilt Cab, Tandem Axle, Aluminum Body, 125' Rear Mount Telescoping Ladder	
AAA08	Spartan Gladiator 4-Door Tilt Cab, Tandem Axle, Aluminum Body, 100' Mid Mount Telescoping Ladder	
AAA09	Spartan Gladiator 4-Door Tilt Cab, Tandem Axle, Aluminum Body, 85' Mid-Mount Telescoping Ladder with Platform	
AAA10	Spartan Gladiator 4-Door Tilt Cab, Tandem Axle, Aluminum Body, 93' Mid-Mount Telescoping Ladder with Platform	
AAA11	Spartan 4-Door Full-Tilt, Aluminum Body, Tandem Axle, 100' Steel Mid Mounted Telescoping Ladder/Platform	
AAA12	Spartan 4-Door Full-Tilt, Aluminum Body, Single Axle, 100' Steel Tractor Telescoping Ladder	
AAA13	Spartan Gladiator 4-Door Tilt Cab, Aluminum Body, Single Axle 105' Tractor Drawn Telescoping Ladder	
AAA14	Spartan Gladiator 4-Door Tilt Cab, Aluminum Body, Tandem Axle 105' Tractor Drawn Telescoping Ladder Quint	
AAA15	Spartan Metro Star 4-Door Tilt Cab, Single Axle, Aluminum Body, Sqrt 54' Rear Mount Articulating Water Tower	
AAA16	Spartan Metro Star 4-Door Tilt Cab, Single Axle, Aluminum Body, Tele-Sqrt 50' Rear Mount Water Tower w/ Ladder	
AAA17	Spartan Metro Star 4-Door Tilt Cab, Single Axle, Aluminum Body, Tele-Sqrt 65' Rear Mount Water Tower w/ Ladder	
AAA18	Spartan Metro Star 4-Door Tilt Cab, Single Axle, Aluminum Body Snorkle 55' Rear Mount Articulating	
B. Wildland Fire Apparatus (Brush Fire)		
AAB01	Ford F550, 4x2, Aluminum Flat Bed Body	
AAB02	International 2-Door, 4x2, Aluminum Flat Bed Body	
AAB03	International 2-Door 4x2, Wildland Interface, Aluminum body	
C. Pumper Fire Apparatus		
AAC01	Ford F-550 2-Door, Pumper, 4x2, Aluminum Body, Single Axle, 1250 GPM Pump, Mid-Mounted	
AAC02	Freightliner 2-Door, Pumper, 4x2, Aluminum Body, Single Axle, 1250 GPM Pump, Mid-Mounted	
AAC03	Freightliner 2-Door, Pumper, 4x2, Aluminum Body, Tandem Axle, 1250 GPM Pump, Mid-Mounted	
AAC04	Spartan 4-Door Custom Full-Tilt Aluminum Cab, 4x2, Pumper, Aluminum Body, Single Axle, 1250 GPM Pump, Mid-Mounted	
AAC05	Spartan 4-Door Custom Full-Tilt Aluminum Cab, Pumper, 4x2, Aluminum Body, Tandem Axle, 1250 GPM Pump, Mid-Mounted	

AAC06	Spartan Metrostar 4-Door Chassis, Aluminum Body, Single Axle, 1500 GPM Pump, Mid-Mounted Type I Wildland Urban Interface Engine.	
D. Special Service Apparatus (Walk-In & Non-Walk-in Bodies) Multi-use: Rescue, Re-Hab, Hazmat, Mobile Command Center		
AAD01	Ford F550 2-Door, 4x2, Non-Walk-In Rescue, Single Axle, Aluminum Body	
AAD02	International 4400, 2-Door, 4x2, Single Axle, Aluminum Body, Non-Walk-In Rescue	
AAD03	Spartan, Full-Tilt, Aluminum Cab, 4x2, Single Axle, Aluminum Body, Non-Walk-In Body	
AAD04	International 4400, 2-Door, 4x2, Single Axle, Aluminum Body, Walk-In Rescue	
AAD05	Spartan, Full-Tilt, Aluminum Cab, 4x2, Single Axle, Aluminum Body, Walk-In Body	
E. Pumper/Tankers & Tankers		
AAE01	Freightliner 2-Door, 4x2, Pumper/Tanker, Aluminum Body, Single Axle, 1250 GPM Pump, Mid-Mounted	
AAE02	Freightliner 2-Door, 4x2, Pumper/Tanker, Aluminum Body, Tandem Axle, 1250 GPM Pump, Mid-Mounted	
AAE03	Elliptical Tanker, Freightliner 2-Door, Stainless Steel Body, Single Axle 1250 GPM Pump, Mid-Mounted, 2000-gallons	
AAE04	Elliptical Tanker, Freightliner 2-Door, Stainless Steel Body, Tandem Axle 1250 GPM Pump, Mid-Mounted, 3000-gallons	
BB. Sunbelt Fire, Inc.		
B. Wildland Fire Apparatus (Brush Fire)		
BBB01	Ford F450, 2-door, Aluminum Fabricated Flatbed Body, 9' Flatbed Wildland Vehicle	
BBB02	Dodge 5500, 2-door, Aluminum Fabricated Flatbed Body, 9' Flatbed Wildland Vehicle	
BBB03	Ford F450, 2-door, Aluminum Extruded Body, 10' Quick Attack Wildland Vehicle	
BBB04	Dodge 5500, 2-door, Aluminum Extruded Body, 10' Quick Attack Wildland Vehicle	
BBB05	Skid Unit for Slide in Style Body	
D. Special Service Apparatus (Walk-In & Non-Walk-in Bodies) Multi-use: Rescue, Re-Hab, Hazmat, Mobile Command Center		
BBD01	Ford F450, 2-door, Aluminum Extruded Body, 10' Light Rescue Vehicle	
BBD02	Dodge 5500, 2-door, Aluminum Extruded Body, 10' Light Rescue Vehicle	
BBD03	Freightliner M2, 2-door Aluminum Extruded Body, 18' Walk-in Rehabilitation Vehicle	
BBD04	IHC 4400, 2-door Aluminum Extruded Body, 18' Walk-in Rehabilitation Vehicle	
BBD05	Freightliner M2, 2-door Aluminum Extruded Body, 18' Non-Walk-in Rescue Vehicle	
BBD06	IHC 4400, 2-door Aluminum Extruded Body, 18' Non-Walk-in Rescue Vehicle	
BBD07	Freightliner M2, 2-door Aluminum Extruded Body, 18' Command Vehicle	
BBD08	IHC 4400, 2-door Aluminum Extruded Body, 18' Command Vehicle	
E. Pumper/Tankers & Tankers		
BBE01	Freightliner M2, 2-door, Wetside Tanker, 2000 gallon Tank, 1250 GPM pump	
BBE02	Navistar 4400, 2-door, Wetside Tanker, 2000 gallon Tank, 1250 GPM pump	
BBE03	Kenworth T370, 2-door, Wetside Tanker, 2000 gallon Tank, 1250 GPM pump	
BBE04	Freightliner M2, 2-door, Wetside Tanker, 3000 gallon Tank, 1250 GPM pump	
BBE05	Navistar 4400, 2-door, Wetside Tanker, 3000 gallon Tank, 1250 GPM pump	
BBE06	Kenworth T370, 2-door, Wetside Tanker, 3000 gallon Tank, 1250 GPM pump	
CC. Super Vac		
B. Wildland Fire Apparatus (Brush Fire)		
CCB01	Ford F550, 2-Door, OEM Cab, 4x4, Single Axle, Aluminum Body, 100 GPM, 250 Gal Tank Slip-In, Wildland	

CCB02	International 7400, 4-Door, OEM Cab, 4x4, Aluminum Body, Single Axle, 500 GPM, 500 Gallon, Mid-Mounted Wildland Pumper	
C. Pumper Fire Apparatus		
CCC01	International 4400, 2-Door, OEM Cab, 4x2, Aluminum Body, Single Axle, 1250 GPM Pump, Mid-Mounted Pumper	
CCC02	Spartan 4-Door Chassis, Aluminum Tilt Cab, 4x2, Aluminum Body, Single Axle, 1250 GPM Pump, Mid-Mounted Pumper	
D. Special Service Apparatus (Walk-In & Non-Walk-in Bodies) Multi-use: Rescue, Re-Hab, Hazmat, Mobile Command Center		
CCD01	Ford F550, 2-Door, OEM Cab, 4x2, Single Axle, Aluminum Body, Non-Walk-In Rescue	
CCD02	International 4400, 2-Door, OEM Cab, 4x2, Single Axle, Aluminum Body, Non-Walk-In Rescue	
CCD03	Spartan 4-Door Chassis, Aluminum Tilt Cab, 4x2, Single Axle, Aluminum Body, Non-Walk-In Body	
CCD04	International 4400, 2-Door, OEM Cab, 4x2, Single Axle, Aluminum Body, Walk-In Rescue	
CCD05	Spartan 4-Door Chassis, Aluminum Tilt Cab, 4x2, Single Axle, Aluminum Body, Walk-In Body	
DD. Sutphen Corporation (Sutphen)		
A. Aerials (Booms/Platforms, Ladders, Ladder/Platforms)		
DDA01	Sutphen Monarch, 4-Door Full-Tilt Aluminum Cab, Stainless Steel Body, Single Axle, SA 75' Mid Mounted 1000# Telescoping Aluminum Box Boom with Climbing Ladder	
DDA02	Sutphen Monarch, 4-Door Full-Tilt Aluminum Cab, Stainless Steel Body, Single Axle, SL 75' Mid Mounted 1000# Aluminum Ladder	
DDA03	Sutphen Monarch, 4-Door Full-Tilt Aluminum Cab, Stainless Steel Body, Tandem Axle, SL 100' Mid Mounted 750# Aluminum Ladder	
DDA04	Sutphen Monarch, 4-Door Full-Tilt Aluminum Cab, Stainless Steel Body, Single Axle, 70' Mid Mounted 1000# Telescoping Aluminum Box Boom with Platform	
DDA05	Sutphen Monarch, 4-Door Full-Tilt Aluminum Cab, Stainless Steel Body, Tandem Axle, SP 92' Mid Mounted 1000# Telescoping Aluminum Box Boom with Platform	
DDA06	Sutphen Monarch, 4-Door Full-Tilt Aluminum Cab, Stainless Steel Body, Tandem Axle, SPH 100' Mid Mounted 1000# Telescoping Aluminum Box Boom with Platform	
DDA07	Sutphen Monarch, 4-Door Full-Tilt Aluminum Cab, Stainless Steel Body, Tandem Axle, SP 110' Mid Mounted 1000# Telescoping Aluminum Box Boom with Platform	
DDA08	Sutphen Monarch, 4-Door Full-Tilt Aluminum Cab, Stainless Steel Body, Single Axle, SLR 75' Rear Mounted 750# Aluminum Ladder	
DDA09	Sutphen Monarch, 4-Door Full-Tilt Aluminum Cab, Stainless Steel Body, Tandem Axle, SLR 108' Rear Mounted 750# Aluminum Ladder	
B. Wildland Fire Apparatus (Brush Fire)		
DDB01	International 7400, 4x4 4-Door Commercial Cab, Type 3 Pumper, Extruded Aluminum Body, Single Axle, 750 GPM Pump, Two Stage, Mid-Mounted	
DDB02	Sutphen Monarch, 4 Door Custom Full Tilt Aluminum Cab, Wildlan Urban Interface Pumper, Extruded Aluminum Body, Single Axle, 1250 GPM Pump, Mid Mounted	
C. Pumper Fire Apparatus		
DDC01	International 4400, 2-Door Commercial Cab, Pumper, Extruded Aluminum Body, Single Axle, 1250 GPM Pump, Single Stage, Mid-Mounted	
DDC02	Sutphen Guardian, 4 Door Custom Full Tilt Aluminum Cab, Pumper, Extruded Aluminum Body, Single Axle, 1250 GPM Pump, Mid Mounted	
DDC03	Sutphen Shield, 4 Door Custom Full Tilt Aluminum Cab, Pumper, Extruded Aluminum Body, Single Axle, 1250 GPM Pump, Mid Mounted	
DDC04	Sutphen Monarch, 4 Door Custom Full Tilt Aluminum Cab, Pumper, Extruded Aluminum Body, Single Axle, 1250 GPM Pump, Mid Mounted	
D. Special Service Apparatus (Walk-In & Non-Walk-in Bodies) Multi-use: Rescue, Re-Hab, Hazmat, Mobile Command Center		
DDD01	Sutphen Monarch, 4 Door Custom Full Tilt Aluminum Cab, Single Axle, Formed Aluminum Body, Non-Walk-In Rescue	

E. Pumper/Tankers & Tankers		
DDE01	International, 2-Door, Commercial Cab, Pumper/Wetside Tanker, Stainless Steel Body, Single Axle, 1250 GPM Pump, Mid-Mounted	
DDE02	International, 2-Door, Commercial Cab, Pumper/Eliptical Tanker, Stainless Steel Body, Single Axle, 1250 GPM Pump, Mid-Mounted	
DDE03	International, 2-Door, Commercial Cab, Pumper/Wetside Tanker, Stainless Steel Body, Tandem Axle, 1250 GPM Pump, Mid-Mounted	
DDE04	International, 2-Door, Commercial Cab, Pumper/Eliptical Tanker, Stainless Steel Body, Tandem Axle, 1250 GPM Pump, Mid-Mounted	
DDE05	Sutphen Monarch, 4 Door Custom Full Tilt Aluminum Cab, Pumper Tanker , Extruded Aluminum Body, Tandem Axle, 1250 GPM Pump, Mid Mounted	
EE. Toyne		
A. Aerials (Booms/Platforms, Ladders, Ladder/Platforms)		
EEA01	Toyne, single axle, Spartan chassis, 75' rear mount aerial, stainless steel body, 300 gallons, side stack hosebed, single stage 1500 gpm pump mid mounted	
EEA02	Toyne tandem axle, Spartan chassis, 110' rear mount aerial with stainless steel body, 300 gallons of water, side stack hosebed, single stage 1500 gpm pump mid mounted	
EEA03	Toyne tandem axle, Spartan chassis, rear mount 100' platform, stainless steel body, 300 gallons of water, hosebed, single stage 1500 gpm pump mid mounted	
EEA04	Toyne tandem axle, Spartan chassis, mid-mount 93' platform, stainless steel body, 300 gallons of water, hosebed, single stage 1500 gpm pump mid mounted	
B. Wildland Fire Apparatus (Brush Fire)		
EEB01	Toyne, Ford F550 4 door, staineless steel body, 1000 gpm midship pump, 300 gallons of water	
C. Pumper Fire Apparatus		
EEC01	Freightliner M2, 2-Door Commercial Cab, Pumper, stainless steel Body, Single Axle, 1250 GPM Pump, Single Stage, Mid-Mounted, 750 gallons of water	
EEC02	International 4400, 2-Door Commercial Cab, Pumper, stainless steel Body, Single Axle, 1250 GPM Pump, Single Stage, Mid-Mounted, 750 gallons of water	
EEC03	Kenworth, 2-Door Commercial Cab, Aluminum Body, Single Axle, 1250 GPM Pump, Mid-Mounted, 750 gallons of water	
EEC04	Spartan, 4 Door Custom Full Tilt Aluminum Cab, Pumper, stainless steel Body, Single Axle, 1250 GPM Pump, Mid Mounted, 750 gallons of water	
D. Special Service Apparatus (Walk-In & Non-Walk-in Bodies) Multi-use: Rescue, Re-Hab, Hazmat, Mobile Command Center		
EED01	International 4400, 2-Door, Commercial Cab, Single Axle, stainless steel Body, Non-Walk-In Rescue (walk around type)	
EED02	Spartan, 4-Door, Full-Tilt, Aluminum Cab, Single Axle, stainless steel Body, Non-Walk-In Body (walk around type)	
EED03	Ford F550, 4 door Cab, Single Axle, stainless steel body, Non-Walk-In Rescue (walk around type)	
E. Pumper/Tankers & Tankers		
EEE01	International, 2-Door, Commercial Cab, Pumper/Tanker, stainless steel Body, Tandem Axle, 1250 GPM Pump, Mid-Mounted, 2500 gallons	
EEE02	Spartan, 4-Door, Custom Full-Tilt, Aluminum Cab, Pumper/Tanker, stainless steel Body, Tandem Axle, 1250 GPM Pump, Mid-Mounted, 2500 gallons	
EEE03	International, 2-Door, Commercial Cab, Elliptical Tpumper/tanker, welded stainless steel Body, Tandem Axle, 1250 GPM Pump, 2000 gallon	
EEE04	International, 2-Door, Commercial Cab, wetside pumper/tanker, aluminum treadplate Body, single Axle, 750 gpm Pump, 3000 gallon	
FF. U S Tanker		
E. Pumper/Tankers & Tankers		
FFE01	Elliptical Tanker, Freightliner 2-Door, Stainless Steel Body, Single Axle 1250 GPM Pump, Mid-Mounted, 2000-gallons	
FFE02	Elliptical Tanker, Freightliner 2-Door, Stainless Steel Body, Tandem Axle 1250 GPM Pump, Mid-Mounted, 3000-gallons	

FFE03	Wet Side Tanker, Freightliner 2-Door, Stainless Steel Body, Single Axle, 1250 GPM Pump, Mid-Mounted, 2000-gallons	
FFE04	Wet Side Tanker, Freightliner 2-Door, Stainless Steel body, Tandem Axle, 1250 GPM Pump, Mid-Mounted, 3000-gallons	
GG. Unruh Fire, Inc.		
B. Wildland Fire Apparatus (Brush Fire)		
GGB01	Unruh Fire 11 ft Attack Brush, extruded aluminum brush body with crosswalk, dual topside storage compartments, 400 gallon polypropylene tank, 85 GPM @ 150 PSI to 245 GPM @ 25 PSI pump with 23 hp gas engine, Steel hose reel with 100 ft hose and nozzle, F550, 4x4	
GGB02	Unruh Fire 9 ft Attack brush, extruded aluminum brush body with work stations, dual topside storage compartments, 400 gallon polypropylene tank, 85 GPM @ 150 PSI to 245 GPM @ 25 PSI pump with 23 hp gas engine, Steel hose reel with 100 ft hose and nozzle, F550, 4x4	
GGB03	Unruh Fire 9 ft Attack Brush, extruded aluminum flatbed brush body, dual topside storage compartments, 400 gallon polypropylene tank, 85 GPM @ 150 PSI to 245 GPM @ 25 PSI pump with 23 hp gas engine, Steel hose reel with 100 ft hose and nozzle, F550, 4x4	
D. Special Service Apparatus (Walk-In & Non-Walk-in Bodies) Multi-use: Rescue, Re-Hab, Hazmat, Mobile Command Center		
GGD01	Unruh Fire 9 ft Rapid Rescue, extruded aluminum dry rescue body, compartments with 7 roll up doors, 1 transverse slide tray and a 1000 lb capacity rear slide tray on a F550 4x4	
GGD02	Unruh Fire 11 ft Rapid Rescue, extruded aluminum dry rescue body, compartments with 7 roll up doors, 1 transverse slide tray and a 1000 lb rear slide tray on a F550, 4x4	
GGD03	Unruh Fire 9 ft Rapid Rescue, extruded aluminum wet rescue body with 6 roll up door compartments, 300 gallon polypropylene tank, 85 GPM @ 150 PSI to 245 GPM @ 25 PSI pump with 23 hp gas engine, Steel hose reel with 100 ft hose and nozzle, F550, 4x4	
GGD04	Unruh Fire 11 ft Rapid Rescue, extruded aluminum wet rescue body, compartments with 6 roll up doors, 300 gallon polypropylene tank, 85 GPM @ 150 PSI to 245 GPM @ 25 PSI pump with 23 hp gas engine, Steel hose reel with 100 ft hose and nozzle, F550, 4x4	
F. Airport Rescue Fire-Fighting Vehicles		
GGF01	Unruh Fire 12 ft Renegade Rescue, extruded aluminum body with 6 roll up door compartments, 300 gallon Polypropylene tank with foam cell, 500 lbs dry chemical, engine driven pump, dual agent hose reel, F550, 4x4	
GGF02	Unruh Fire 12 ft Renegade Rescue, extruded aluminum body with 6 roll up door compartments, 300 gallon stored energy CAFS, 500 lbs dry chemical, 4 nitrogen cylinders, dual agent hose reel.	
HH. Weis Fire & Safety Equipment Co.		
B. Wildland Fire Apparatus (Brush Fire)		
HHB01	Weis Fire Quick Attack 300, Rear Mount Pump Controls, 9' EXT Alum Fire Body with Walkway, on Ford F-350, 60" CA	
HHB02	Weis Fire Quick Attack 300, Top Mount Pump Controls, 9' EXT Alum Fire Body with Walkway, on Ford F-350 60" CA	
HHB03	Weis Fire Quick Attack 300, Rear Mount Pump Controls, 9' EXT Alum Fire Body with Walkway, on Ford F-450 60" CA	
HHB04	Weis Fire Quick Attack 300, Top Mount Pump Controls, 9' EXT Alum Fire Body with Walkway, on Ford F-450 60" CA	
HHB05	Weis Fire Quick Attack 400, Rear Mount Pump Controls, 11' EXT Alum Fire Body with Walkway, on Ford F-550 84" CA	
HHB06	Weis Fire Quick Attack 400, Top Mount Pump Controls, 11' EXT Alum Fire Body with Walkway, on Ford F-550 84" CA	

HHB07	Weis Fire Quick Attack 500, Rear Mount Pump Controls, 11' EXT Alum Fire Body with Walkway, on Ford F-550 84" CA	
HHB08	Weis Fire Quick Attack 500, Top Mount Pump Controls, 11' EXT Alum Fire Body with Walkway, on Ford F-550 84" CA	

[illegible]

This is a sample of the contract that will be sent to you for execution IF you are recommended for a contract award. Do NOT complete and return with your Response.

A CONTRACT BETWEEN HOUSTON-GALVESTON AREA COUNCIL, Houston, Texas AND _____

This Contract is made and entered into by the **Houston-Galveston Area Council of Governments**, hereinafter referred to as **H-GAC**, having its principal place of business at 3555 Timmons Lane, Suite 100, Houston, Texas 77027, AND, _____ hereinafter referred to as the **CONTRACTOR**, having its principal place of business at _____.

ARTICLE 1: SCOPE OF SERVICES

The parties have entered into a _____ Contract to become effective as of _____, and to continue through _____ (the "**Contract**"), subject to extension upon mutual agreement of the **CONTRACTOR** and **H-GAC**. **H-GAC** enters into the Contract as Agent for participating governmental agencies, each hereinafter referred to as **END USER**, for the purchase of _____ offered by the **CONTRACTOR**. The **CONTRACTOR** agrees to sell _____ through the **H-GAC** Contract to **END USERS**.

ARTICLE 2: THE COMPLETE AGREEMENT

The Contract shall consist of the documents identified below in order of precedence:

1. The text of this Contract form, including but not limited to, Attachment A
2. General Terms and Conditions
3. Bid Specifications No: _____, including any relevant suffixes
4. **CONTRACTOR's** Response to Bid No: _____, including but not limited to, prices and options offered

All of which are either attached hereto or incorporated by reference and hereby made a part of this Contract, and shall constitute the complete agreement between the parties hereto. This Contract supersedes any and all oral or written agreements between the parties relating to matters herein. Except as otherwise provided herein, this Contract cannot be modified without the written consent of both parties.

ARTICLE 3: LEGAL AUTHORITY

CONTRACTOR and **H-GAC** warrant and represent to each other that they have adequate legal counsel and authority to enter into this Contract. The governing bodies, where applicable, have authorized the signatory officials to enter into this Contract and bind the parties to the terms of this Contract and any subsequent amendments thereto.

ARTICLE 4: APPLICABLE LAWS

The parties agree to conduct all activities under this Contract in accordance with all applicable rules, regulations, directives, issuances, ordinances, and laws in effect or promulgated during the term of this Contract.

ARTICLE 5: INDEPENDENT CONTRACTOR

The execution of this Contract and the rendering of services prescribed by this Contract do not change the independent status of **H-GAC** or **CONTRACTOR**. No provision of this Contract or act of **H-GAC** in performance of this Contract shall be construed as making **CONTRACTOR** the agent, servant or employee of **H-GAC**, the State of Texas or the United States Government. Employees of **CONTRACTOR** are subject to the exclusive control and supervision of **CONTRACTOR**. **CONTRACTOR** is solely responsible for employee payrolls and claims arising therefrom.

ARTICLE 6: END USER AGREEMENTS

H-GAC acknowledges that the **END USER** may choose to enter into an End User Agreement with the **CONTRACTOR** through this Contract and that the term of said Agreement may exceed the term of the **H-GAC** Contract. However this acknowledgement is not to be construed as **H-GAC's** endorsement or approval of the End User Agreement terms and conditions. **CONTRACTOR** agrees not to offer to, agree to or accept from **END USER** any terms or conditions that conflict with or contravene those in **CONTRACTOR's** **H-GAC** contract. Further, termination of this Contract for any reason shall not result in the termination of the underlying End User Agreements entered into between **CONTRACTOR** and any **END USER** which shall, in each instance, continue pursuant to their stated terms and duration. The only effect of termination of this Contract is that **CONTRACTOR** will no longer be able to enter into any new End User Agreements with **END USERS** pursuant to this Contract. Applicable **H-GAC** order processing charges will be due and payable to **H-GAC** on any End User

Agreements surviving termination of this Contract between **H-GAC** and **CONTRACTOR**.

ARTICLE 7: SUBCONTRACTS & ASSIGNMENTS

CONTRACTOR agrees not to subcontract, assign, transfer, convey, sublet or otherwise dispose of this Contract or any right, title, obligation or interest it may have therein to any third party without prior written notice to **H-GAC**. **H-GAC** reserves the right to accept or reject any such change. **CONTRACTOR** shall continue to remain responsible for all performance under this Contract regardless of any subcontract or assignment. **H-GAC** shall be liable solely to **CONTRACTOR** and not to any of its Subcontractors or Assignees.

ARTICLE 8: EXAMINATION AND RETENTION OF CONTRACTOR'S RECORDS

CONTRACTOR shall maintain during the course of its work, complete and accurate records of items that are chargeable to **END USER** under this Contract. **H-GAC**, through its staff or its designated public accounting firm, the State of Texas, or the United States Government shall have the right at any reasonable time to inspect copy and audit those records on or off the premises of **CONTRACTOR**. Failure to provide access to records may be cause for termination of this Contract. **CONTRACTOR** shall maintain all records pertinent to this Contract for a period of not less than five (5) calendar years from the date of acceptance of the final contract closeout and until any outstanding litigation, audit or claim has been resolved. The right of access to records is not limited to the required retention period, but shall last as long as the records are retained. **CONTRACTOR** further agrees to include in all subcontracts under this Contract, a provision to the effect that the subcontractor agrees that **H-GAC'S** duly authorized representatives, shall, until the expiration of five (5) calendar years after final payment under the subcontract or until all audit findings have been resolved, have access to, and the right to examine and copy any directly pertinent books, documents, papers, invoices and records of such subcontractor involving any transaction relating to the subcontract.

ARTICLE 9: REPORTING REQUIREMENTS

CONTRACTOR agrees to submit reports or other documentation in accordance with the General Terms and Conditions of the Bid Specifications. If **CONTRACTOR** fails to submit to **H-GAC** in a timely and satisfactory manner any such report or documentation, or otherwise fails to satisfactorily render performance hereunder, such failure may be considered cause for termination of this Contract.

ARTICLE 10: MOST FAVORED CUSTOMER CLAUSE

If **CONTRACTOR**, at any time during this Contract, routinely enters into agreements with other governmental customers within the State of Texas, and offers the same or substantially the same products/services offered to **H-GAC** on a basis that provides prices, warranties, benefits, and or terms more favorable than those provided to **H-GAC**, **CONTRACTOR** shall notify **H-GAC** within ten (10) business days thereafter of that offering and this Contract shall be deemed to be automatically amended effective retroactively to the effective date of the most favorable contract, wherein **CONTRACTOR** shall provide the same prices, warranties, benefits, or terms to **H-GAC** and its **END USER**. **H-GAC** shall have the right and option at any time to decline to accept any such change, in which case the amendment shall be deemed null and void. If **CONTRACTOR** is of the opinion that any apparently more favorable price, warranty, benefit, or term charged and/or offered a customer during the term of this Contract is not in fact most favored treatment, **CONTRACTOR** shall within ten (10) business days notify **H-GAC** in writing, setting forth the detailed reasons **CONTRACTOR** believes aforesaid offer which has been deemed to be a most favored treatment, is not in fact most favored treatment. **H-GAC**, after due consideration of such written explanation, may decline to accept such explanation and thereupon this Contract between **H-GAC** and **CONTRACTOR** shall be automatically amended, effective retroactively, to the effective date of the most favored agreement, to provide the same prices, warranties, benefits, or terms to **H-GAC**.

The Parties accept the following definition of routine: A prescribed, detailed course of action to be followed regularly; a standard procedure. ***EXCEPTION: This clause shall not be applicable to prices and price adjustments offered by a bidder, or contractor, which are not within bidder's control [example; a manufacturer's bid concession], or to any prices offered to the Federal Government and its agencies.***

ARTICLE 11: SEVERABILITY

All parties agree that should any provision of this Contract be determined to be invalid or unenforceable, such determination shall not affect any other term of this Contract, which shall continue in full force and effect.

ARTICLE 12: DISPUTES

Any and all disputes concerning questions of fact or of law arising under this Contract, which are not disposed of by agreement, shall be decided by the Executive Director of **H-GAC** or his designee, who shall reduce his decision to writing and provide notice thereof to **CONTRACTOR**. The decision of the Executive Director or his designee shall be final and conclusive unless, within thirty (30) days from the date of receipt of such notice, **CONTRACTOR** requests a rehearing from the Executive Director of **H-**

GAC. In connection with any rehearing under this Article, **CONTRACTOR** shall be afforded an opportunity to be heard and offer evidence in support of its position. The decision of the Executive Director after any such rehearing shall be final and conclusive. **CONTRACTOR** may, if it elects to do so, appeal the final and conclusive decision of the Executive Director to a court of competent jurisdiction. Pending final decision of a dispute hereunder, **CONTRACTOR** shall proceed diligently with the performance of this Contract and in accordance with **H-GAC'S** final decision.

ARTICLE 13: LIMITATION OF CONTRACTOR'S LIABILITY

Except as specified in any separate writing between the **CONTRACTOR** and an **END USER**, **CONTRACTOR's** total liability under this Contract, whether for breach of contract, warranty, negligence, strict liability, in tort or otherwise, but excluding its obligation to indemnify **H-GAC** described in Article 14, is limited to the price of the particular products/services sold hereunder, and **CONTRACTOR** agrees either to refund the purchase price or to repair or replace product(s) that are not as warranted. In no event will **CONTRACTOR** be liable for any loss of use, loss of time, inconvenience, commercial loss, lost profits or savings or other incidental, special or consequential damages to the full extent such use may be disclaimed by law. **CONTRACTOR** understands and agrees that it shall be liable to repay and shall repay upon demand to **END USER** any amounts determined by **H-GAC**, its independent auditors, or any agency of State or Federal government to have been paid in violation of the terms of this Contract.

ARTICLE 14: LIMIT OF H-GAC'S LIABILITY AND INDEMNIFICATION OF H-GAC

H-GAC's liability under this Contract, whether for breach of contract, warranty, negligence, strict liability, in tort or otherwise, is limited to its order processing charge. In no event will **H-GAC** be liable for any loss of use, loss of time, inconvenience, commercial loss, lost profits or savings or other incidental, special or consequential damages to the full extent such use may be disclaimed by law. Contractor agrees, to the extent permitted by law, to defend and hold harmless **H-GAC**, its board members, officers, agents, officials, employees, and indemnities from any and all claims, costs, expenses (including reasonable attorney fees), actions, causes of action, judgments, and liens arising as a result of **CONTRACTOR's** negligent act or omission under this Contract. **CONTRACTOR** shall notify **H-GAC** of the threat of lawsuit or of any actual suit filed against **CONTRACTOR** relating to this Contract.

ARTICLE 15: TERMINATION FOR CAUSE

H-GAC may terminate this Contract for cause based upon the failure of **CONTRACTOR** to comply with the terms and/or conditions of the Contract; provided that **H-GAC** shall give **CONTRACTOR** written notice specifying **CONTRACTOR's** failure. If within thirty (30) days after receipt of such notice, **CONTRACTOR** shall not have either corrected such failure, or thereafter proceeded diligently to complete such correction, then **H-GAC** may, at its option, place **CONTRACTOR** in default and the Contract shall terminate on the date specified in such notice. **CONTRACTOR** shall pay to **H-GAC** any order processing charges due from **CONTRACTOR** on that portion of the Contract actually performed by **CONTRACTOR** and for which compensation was received by **CONTRACTOR**.

ARTICLE 16: TERMINATION FOR CONVENIENCE

Either **H-GAC** or **CONTRACTOR** may cancel or terminate this Contract at any time by giving thirty (30) days written notice to the other. **CONTRACTOR** may be entitled to payment from **END USER** for services actually performed; to the extent said services are satisfactory to **END USER**. **CONTRACTOR** shall pay to **H-GAC** any order processing charges due from **CONTRACTOR** on that portion of the Contract actually performed by **CONTRACTOR** and for which compensation is received by **CONTRACTOR**.

ARTICLE 17: CIVIL AND CRIMINAL PROVISIONS AND SANCTIONS

CONTRACTOR agrees that it will perform under this Contract in conformance with safeguards against fraud and abuse as set forth by **H-GAC**, the State of Texas, and the acts and regulations of any funding entity. **CONTRACTOR** agrees to notify **H-GAC** of any suspected fraud, abuse or other criminal activity related to this Contract through filing of a written report promptly after it becomes aware of such activity.

ARTICLE 18: GOVERNING LAW & VENUE

This Contract shall be governed by the laws of the State of Texas. Venue and jurisdiction of any suit or cause of action arising under or in connection with this Contract shall lie exclusively in Harris County, Texas. Disputes between **END USER** and **CONTRACTOR** are to be resolved in accord with the law and venue rules of the state of purchase. **CONTRACTOR** shall immediately notify **H-GAC** of such disputes.

ARTICLE 19: PAYMENT OF H-GAC ORDER PROCESSING CHARGE

CONTRACTOR agrees to sell its products to **END USERS** based on the pricing and other terms of this Contract, including, but not limited to, the payment of the applicable **H-GAC** order processing charge. On notification from an **END USER** that

an order has been placed with **CONTRACTOR**, **H-GAC** will invoice **CONTRACTOR** for the applicable order processing charge. Upon delivery of any product/service by **CONTRACTOR** and acceptance by **END USER**, **CONTRACTOR** shall, within thirty (30) calendar days or ten (10) business days after receipt of payment, whichever is less, pay **H-GAC** the full amount of the applicable order processing charge, whether or not **CONTRACTOR** has received an invoice from **H-GAC**. For sales made by **CONTRACTOR** based on this contract, including sales to entities without Interlocal Contracts, **CONTRACTOR** shall pay the applicable order processing charges to **H-GAC**. Further, **CONTRACTOR** agrees to encourage entities who are not members of **H-GAC's** Cooperative Purchasing Program to execute an **H-GAC** Interlocal Contract. **H-GAC** reserves the right to take appropriate actions including, but not limited to, contract termination if **CONTRACTOR** fails to promptly remit **H-GAC's** order processing charge. In no event shall **H-GAC** have any liability to **CONTRACTOR** for any goods or services an **END USER** procures from **CONTRACTOR**.

ARTICLE 20: LIQUIDATED DAMAGES

Any liquidated damages terms will be determined between **CONTRACTOR** and **END USER** at the time **END USER's** purchase order is placed.

ARTICLE 21: PERFORMANCE BONDS FOR INDIVIDUAL ORDERS

Except as described below for fire apparatus, **CONTRACTOR** agrees to provide a Performance Bond at the request of **END USER** within ten (10) days of receipt of **END USER's** purchase order.

It shall be standard procedure for every order received for fire apparatus that a Performance Bond in the amount of the order be provided to the **END USER**. Failure of **CONTRACTOR** to provide such performance bond within ten (10) days of receipt of **END USER's** order may constitute a total breach of contract and shall be cause for cancellation of the order at **END USER's** sole discretion. **END USER** may choose to delete the requirement for a Performance Bond at **END USER's** sole discretion. If the bond requirement is waived, **END USER** shall be entitled to a price reduction commensurate with the cost that would have been incurred by **CONTRACTOR** for the bond.

ARTICLE 22: CHANGE OF CONTRACTOR STATUS

CONTRACTOR shall immediately notify **H-GAC**, in writing, of ANY change in ownership, control, dealership/franchisee status, Motor Vehicle license status, or name, and shall also advise whether or not this Contract shall be affected in any way by such change. **H-GAC** shall have the right to determine whether or not such change is acceptable, and to determine what action shall be warranted, up to and including cancellation of Contract.

ARTICLE 23: LICENSING REQUIRED BY TEXAS MOTOR VEHICLE BOARD [IF APPLICABLE]

CONTRACTOR will for the duration of this Contract maintain current licenses that are required by the Texas Motor Vehicle Commission Code. If at any time during this Contract period, any **CONTRACTOR'S** license is not renewed, or is denied or revoked, **CONTRACTOR** shall be deemed to be in default of this Contract unless the Motor Vehicle Board issues a stay or waiver. Contractor shall promptly provide copies of all current applicable Texas Motor Vehicle Board documentation to **H-GAC** upon request.

IN WITNESS WHEREOF, the parties have caused this Contract to be executed by their duly authorized representatives.

Signed for **Houston-Galveston Area Council**, Houston, Texas: _____
Jack Steele, Executive Director

Attest for **Houston-Galveston Area Council**, Houston, Texas: _____
Deidre Vick, Director of Public Services
Date: _____, 20__

Signed for _____

Printed Name & Title: _____ Date: _____, 20__

Attest for _____

Printed Name & Title: _____ Date: _____, 20__

FORM G:		SPECIAL STATEMENT OF WARRANTY
FS12-17		"Fire Service Apparatus (All Types)"
<p><i>This form shall be completed by the MANUFACTURER and signed by one of its Corporate Officers. No agent signature shall be acceptable on this document.</i></p> <p>_____, the "Manufacturer", warrants each newly manufactured Fire Apparatus, to the original user/purchaser only for the specified periods stated below, from the date of acceptance, ordinary wear and tear excepted:</p>		
Component:	Warranty:	
•Cab & Chassis	One (1) year, parts & labor	
•Chassis Frame Rails	Five (5) years, parts & labor	
•Diesel Engine	Five (5) years, parts & labor	
•Transmission	Five (5) years, parts & labor	
•Fire Pump	One (1) year, parts & labor	
•Fire Pump Panel Gauge	One (1) year, parts & labor	
•Water Tank	Twenty (20) years, parts & labor	
•Apparatus Body	One (1) year, parts & labor Ten (10) years, rust/corrosion penetration Ten (10) years or 100,000 miles, structural warranty Three (3) years, paint	
•Aerial Device	Twenty (20) years, structural Two (2) years, hydraulic components One (1) year, parts and labor One (1) year, waterway	
<p>The Manufacturer's obligations under this warranty shall be specifically limited to replacing or repairing, as the Manufacturer may elect, any part or parts of such product which to the Manufacturer's examination discloses to be defective in material or workmanship.</p> <p>Any part or parts considered to be covered by the conditions of this warranty shall be returned, freight prepaid, to the Manufacturer's factory located at _____</p> <p>or to such other location as may be approved in advance by the Manufacturer. Replaced or repaired parts determined to be included within the warranty shall be F.O.B. to the End User's physical location. Freight and labor to reinstall parts shall be paid by the Manufacturer.</p> <p>The Manufacturer's warranty shall not apply to the following:</p> <ul style="list-style-type: none"> • Wear items. • Normal adjustments and maintenance services. • Failures resulting from the product being operated in a manner not in accordance with the operation manual or for a purpose not recommended by the Manufacturer. • Any product which shall have been repaired, modified, or altered in any way so as to have been adversely affected the units stability or reliability. • Items subjected to misuse, negligence, accident, or improper maintenance. • Loss of time or use of the product, inconvenience or other incidental expenses. <p>Any trade accessory that has its own warranty shall have said warranty document attached with the bid response. If a separate warranty equal or exceeding is not attached, then the Manufacturer warrants any trade accessory not specifically covered by a separate warranty.</p> <p>Nothing contained in this warranty shall make the Manufacturer, liable beyond the express limitations hereof, for loss, injury, or damage of any kind to any person or entity resulting from any defect or failure of the product (except as covered by Product liability insurance).</p> <p>THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING WITHOUT LIMITATIONS, ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.</p>		
MANUFACTURER:		
Corporate Officer Signature:		
Printed Name and Title:		
WARRANTY ADMINISTRATOR:		
Printed Name and Title:		
Date:		

CONTRACT ASSIGNMENT AND ASSUMPTION AGREEMENT

This Contract Assignment and Assumption Agreement is made by and between the **Houston-Galveston Area Council of Governments (H-GAC)**, **Pierce Manufacturing Inc. (Contractor)** and **Hughes Fire Equipment Inc., (Assignee)**.

WHEREAS, **Contractor** entered into a cooperative purchasing Contract, identified as **FS12-17**, with **H-GAC** for the sale of **Fire Service Apparatus (All Types)** to various End User governmental agencies participating in **H-GAC's** Cooperative Purchasing Program; and

WHEREAS, **Contractor** assigns the performance of its obligations under the Contract to **Assignee** for cooperative purchasing business in specific areas (per attached Information Sheet); and

WHEREAS, **Assignee** shall perform as stipulated in the original Contract (a copy of which is attached hereto) and comply with all the terms and conditions set forth therein; and

WHEREAS, **Contractor** will continue as originally contracted with **H-GAC**; and

NOW THEREFORE, **Assignee** agrees to accept this assignment, and **H-GAC** concurs.

Unless otherwise noted, this Agreement goes into effect on the date signed by **H-GAC**. All other terms and conditions of the Contract shall remain unchanged and in full force and effect.

IN WITNESS WHEREOF, the parties have caused this Contract Assignment and Assumption Agreement to be executed by their respective duly authorized representatives.

Signed for **Houston-Galveston Area Council**:


Jack Steele, Executive Director


Attest for **Houston-Galveston Area Council**:


Director

Date: 1-3-18

Signed for **Pierce Manufacturing Inc.:**

Appleton, Wisconsin:



(Signature of Contractor)

Date: 12-1-17

Michael E. Pack, VP Finance
Printed Name & Title

Signed for **Hughes Fire Equipment Inc.:**

Springfield, Oregon:


(Signature of Assignee)

Date: 12-14-17

Rex Hughes, President
Printed Name & Title

Information Sheet

Assignee:

Hughes Fire Equipment Inc.

Contact Person:

Name: Sheri Taylor
Title: Sales Manager
TEL: 541-747-0072
EMAIL: staylor@hughesfire.com

Address:

910 Shelley Street
Springfield, Oregon 97477

Territory:

Alaska
Arizona
Idaho
Montana
Nevada (Clark County)
Oregon
Washington



July 1, 2019

Goodyear Fire Department, AZ
 One (1) Impel PUC Pumper EM590
 One (1) Impel PUC Pumper EM595
 Build Location: Appleton, WI

DIF

Fleet
Replacement

TOTAL

	One (1) Impel PUC Pumper EM590	One (1) Impel PUC Pumper EM595	Combined Purchase
Proposal Price	\$ 717,167.00	\$ 719,975.00	\$ 1,437,142.00
Arizona State Sales Tax @ 5.6%	40,161.35	40,318.60	80,479.95
Phoenix Sales Tax @ 2.7%	19,363.51	19,439.33	38,802.83
PHX Transportation Plan Tax @ 0.3% of \$10,303.00	30.91	30.91	61.82
Total Bid Price Including Sales Tax	\$ 776,722.77	\$ 779,763.84	\$ 1,556,486.60
Less chassis progress payment discount	(11,183.00)	(11,339.00)	(22,522.00)
The chassis progress payment in the amount of \$750,741.00 (\$372,761.00 for EM590 and \$377,980.00 for EM595) will be due three (3) months prior to the ready for pick up from the factory date.			
Subtotal including all pre-pay discounts & trade-ins	705,984.00	708,636.00	1,414,620.00
Arizona State Sales Tax @ 5.6%	39,535.10	39,683.62	79,218.72
Phoenix Sales Tax @ 2.7%	19,061.57	19,133.17	38,194.74
PHX Transportation Plan Tax @ 0.3% of \$10,303.00	30.91	30.91	61.82
Total Bid Price Including Pre-Pay Discounts & Sales Tax	\$ 764,611.58	\$ 767,483.70	\$ 1,532,095.28
Trade-In of 2001 Dash Pumper, 12510	-	(10,670.00)	(10,670.00)
Trade-In of 2005 Dash 100' PAP Quint, 15705	-	(95,700.00)	(95,700.00)
Proposal price Including trade-ins	705,984.00	602,266.00	1,308,250.00
Arizona State Sales Tax @ 5.6%	39,535.10	33,726.90	73,262.00
Phoenix Sales Tax @ 2.7%	19,061.57	16,261.18	35,322.75
PHX Transportation Plan Tax @ 0.3% of \$10,303.00	30.91	30.91	61.82
Total Bid Price Including All Discounts, Trade-ins & Sales Tax	\$ 764,611.58	\$ 652,284.99	\$ 1,416,896.57

Terms of New Units:

Based on the current delivery schedule the units would be ready for delivery from factory within 7.5 to 13 months after contract execution. Delivery is subject to change pending Pierce's delivery schedule at order placement.

The above pricing is based on the units being purchased on the same contract or PO and being delivered at the same time. If units are not ordered, manufactured and delivered at the same price revised pricing will be required. The above quote is subject to change.

An invoice will be provided 30 days prior to the chassis payment due date if elected.

A performance bond is not included in the above pricing.

If payment discount options are not elected standard payment terms will apply: Final payment will be due 30 days after the unit leaves the factory for delivery. If payment is not made at that time a late fee will be applicable.

Purchasing documents will be between Hughes Fire Equipment and the Customer.

The proposal price is based on the unit being purchased through HGAC. This pricing is only valid for an HGAC purchase on contract FS12-17.

Transportation of the units to be driven from the factory is included in the pricing. However, if we are unable to obtain necessary permits, due to the weight of the unit, and the unit must be transported on a flat bed, additional transportation charges will be the responsibility of the purchaser. We will provide pricing at that time if necessary.

Two (2) factory inspection trips for five (5) fire department customer representatives, for drawing review & final inspection, and one (1) factory inspection trip for four (4) fire department customer representatives, for mid-construction, is included in the above pricing. The inspection trips will be scheduled at times mutually agreed upon between the manufacture's representative and the customer. Airfare, lodging and meals while at the factory are included. If the Department elects to forgo an inspection trip \$1,850.00 per traveler (per trip) will be deducted from the final invoice.

Terms of Trade In Requirements:

The Aerial would be released to us by October 1, 2019

After taking possession, of the aerial and pumper, Hughes Fire will perform pump tests on both units at no additional charge. However, if any items are recommended for repair it will be at the expense of the City of Goodyear Fire Department.

All ladders, discharge caps, intake plugs, etc will remain with the unit.

The tires must meet current standard.



Proposal Option List

6/11/2019

Customer: City of Goodyear
Representative McDonald, Ed
Organization: Hughes Fire Equipment, Inc
Requirements Manager:
Description: Impel 189" PUC Pumper
Body: Pumper, PUC, Aluminum
Chassis: Impel Chassis, PUC, 2010

Bid Number: 590
Job Number:
Number of Units: 1
Bid Date: 01/14/2019
Stock Number:
Price Level: 38 (Current: 38)

Line	Option	Type	Option Description	Qty
1	0766589		Boiler Plates, PUC Pumper	1
			Fire Department/Customer - City of Goodyear, Arizona	
			Operating/In conjunction W-Service Center - In Conjunction	
			Miles - 50 Miles	
			Number of Fire Dept/Municipalities - 20	
			Bidder/Sales Organization - Hughes Fire Equipment	
			Delivery - Delivery representative	
			Dealership/Sales Organization, Service - Hughes Fire Equipment	
2	0661794		Single Source Compliance	1
3	0584456		Manufacture Location, Appleton, Wisconsin	1
4	0584452		RFP Location: Appleton, Wisconsin	1
5	0588609		Vehicle Destination, US	1
6	0610784		Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions	1
7	0533347		Pumper/Pumper with Aerial Device Fire Apparatus	1
8	0588611		Vehicle Certification, Pumper	1
9	0661778		Agency, Apparatus Certification, Pumper/Tanker, U.L.	1
10	0000114		Inspection Trip(s)	3
			Qty, - 03	
			Fill in Blank - Pre-construction at factory 5 department personnel. Mid	
			point construction 4 department personnel. Final inspection 5 department	
			personnel.	
11	0536644		Customer Service Website	1
12	0620361		Consortium, GPO	1
13	0537375		Unit of Measure, US Gallons	1
14	0030006		Bid Bond Not Requested	1
15	0540326		Performance Bond, Not Requested	1
16	0000007		Approval Drawing	1
17	0708946		Drawing, Pump Operators Panel, Control Zone	1
18	0002928		Electrical Diagrams	1
19	0597573		Impel Chassis, PUC, 2010	1
20	0021007		Maximum Overall Height	1
			Size - 131" (10'11")	
21	0021009		Overall Length, Target	1
			Size - OAL aprox. 396"	
22	0000110		Wheelbase	1
			Wheelbase - Not to exceed 197"	
23	0000070		GVW Rating	1
			GVW rating - 46,500	
24	0000203		Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF	1
25	0020018		Frame Liner Not Req'd	1
26	0508848		Axle, Front, Oshkosh TAK-4, Non Drive, 19,500 lb, Imp/Vel	1
27	0030264		Suspension, Front TAK-4, 19,500 lb, Qtm/AXT/Imp/Vel/Dash CF/Enf	1
28	0087572		Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf	1
29	0000322		Oil Seals, Front Axle	1
30	0776562		Tires, Front, Michelin, X MultiWay HD XZE, 385/65R22.50, Fire Service Speed Rtng	1
31	0019611		Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot	1
32	0530464		Axle, Rear, Meritor RS24-160, 24,000 lb, Imp/Vel/Dash CF	1
33	0544253		Top Speed of Vehicle, 68 MPH	1
34	0122076		Suspen, Rear, Standens, Spring, 24,000 lb, Imp/Vel/Dash CF	1
35	0000500		Shock Absorbers on Rear Axle	1

Line	Option	Type	Option Description	Qty
36	0000485		Oil Seals, Rear Axle	1
37	0061149		Tires, Rear, Michelin, XDN2, 11R22.50, 16 ply, Single	1
38	0019625		Wheels, Rear, Alcoa, 22.50" x 8.25", Aluminum, Hub Pilot, Single	1
39	0568081		Tire Balancing, Counteract Beads	1
40	0602747		No Tire Pressure Indicator, Fire Department Omits, Non-NFPA 2016 Compliant	1
41	0003245		Axle Hub Covers w/center hole, S/S, Front Axle	1
42	0001960		Axle Hub Covers, Rear, S/S, High Hat (Pair)	1
43	0052332		Covers, Lug Nut, Stainless Steel	1
44	0002045		Mud Flaps, w/logo front & rear	1
45	0011930		Tire, "Crossfire" Air Pressure Equalization	1
46	0544802		Chocks, Wheel, SAC-44-E, Folding	1
			Qty, Pair - 01	
47	0544806		Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal	1
			Qty, Pair - 01	
			Location, Wheel Chocks - Left Side Rear Compt	
48	0593760		ESC/ABS/ATC Wabco Brake System, Single Rear Axle, 2010	1
49	0030185		Brakes, Knorr/Bendix 17", Disc, Front, TAK-4	1
50	0000730		Brakes, Meritor, Cam, Rear, 16.50 x 7.00"	1
51	0020784		Air Compressor, Brake, Cummins/Wabco 18.7 CFM	1
52	0000785		Brake Reservoirs, Three	1
53	0568012		Air Dryer, Wabco System Saver 1200, Heater, 2010	1
54	0000790		Brake Lines, Nylon	1
55	0694602		Inlet/Outlet, Air, w/Disconnect Fitting, Recessed, w/Loc Feature, Milton "A-M-T"	1
			Location - Driver step well forward as possible	
			Qty, Air Coupling (s) - 1	
			Air Fitting Model Number - Milton T style, Myers 0.25, or Parker .25 10 series	
56	0000845		Air Tank, Additional for Extra Capacity	1
57	0615609		Fittings, Compression Type, Brake System, Single Rear Axle	1
58	0795323		Engine, Cummins L9, 450 hp, 1250 lb-ft, W/OBD, EPA 2017, REPTO, Imp/Vel	1
59	0001244		High Idle w/Electronic Engine, Custom	1
60	0001236		Not Required, Auxiliary Brake, Alt. Aux. Brake Selected	1
61	0552334		Clutch, Fan, Air Actuated, Horton Drive Master	1
62	0123135		Air Intake, w/Ember separator, Imp/Vel	1
63	0755580	SP	Exhaust System, 4", 2017 L9 Engine, Horizontal, Right / Left Side	1
64	0787999		Radiator, Impel/Velocity	1
65	0616439		Cooling Hoses, Gates Silicone	1
66	0041125		Fuel Tank, 65 Gallon, Dual Fills	1
67	0001128		Lines, Fuel, Wire Braided, Reusable Fittings	1
68	0758657		DEF Tank, 8.0 Gallon, LS Fill, Rear of Rear Axle, Common Door	1
			Door, Material & Finish, DEF Tank - Brushed Stainless	
69	0552793		Not Required, Fuel Priming Pump	1
70	0582243		Shutoff Valves, Fuel Line @ Primary Filter, Cummins	1
71	0553019		Cooler, Engine Fuel, Imp/Vel, AXT/Qtm/Sab/DCF/SFR/Enf	1
72	0638739		Gauge, DEF, Remote Mounted for Chassis DEF, Location	1
			Location - DEF gauge mounted in the fill area just above the tank	
73	0663938		Label, "DEF Fluid Only", Mounted On Inside Of DEF Fill Door	1
74	0535727		Label, "Ultra Low Sulfur Diesel Fuel Only", Yellow w/Black Letters, IPOS	1
			Location - Fuel door inside	
75	0645743		Fuel/Water Separator, Racor 690R1210, 10 Micron, Heater, IATS, ISL9	1
76	0642576		Trans, Allison 5th Gen, 3000 EVS PR, Imp/Vel/Dash CF	1
			Trans. retarder capacity - b. medium/1300, 3000 EVS	
			Trans. retarder control - l) Auto 1/3, 2/3, 3/3	
77	0081477		Transmission, Shifter, 5-Spd, Push Button w/4+1mod	1
			Trans, ratio - 3000 EVS, 5Spd	
78	0517604		Transmission Programming, Park to Neutral, PUC	1
79	0797408		Transmission Oil Cooler, Modine, External, w/Modine External Sump	1
80	0683847		Fluid, 3000 Series Transmission, TES-295 TranSynd synthetic, IPOS, Custom	1
81	0001370		Driveline, Spicer 1710	1
82	0669988		Steering, Sheppard M110 w/Tilt, TAK-4, Eaton Pump, w/Cooler	1
83	0001544		Not Required, Steering Assist Cylinder on Front Axle	1

Line	Option	Type	Option Description	Qty
84	0621843		Steering Wheel, 4 Spoke without Controls, Impel	1
85	0690274		Logo/Emblem, on Dash	1
			Text, Row (1) One - CITY	
			Text, Row (2) Two - OF	
			Text, Row (3) Three - GOODYEAR	
86	0592801		Bumper, 26" Extended, Steel, Painted, Imp/Vel	1
87	0616472		Tray, Hose, Center, 26" Bumper, Outside Air Horns, Imp/Vel	1
			Grating, Bumper extension - Grating, Rubber	
			Capacity, Bumper Tray - 21) 150' of 1.75"	
88	0630813		Cover, Aluminum Treadplate, One (1) D-Ring Latch, Hose Tray	1
			Stay arm, Tray Cover - b) Pneumatic Stay Arm	
89	0658303		Box, Tool w/cover, Left	1
			Stay arm, Tray Cover - b) Pneumatic Stay Arm	
			Latch, Bumper Storage - D ring latch	
90	0625557		Hose Restraint, Not Required, Cover Included with Other Option	1
91	0638048		Box, Tool w/cover, Right	1
			Stay arm, Tray Cover - b) Pneumatic Stay Arm	
			Latch, Bumper Storage - D ring latch	
92	0625556		Hose Restraint, Not Required, Cover Included with Other Option	1
93	0510226		Lift & Tow Package, Imp/Vel, AXT, Dash CF	1
94	0002270		Tow Hooks, Chrome	1
95	0762394		Lights, Amdor, 12" Amdor AY-LB-12HW012 Light, Front Bumper Cover	1
			Qty, - 01	
96	0630300		Coating, Top Flange, Front Bumper, Outside Exterior, Pierce Polyurea, Black	1
97	0668316		Cab, Impel FR, 7010 Raised Roof, PUC	1
98	0668309		Engine Tunnel, ISL and DD13, Impel/Velocity FR	1
99	0677474		Rear Wall, Exterior, Cab, Painted, Full Coverage	1
100	0122466		Cab Lift, Elec/Hyd, w/Manual Override, Imp/Vel	1
101	0123176		Grille, Bright Finished, Front of Cab, Impel/Velocity	1
102	0002224		Scuffplates, S/S At Cab Door Jambs, 4-Door Cab	1
			Material Trim/Scuffplate - c) S/S, Polished	
103	0646179		Trim, S/S, Rect Headlights, VEL/IMP	1
			Material Trim/Scuffplate - b) S/S, Brushed	
			Turnsignal Covers - No Covers	
104	0015440		No Chrome Molding, On side of cab	1
105	0631222		Mirrors, Ramco, 6001FFHR-750HR, Htd/Rmt, w/Bolt-on Htd/Rmt Convex, Cab Mnt, Vel	1
106	0680149		Riser, Ramco Mirror, 6.00", Pair	1
107	0667942		Door, Half-Height, Impel FR 4-Door Cab, Raised Roof	1
			Key Model, Cab Doors - 751	
108	0655511		Door Panel, Brushed Stainless Steel, Impel/Velocity 4-Door Cab	1
109	0667905		Storage Pockets w/ Elastic Cover, Recessed, Impel/Velocity FR	1
110	0667902		Controls, Electric Windows, All Cab Doors, Impel/Velocity FR	1
111	0555486		Steps, 4-Door Cab, Dual, Imp/Vel	1
			Light, Step, Additional - P25 LED	
112	0770194		Handrail, Exterior, Knurled, Alum, 4-Door Cab	1
113	0509649		Lights, Cab and Crew Cab Access Steps, P25, LED w/Bezel, 1Lt Per Step	1
114	0002140		Fenders, S/S on Cab	1
115	0603144		Window, Side of C/C, Fixed, Impel	1
116	0552941		Not Required, Trim, Cab Side Windows, Impel	1
117	0012090		Not Required, Windows, Front/Side of raised roof	1
118	0509286		Not Required, Windows Rear of Crew Cab, Imp/Vel	1
119	0558334		Not Required, Trim, Cab Rear Windows, No Rear Windows	1
120	0618686		Fasteners, Mechanical, Insulation, Eng Tunnel and Cab and Crew Floor	1
121	0629791	SP	Raceway, (2), Mounting (5) Antennas Each, 82" Long, Cab Roof	1
			Location - L/S R/S raised roof area	
122	0097671		Enclosure Around Light Tower on Cab Roof, Painted, Angled Front	1
123	0553057		Holder, Cup, Cab/Crewcab, Each	6
			Qty, - 06	
124	0606278		Tray, Equipment Mounting, Aluminum, Lip, Size	4
			Location - one each side rear of crew cab doors corner one each side engine tunnel driver and officer reach	

Line	Option	Type	Option Description	Qty
124			Qty, - 04 Size - 10" x 15" Material Finish, Cab Interior - Painted Lip - 3.00"	
125	0622531		Mounting Provisions, 3/16" Alum, Full Engine Tunnel, Color, Vel/Imp Color, Cab Interior Paint - b) black Mounting Provision Spacing - .75"	1
126	0658283		Tray, Slideout, S/S, No Sides, MDT Bracket, Officer	1
127	0796859		Cab Interior, Vinyl, Painted Walls, Imp/Vel FR, CARE Color, Cab Interior Vinyl/Fabric - c) Black Cab Interior Rear Wall Material - Painted Aluminum	1
128	0667943		Cab Interior, Paint Color, Impel/Velocity FR Color, Cab Interior Paint - b) black	1
129	0509532		Floor, Rubber Padded Cab & Crew Cab, Imp/Vel, Dash CF	1
130	0667936		Heater/defroster, Dual Zone Control, Impel/Velocity FR	1
131	0603346		Air Conditioning, Dual Zone Control, Hinge Acc Panel, Impel/Velocity FR Paint Color, A/C Condenser - Painted by OEM	1
132	0760873		HEPA Filter, A/C, Coleman-Mach 8 Roughneck, CARE	1
133	0770956		HEPA Filter, Air-Conditioning/Defroster, Impel/Velocity, CARE	1
134	0789101		Air Conditioning, Coleman-Mach 8, Roughneck, 120V, 15K Cool Only, Cab Roof, White Thermostat - Coleman ceiling unit AC Power Source - Shoreline	1
135	0639675		Sun Visor, Smoked Lexan, AXT, Dash CF, Imp/Vel, Saber FR/Enforcer Sun Visor Retention - Thumb Latch	1
136	0548173		Grab Handles, Driver and Passenger Door Post, Imp/Vel	1
137	0002526		Light, Engine Compt, All Custom Chassis	1
138	0122516		Fluid Check Access, Imp/Vel	1
139	0751543	SP	Box, Storage, Aluminum, 10" W x 5" D x 5" H, Hinged Side, Latex Gloves Location - One each side rear of crew cab door One each side engine tunnel plate Passenger and driver Qty, - 04	4
140	0583042		Side Roll and Frontal Impact Protection	1
141	0622617		Seating Capacity, 6 Seats	1
142	0697005		Seat, Driver, Pierce PS6, Premium, Air Ride, High Back, Safety	1
143	0696996		Seat, Officer, Pierce PS6, Premium, Air Ride, High Back, Safety	1
144	0510038		Radio Compartment, Behind Officer Seat, Imp/Vel	1
145	0122182		Seat, Rear Facing C/C, DS Outboard, Pierce PS6, Premium, Hi-Back, Safety	1
146	0102783		Not Required, Seat, Rr Facing C/C, Center	1
147	0122185		Seat, Rear Facing C/C, PS Outboard, Pierce PS6, Premium, Hi-Back, Safety	1
148	0762639	SP	Cabinet, Forward Facing, LS, 21 W x 54 H x 14 D, Roll, Vents, Imp/Vel Material Finish, Shelf - Painted - Cab Interior Shelf/Tray, Cabinet - (0) None Door, Cab Interior Cabinet - Rollup, ROM Series IV, Anodized, Non-Locking Light, Tall Cabinet - Pierce, Interior, Left Side	1
149	0122742		Seat, Forward Facing C/C, Center, (2) Pierce PS6, Premium, Hi-Back, Safety	1
150	0762637	SP	Cabinet, Forward Facing, RS, 21 W x 54 H x 14 D, Roll, Vents, Imp/Vel Material Finish, Shelf - Painted - Cab Interior Shelf/Tray, Cabinet - (0) None Door, Cab Interior Cabinet - Rollup, ROM Series IV, Anodized, Non-Locking Light, Tall Cabinet - Pierce, Interior, Right Side Louvers, Cabinet - Louvers, Left Side	1
151	0766467		Upholstery, Seats In Cab, All Endure Vinyl, CARE Color, Cab Interior Vinyl/Fabric - a) Silver/Gray Qty, - 06	6
152	0511471		No SCBA Brackets Required In Cab Seats, Imp/Vel, AXT 2010, Qtm 2010, Dash CF	1
153	0603867		Seat Belt, ReadyReach Seat Belt Color - Red	1
154	0604863		Seat Belt Height Adjustment, 6 Seats, Imp/Vel, Dash CF	1
155	0627014		Pick Not Required, Seat Belt Color Selected in Seat Belt Option 627339	1
156	0602464		Helmet Storage, Provided by Fire Department, NFPA 2016	1

Line	Option	Type	Option Description	Qty
157	0647638		Lights, Dome, Weldon Dual LED 4 Lts Color, Dome Lt - Red & White Color, Dome Lt Bzl - Black Control, Dome Lt White - Door Switches and Lens Switch Control, Dome Lt Color - Lens Switch	1
158	0650184		Lights, Dome, Weldon, Dual LED Location - Above front facing center crew cab seats Qty, - 02 Color, Dome Lt - Red & White Color, Dome Lt Bzl - Black Control, Dome Lt White - Match Crew Cab Switch Control, Dome Lt Color - Match Crew Cab Switch	2
159	0631776		Not Required, Overhead Map Lights	1
160	0628471		Light, Map, Overhead, Peterson M371S LED, Rectangula w/Switch Location - over officer seat. Qty, - 01 12vdc power from - Battery direct	1
161	0650394		Spotlight, Golight Stryker, Model 30**4, LED, 1 Lt Location - Center of cab behind light bar on z bracket Color, GoLt - White Bracket, Spotlight - Z Bracket - 1 Lt	1
162	0650061		Controller, Spotlight, Golight Stryker, Wired Dash Mount, 1 Lt	1
163	0649965		Location, Spotlight Controller, Driver's Side	1
164	0602637		Portable Hand Light, Provided by Fire Dept, Pumper NFPA 2016 Classification	1
165	0594554		Cab Instruments, Blk Gags, Blk Bez, Impel 2010	1
166	0509511		Air Restriction Indicator, Imp/Vel, AXT, Dash CF, Enf MUX	1
167	0543751		Light, Do Not Move Apparatus Alarm, Do Not Move Truck - Pulsing Alarm	1
168	0509042		Messages, Open Door/Do Not Move Truck, MUX w/Color Display	1
169	0611681		Switching, Cab, Membrane, Impel/Velocity/Quantum, Dash CF, AXT WiFi MUX Location, Emerg Sw Pnls - Driver's Side Overhead	1
170	0555915		Wiper Control, 2-Speed with Intermittent, MUX, Impel/Velocity	1
171	0554761		Stud, Ground 3/8" Qty, - 01 Location - Power distribution box behind passenger seat	1
172	0767635		Wiring, Spare, 4.8 A 12V DC, USB Termination, Kussmaul 091-219-5 Sw Pnl 1st Qty, - 06 12vdc power from - Battery direct Location - 1 LS Loc. 12 1 RS Loc. 9 1 LS rear wall engine tunnel up left corner in box w power point 1 RS rear wall engine tunnel up left corner in box w power point 1 LS CC FF seat back wall in box w power point 1 RS CC FF seat back wall in box w power point	6
173	0547960		Wiring, Spare, 40 A 12V DC 1st Qty, - 01 12vdc power from - Battery direct Wire termination - Stud Location - Power distribution box behind passenger seat	1
174	0547328		Wiring, Spare, 20 A 12V DC, Switch Feature 1st Qty, - 03 12vdc power from - Ignition power Wire termination - Butt Splice Location - Power distribution panel Switch, Lt Control 1 DC - ds) DS Switch Panel Switch, Lt Control 2 DC - n) No Control	3
175	0548006		Wiring, Spare, 15 A 12V DC 2nd Qty, - 06 12vdc power from - Battery direct Wire termination - 15 amp power point plug Location - 1 LS Location 12 1 RS Location 9 1 LS rear facing wall of engine tunnel up left corner in box with USB 1 RS rear facing wall of engine tunnel up left corner in box with USB 1 LS CC FF seat back wall in box with USB 1 RS CC FF seat back wall in box	6
176	0547322		Wiring, Spare, 15 A 12V DC, Switch Feature 1st Qty, - 01	1

Line	Option	Type	Option Description	Qty
176			12vdc power from - Ignition power Wire termination - Butt Splice Location - Power distribution panel Switch, Lt Control 1 DC - ds) DS Switch Panel Switch, Lt Control 2 DC - n) No Control	
177	0548004	Wiring, Spare, 15 A 12V DC 1st	Qty, - 01 12vdc power from - Ignition power Wire termination - Stud Location, Spare Wiring - Behind Officer Seat	1
178	0547318	Wiring, Spare, 10 A 12V DC, Switch Feature 1st	Qty, - 03 12vdc power from - Ignition power Wire termination - Butt Splice Location - Power distribution panel Switch, Lt Control 1 DC - ds) DS Switch Panel Switch, Lt Control 2 DC - n) No Control	3
179	0559859	Wiring, Spare, 60A 12V DC, 12 Circuit Fuse Block, Blue Sea 5026	Qty, - 02 12vdc power from - Battery direct Location - One Crew Cab forward facing seat riser box One behind driver seat rear of engine tunnel.	2
180	0547347	Wiring, Spare, 30 A 12V DC, Switch Feature 1st	Qty, - 01 12vdc power from - Battery direct Wire termination - Butt Splice Location - RS1 Switch, Lt Control 1 DC - ds) DS Switch Panel Switch, Lt Control 2 DC - n) No Control	1
181	0566101	Recess, Dash Panel, Officer Side, Vel/Imp		1
182	0643196	Radio, AM/FM/CD/WB, Jensen, Front Aux In / USB / Bluetooth	Speakers, AM/FM Radio - Two (2) pairs of speakers, Cab/Crew Antenna, AM/FM Radio - b) Side-mounted antenna on PS Location, AM/FM Radio - b) within reach of the officer	1
183	0615214	Vehicle Information Center, LCD On Gauge Cluster w/7" Color Disp, Touchscreen, Imp	Location, CZ Display - DS Instrument Panel, Impel Camera System System Of Measurement - US Customary	1
184	0606247	Vehicle Data Recorder w/CZ Display Seat Belt Monitor		1
185	0650855	Intercom, David Clark, 6-Pos, 2-Radio, (D,O,RPTT),4C	Location - Passenger side push to talk in housing with CZ screen Driver side location 12 match job #32989 Location, Intercom, C Cab - 4) 2 outside & dual center station (Dave C/Setcom)	1
186	0637058	David Clark Universal Radio Interfaces Included with Single/Dual System	Location, Radio Interface - Officers side RS overhead	1
187	0589947	Headset, David Clark, H3432 Over The Head, Flex Mic, Push On Push Off	Qty, - 06 Location - One at each seating position	6
188	0699116	Camera, Zone Defense, Driver Mux, Multiple Cameras	Camera System Audio - Speaker Near Drivers Knee (VEL/IMP/Dash CF ONLY) Location, Camera, Zone Defense - Three (3), Rear, Right and Left Side Cab	1
189	0615106	Pierce Command Zone, Advanced Electronics & Control System, Impel, WiFi		1
190	0624255	Electrical System, Impel		1
191	0098841	Batteries, (6) Deka Grp 31, 1000 CCA each, Threaded Stud		1
192	0008621	Battery System, Single Start, All Custom Chassis		1
193	0123174	Battery Compartment, Imp/Vel		1
194	0531338	Charger, Sngl Sys, Kussmaul, Pump Plus 1200, 52-21-1100		1
195	0012781	Location, Charger/Compr, Front left body compt		1
196	0531403	Location, Bat Chrg Ind, Driver's Seat with Bracket		1
197	0507624	Shoreline, 30A 120V, Kussmaul Auto Eject, 091-159-30-120, Super	Qty, - 01	1

Line	Option	Type	Option Description	Qty
197			Color, Kussmaul Cover - d) yellow	
			Connection, Shoreline - Sub panel	
198	0026800		Shoreline Location	1
			Location, Shoreline(s) - DS Cab Side	
199	0036802		Sub Feed Breaker Box Cutler Hammer, For Shoreline	1
			Location, CB Panel - Front wall of LS6 near charger and compressor.	
			Locate the charger and compressor as high as possible and the breaker panel right below those items	
200	0647728		Alternator, 430 amp, Delco Remy 55SI	1
201	0092582		Load Manager/Sequencer, MUX	1
			Enable/Disable Hi-Idle - e) High Idle enable	
202	0783153		Headlights, Rect LED, JW Spkr Evo 2, AXT/DCF/Enf/Imp/Sab/Vel	1
			Color, Headlight Bez - Chrome Bezel	
203	0648425		Light, Directional, Wln 600 Cmb, Cab Crn, Imp/Vel/AXT/Qtm/DCF	1
			Color, Lens, LED's - m) match LED's	
204	0620054		Light, Directional/Marker, Intermediate, Weldon 9186-8580-29 LED 2lts	1
205	0088869		Lights, Clearance/Marker/ID, Rear, Truck-Lite 26250R LED 7Lts	1
206	0648074		Lights, Clearance/Marker/ID, Front, P25 LED 7 Lts	1
207	0517025		Lights, Tail, Wrap-around, Stop/Tail, Turn & Backup LED, Tri-Cluster	1
208	0085910		Lights, Backup Included in Signal Cluster	1
209	0664481		Bracket, License Plate & Light, P25 LED	1
210	0589905		Alarm, Back-up Warning, PRECO 1040	1
211	0769420		Lights, Perimeter Cab, Amdor AY-LB-12HW020 LED 4Dr	1
			Z location -	
212	0769572		Lights, Perimeter Pump House, Amdor AY-LB-12HW020 LED 2lts	1
213	0769560		Lights, Perimeter Body, Amdor AY-LB-12HW012 LED 2lts, Rear Step	1
			Control, Perimeter Lts - Parking Brake Applied	
214	0769567		Lights, Perimeter, Amdor AY-LB-12HW012 12" LED, Brkt	4
			Qty, Lights - 04	
			Location, Additional Perimeter Lights - Under Compt D1, 1lt, Under Compt D3, 1lt, Under Compt P1, 1lt and Under Compt P3, 1lt	
215	0769570		Lights, Perimeter, Amdor AY-LB-12HW020 20" LED, Brkt	2
			Qty, Lights - 02	
			Location, Additional Perimeter Lights - Each Side Under Front Bumper,	
			2lts	
216	0556337		Lights, Step, P25 LED at Rear Tailboard, 2lts Perm Lts	1
217	0581784		Lights, Side Scene, Wln 9SC0ENZR LED, 2nd	2
			Location, Lights - LS cab in 10" raised roof section behind B pillar LS upper area rearward of body forward of warning light	
			Qty, - 02	
			Switch, Lt Control 1 DC,1 - a) DS Switch Panel	
			Switch, Lt Control 2 DC,2 - f) Pump Operator's Panel	
			Switch, Lt Control 3 DC,3 - d) No Control	
			Switch, Lt Control 4 DC,4 - d) No Control	
218	0582055		Lights, Side Scene, Wln 9SC0ENZR LED, 1st	2
			Location, Lights - RS cab in 10" raised roof section behind B pillar RS upper area rearward of body forward of warning light	
			Qty, - 02	
			Switch, Lt Control 1 DC,1 - a) DS Switch Panel	
			Switch, Lt Control 2 DC,2 - f) Pump Operator's Panel	
			Switch, Lt Control 3 DC,3 - d) No Control	
			Switch, Lt Control 4 DC,4 - d) No Control	
219	0709438		Light, Walking Surf, FRP Flood, LED	1
220	0532358		Not Required, Deck Lights, Other Hose Bed & Rear Lighting	1
221	0609538		Lights, Hose Bed, Below Aluminum Cover, Dual LED Light Strips	1
			Control, Hose Bed Lts - Auto Cover Sw	
222	0768506		Light, Below Alum Hose Bed Cover, Amdor AY-LB-12HW040, 40" LED	1
			Location - Below leading edge of wind deflector	
			Qty, - 01	
			Control, Hose Bed Lts - With Other Hosebed Lts	
223	0645677		Lights, Not Required, Rear Work, Alt. 12 Volt Lights At Rear Body	1
224	0645707		Lights, Rear Scene, Wln, 70C0ELZR LED, Semi-Recess Mounted, 1st	2
			Location, Lights - Upper rear body RS and LS.	
			Qty, - 02	

Line	Option	Type	Option Description	Qty
224			Control, Rear Scene Lts - Cab Switch Panel DS and Pump Panel DS	
225	0518282		Pumper, PUC, Aluminum	1
226	0554271		Body Skirt Height, 20"	1
227	0519696		Tank, Water, 500 Gallon, Poly, Rectangle, Form Fitting, PUC	1
228	0003405		Overflow, 4.00" Water Tank, Poly	1
229	0028104		Foam Cell Required	1
230	0633066		Sleeve, Through Tank	2
			Qty, Sleeve - 2	
			Water Tank Sleeve - Plumbing/Hydraulic Diameter - 3" Plumbing	
231	0553729		Not Required, Restraint, Water Tank, Heavy Duty	1
232	0003429		Not Required, Direct Tank Fill	1
233	0003424		Not Required, Dump Valve	1
234	0048710		Not Required, Jet Assist	1
235	0030007		Not Required, Dump Valve Chute	1
236	0514778		Not Required, Switch, Tank Dump Master	1
237	0675687	SP	Body Modification, Delete Forward Body Lighththead Notches, PUC	1
238	0597043		Body Height, PUC	1
			Body Height - 95.00"	
239	0199241		Hose Bed, Aluminum, Pumper, PUC	1
240	0003481		Hose Bed Capacity, Special	1
			Capacity, Hosebed - 200' of 2.5", 200' of 2.5", 850' of 5"	
241	0003488		Divider, Hose Bed, Unpainted	2
			Qty, Hosebed Dividers - 2	
242	0769067	SP	Cover/Platform, Front of Hose Bed, Single Pan, Aluminum Treadplate	1
			Hinge, Location - Forward	
243	0054784		Cover, Hose Bed, Alum Treadplate, T-Bar, Electric Actuated	1
244	0525658		Running Boards, PUC	1
245	0685333		Tailboard, 16" Deep, Full Width, PUC	1
246	0690029		Wall, Rear, Body Material, PUC, PUC Tanker, PRM	1
247	0003531		Tow Bar, Under Tailboard	1
248	0656764		Construction, Compt, Alum, Pumper, PUC	1
249	0503804		LS 189" Rollup, (1) 62" Fwd, (1) 52" Rr, Full Height & Depth Front & Rear, PUC	1
250	0503803		RS 189" Rollup, (1) 62" Fwd, (1) 52" Rr, Full Height & Depth Front & Rear, PUC	1
251	0796649		Doors, Rollup, ROM Series IV, Side Compartments	6
			Qty, Door Accessory - 06	
			Color, Roll-up Door - ROM Series IV Painted to Match Lower Body	
			Latch, Roll-up Door - Non-Locking Liftbar	
252	0599445		Compt, Rear, Rollup, 33.50" FF, w/Tailboard, PUC	1
253	0791761		Door, ROM Series IV, Rollup, Rear Compartment, PUC	1
			Color, Roll-up Door - ROM Series IV Painted to Match Lower Body	
			Latch, Roll-up Door - Non-Locking Liftbar	
254	0547302		Scuffplate, Rear Bulkhead, Rear of Hatch Compt, Alum 4-way, Each	1
			Location - passenger side, rear of hatch compartment to match the driver side step area	
			Qty, Scuffplates - 01	
255	0633499	SP	Guard, Drip Pan, Rollup Door, w/ Drain Hose	7
			Location - Drain located toward the rear of the truck in all side compartment drain pans. Rear compartment toward the right side	
			Qty, - 07	
256	0003918		Pull Strap, Door	6
			Qty, Door Accessory - 06	
			Location, Door Pull Strap - LS1, LS2, LS3, RS1, RS2 and RS3	
257	0632836		Trim, Rollup Door, Painted Job Color, ROM	7
			Qty, - 07	
258	0689549		Lights, Compt, Pierce LED, Dual Light Strips, Each Side of Door	7
			Location - all compartments	
			Qty, - 07	
259	0669006		Lights, Compt, Amdor, AY-9220-10, LED, 10.22", Additional	4
			Location, Lights - In the crosslay compartment, one (1) each side above the 1.75" crosslays on inside of horizontal structure member and one (1) on each side above the 2.5" deadlay storage on horizontal structure member forward of back board storage	
			Qty, - 04	

Line	Option	Type	Option Description	Qty
260	0515679		189" Hatch, (2) Lift-up, 21" Wide, Both Sides, PUC Size, Hatch Compt, Height - 22.00"	1
261	0688124		Lights, Hatch Compt, LED Strip Light, 189", Both Sides	1
262	0687145		Shelf Tracks, Recessed, PUC/3rd Generation	1
263	0600350		Shelves, Adj, 500 lb Capacity, Full Width/Depth, Predefined Locations Qty, Shelf - 06 Material Finish, Shelf - Painted - Spatter Gray Location, Shelves/Trays, Predefined - RS1-Lower Third Left of Partition, RS1-Upper Third Left of Partition, RS3-Lower Third Left of Partition, RS3-Upper Third Left of Partition, LS3-Upper Third Right of Partition and LS3-Lower Third Right of Partition	6
264	0709690		Tray, 250 lb Slide-out, 2" Sides - Adj. Height, Predefined Locations Qty, Tray (slide-out) - 03 Location, Shelves/Trays, Predefined - RS3-Lower Third, LS3-Centered and LS3-Lower Third Material Finish, Tray - Painted - Spatter Gray	3
265	0647772		Tray, Floor Mounted, Slide-Out, 500lb, 2.00" Sides, 3G Qty, - 03 location - ,LS3,RS3,RS1 Material - paint to match compt interior	3
266	0544614		Toolboard, Swing-out, Alum, .188", Peg Board, 3G Qty - 1 Location, Pivot - Front Mounting, Toolboard - Adjustable Frt-back Hole Diameter, Pegboard/Toolboard - .203" diameter Finish, Pegboard/Toolboard - Painted - Spatter Gray Location, Toolboard - LS2 - Ahead of Partition	1
267	0617454		Toolboard, Slide-out, Alum, .188", Peg Board, Painted, 3G, Slides Top and Bottom location - R/S 3, spaced evenly rear of extinguisher compartment Qty - 2 Mounting, Toolboard - Adjustable side-side	2
268	0590939		Toolboard, Alum, .188", Peg Board, Added to Slide-Out Tray location - L/S 3, R/S 3 Qty - 2 Finish, Pegboard/Toolboard - Painted - Spatter Gray	2
269	0659383		Matting, Turtle Tile w/Ramp, Compt Floors Location - D2, forward portion in front of the pump panel of D3, P2, and R1 Qty, Comp. Accessory - 04 Color - 1) black Color, Tile Edge - black	4
270	0028026		Matting, Turtle Tile, Compt Shelving only Location - all shelves and trays Qty, Shelf - 10 Color - 1) black	10
271	0600281		Partition, Vertical Compartment, Predefined Locations Qty, Partition - 01 Location, Partition/Toolboard, Predefined - LS2- 40.00" From Forward Door Frame Material Finish, Partition - Painted - Spatter Gray	1
272	0063064		Rub Rail, Aluminum Extruded, Side of Body, 3rd Gen Body	1
273	0515441		Fender Crowns, Rear, S/S, W/Removable Fender Liner, Pumper, 3rd Gen Material Finish, Fender Liner - Brushed Stainless	1
274	0519849		Not Required, Hose, Hard Suction	1
275	0527021		Handrails Located @ Front Body	1
276	0664688		Handrails, Rear, PUC	1
277	0000941		No Rear Hose Bed Handrail Required	1
278	0657522		Compt, Air Bottle, Triple, Fender Panel Qty, Air Bottle Comp - 2 Door Finish, Fender Compt - Painted Location, Fender Compt - Triple - LS Rear and Triple - RS Fwd Latch, Air Bottle Compt - Flush Lift & Turn Insert, Air Bottle Compt - Dura-Surf Lining	2
279	0004225		Ladder, 24' Duo-Safety 900A 2-Section	1

Line	Option	Type	Option Description	Qty
280	0004230		Ladder, 14' Duo-Safety 775A Roof	1
281	0638382		Rack, Ladders, in LS Full Depth Body, PUC	1
			Door, Material & Finish, Ladder Storage - c) smooth aluminum	
			Latch, Door Ladder Storage - D-Handle latch	
282	0014245		Ladder, 10' Duo-Safety Folding 585A, w/Mounting	1
			Location, Folding Ladder - Pike Pole Compt, Right Side	
283	0602877		Pike Pole, Pumper, Provided by Fire Department, NFPA 2016	1
			Pike Pole Make/Model - Akron 10' Pike Pole	
284	0602875		Pike Pole, 6', Pumper, Provided by Fire Department, NFPA 2016	1
			Pike Pole Make/Model - Akron 6' Pike Pole	
285	0004361		Tubes, Alum, Pike Pole Storage	4
			Qty, Pike Pole Tubes - 04	
			Location, Pike Pole Tube - Long Tool Storage Compt PS	
286	0688768		Steps, Folding, Front of Body, One Each Side, w/LED, Trident, PUC	1
			Coating, Step - luminescent	
287	0759144		Ladder, Top Access, Alum, Rear, PUC, Opposite Ladder Storage, Tied to DNM Light	1
288	0592990		Step, Folding - Extra, Body Only, Luminescent w/LED, Trident	1
			Qty, Folding Step - 01	
			Location, Additional Step - one (1) at rear on PS rear body bulkhead 8.5" up from the bottom of the body and 1" clear of the drop down door/step of R1	
289	0586899		Step, Cargo Area, Ea.	1
			Qty, - 01	
			Fill in Blank - rear cargo area	
290	0515695		Pump, Pierce, 1500 GPM, Single Stage, PUC	1
291	0515822		Seal, Mechanical, Silicon Carbide, PUC Pump	1
292	0515705		Gear Case, Pierce Pump, REPTO-Clutch Drive	1
293	0521309		Pumping Mode, Pump and Roll/Stationary, Basic, PUC	1
294	0515829		Pump Shift, Sure-Shift	1
295	0515833		Transmission Lock-up, Not Req'd, Park to Neutral, Pump, PUC	1
296	0515835		Auxiliary Cooling System, PUC	1
297	0014486		Not Required, Transfer Valve, Stage Pump	1
298	0777650		Valve, Relief Intake, Akron, w/Pressure Features	1
			Pressure Setting - 125 psig	
299	0515838		Controller, Pressure, Pierce, PUC	1
300	0072153		Primer, Trident, Air Prime, Air Operated	1
301	0044552		Line, 0.50" Recirculating w/Check Valve	1
302	0658266		Thermal Relief Valve, w/Amber Warning Light and Alarm, PUC Pump	1
			Location, Thermal Relief Discharge - Ground	
303	0780359		Manuals, Pump, (2) Total, Electronic Copies, Pierce PUC Pump	1
304	0602496		Plumbing, Stainless Steel and Hose, Single Stage Pump, PUC	1
305	0795135		Plumbing, Stainless Steel, w/Foam System	1
306	0517852		Inlets, 6.00" - 1500 GPM, Pierce PUC Pump	1
307	0602448		Cap, Main Pump Inlet, Provided by Fire Department, NFPA 2016	1
308	0658334	SP	Valve, w/Relief, RS Inlet, 6", Elkhart UBEC 1C Electric Cntrl, LED, PUC	1
309	0680514	SP	Valve, w/Relief, LS Inlet, 6", Elkhart UBEC 1C Electric Cntrl, LED, PUC	1
310	0084610		Valves, Akron 8000 series- All	1
311	0004660		Inlet, Left Side, 2.50"	1
312	0029147		Not Required, Inlet, Right Side	1
313	0520002		Valve, Inlet(s) Recessed, Side Cntrl, PUC	1
			Qty, Inlets - 1	
314	0521137		Anode, Zinc, Pair, Pump Inlets, PUC	1
315	0004700		Control, Inlet, at Valve	1
316	0560024		Inlet, Rear, 4"-6" w/5" Plmb, RS Rear Bulkhead, w/Bleeder Valve, PUC	1
			Inlet, Size - Five	
317	0602446		Cap, Rear Inlet, Long Handle, Provided by Fire Department, NFPA 2016	1
318	0759024	SP	Control, Electric, Rear Inlet, Elkhart UBEC-1C, With Override, PUC	1
319	0009662		Intake Relief Valve, Rear Inlet	1
320	0092568		No Rear Auxiliary Inlet Requested	1
321	0563738		Valve, .75" Bleeder, Aux. Side Inlet, Swing Handle	1
322	0520277		Tank to Pump, (1) 3.00" Valve, 4.00" Plumbing, PUC	1
323	0595508		Outlet, Tank Fill, 1.50", PUC	1

Line	Option	Type	Option Description	Qty
324	0516755		Outlet, Left Side, 2.50" (2), PUC	1
325	0557240		Not Required, Outlet, Right Side, PUC	1
326	0766992		Outlet, Right Side, 4" w/4" Valve, Akron 9335 Elec Controller, PUC	1
327	0649939		Outlet, Front, 1.50" w/2" Plumbing	1
			Fitting, Outlet - 1.50" NST with 90 degree swivel	
			Drain, Front Outlet - Automatic	
			Location, Front, Single - in center bumper tray	
328	0516777		Outlet, Rear, 2.50", (1), Thru Tank, PUC	1
			Qty, Discharges - 01	
			Location, Outlet - a) right side	
329	0516782		Outlet, Rear, 2.50" w/2.50" Plumbing, Thru Tank, PUC, Additional	1
			Qty, Discharges - 01	
			Location, Outlet - b) left side	
330	0752097		Caps/Plugs for 1.00" to 3.00" Discharges/Inlets, Chain	1
331	0563739		Valve, 0.75" Bleeder, Discharges, Swing Handle	1
332	0055095		Not Required, Elbow, Left Side Outlets, 2.50"	1
333	0021134		Not Required, Elbow, Right Side Outlets	1
334	0045091		Elbow, Rear Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH	1
335	0536635		Elbow, Rear Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH, PUC, Additional	1
			Qty, Discharges - 01	
336	0527969		Cap, Large Dia Outlet, 4.00", IPO Elbow	1
337	0766952		Control, Outlets,Elec Right Outlet,Akron 9335 Press Disp,Addt'l Outlets 9335,PUC	2
			Location - two rear 2.5" outlets	
			Qty, Discharges - 02	
338	0608271	SP	Outlet, 3.00" Deluge w/TFT XGA38VL-RL Extend-A-Gun RC3 18" Riser	1
339	0653164		Monitor, TFT Monsoon, Y4-E 1250 GPM, Electric, Panel Control and Wireless	1
			Monitor Finish - Painted by OEM	
340	0054847		Nozzle, TFT Master Stream M-ER, 1250 GPM, Electric	1
341	0075261		Deluge Mount,TFT Hurricane For RC3 Extend-A-Gun Only	1
342	0593538	SP	Crosslays, Low Mount, (2) 1.50", Spcl. Height, W/Poly Trays, PUC	1
343	0598072		Deadlay (1) No Plumbing, Spcl. Capacity, W/Poly Tray, PUC	1
			Capacity, Special Xlay - 200' of 2.5" and sized same as previous units	
344	0533672		Not Required, Hose Restraint, Crosslay, PUC	1
345	0651336		Doors, Crosslay, Smooth Alum, Painted, Forward Hinged on Ends, PUC	1
			Type of fastener - "D" handle latch	
346	0676021		Foam Sys, Husky 3, Single Agent, PUC, Multi Select Feature	1
			Discharge, Foam Locations - Crosslay Lower Front, Crosslay Upper Front, Front Bumper Center, Front of Hose Bed Right Side, Rear Outlet Left Side and Rear Outlet Right Side	
			Discharge, Foam Locations - Crosslay Lower Front, Crosslay Upper Front, Front Bumper Center, Front of Hose Bed Right Side, Rear Outlet Left Side and Rear Outlet Right Side	
347	0012126		Not Required, CAF Compressor	1
348	0592527		Refill, Foam Tank, Integral, Husky 3	1
349	0031896		Demonstration, Foam System, Dealer Provided	1
350	0014135		Foam Cell, 40 Gallon, Reduce Water	1
			Type of Foam - Class "B"	
			Foam, Brand Name - Ansullite 3x3	
351	0697589		Drain, 1.00", Foam Tank #1, Husky 3 Foam System, Quarter Turn	1
352	0091079		Not Required, Foam Tank #2	1
353	0091112		Not Required, Foam Tank #2 Drain	1
354	0515692		Pump Operators Panel, 31", Control Zone, PUC	1
355	0032479		Pump Panel Configuration, Control Zone	1
356	0516975		Material, Pump Panels, Operators Brushed Stainless, Sides Brushed Stainless, PUC	1
357	0516978		Pump and Plumbing Access, Simple Tilt Service, PUC	1
358	0520016		Not Required, Pumphouse Structure, PUC	1
359	0015946		Light, Pump Compt, 2) Lts	1
360	0516983		Gauges, Engine, Included With Pierce Pressure Controller, PUC	1
361	0005601		Throttle Included w/ Pressure Controller	1
362	0549333		Indicators, Engine, Included with Pressure Controller	1
363	0069390		Control, Air Horn At Pump Panel w/Red Button	1
364	0511078		Gauges, 4.00" Master, Class 1, 30"-0-600psi	1

Line	Option	Type	Option Description	Qty
365	0511100		Gauge, 2.00" Pressure, Class 1, 30"-0-400psi	1
366	0517009		Gauge, Water Level, Pierce, In pressure Controller, w/Mini Slave, PUC	1
			Activation, Water Level G - pb) parking brake is applied	
367	0060753		Water Level Gauge, Wln PSTANK, LED 1-Light, 4-Level	2
			Qty, - 02	
			Activation, Water Level G - pb) parking brake is applied	
			Location, Water Level Gauge - Each Side Custom Cab	
368	0517012		Gauge, Foam Level, Pierce, PUC, PP and Mini in Cab	1
			Activation, Foam Level Gauge - parking brake	
369	0695170		Light, Pump Operator & Panel, Side Ctrl, PUC, Dual 6060C Cab & LED OH	1
370	0606694		Air Horns, (2) Hadley, 6" Round, In Bumper	1
371	0606835		Location, Air Horns, Bumper, Each Side, Outside Frame, Outboard (Pos #1 & #7)	1
372	0036061		Control, Air Horn, DS Ft Sw, PS Push Button Engine Tunnel	1
373	0525667		Siren, Wln 295SLSA1, 100 or 200 Watt	1
374	0510206		Location, Elect Siren, Recessed Overhead In Console	1
			Location, Elec Siren - Overhead, Above Eng Tunnel PS	
375	0076157		Control, Elec Siren, Horn Ring	1
376	0601306		Speaker, (1) Wln, SA315P, w/Pierce Polished Stainless Steel Grille, 100 watt	1
			Connection, Speaker - siren head	
377	0601565		Location, Speaker, Frt Bumper, Recessed, Center (Pos 4)	1
378	0016080		Siren, Federal Q2B	1
379	0776836	SP	Location of Siren, Completely Recess Behind Bumper, Round Hole In Bumper Face	1
			Location, Siren, Mech - a) Left	
380	0026170		Control, Mech Siren, DS Foot Sw, PS Push Button	1
381	0022899		Switch, Second Siren Brake, Chrome Push Button	1
			Location, Additional Siren Brake - Officer Dash Area	
382	0757260	SP	Lightbar, Wln, Freedom IV-D, 81", RRRBRBRBRStrBRBRBRBBB	1
			Filter, Whl Freedom Ltbrs - No Filters	
383	0790846		Power Supply, Wln PE215 Traffic Light Controller, Single Strobe Tube	1
			Opticom Priority - b) High	
			Opticom Activation - Cab Switch & E-Master	
			Momentary Opticom Activation - No Activation	
384	0540460		Light, Front Zone, Wln M6*C LED, Clear Lens, 4lts Q Bezel	1
			Color, Lt DS Frnt Outside - DS Front Outside Red	
			Color, Lt PS Frnt Outside - PS Front Outside Red	
			Color, Lt DS Front Inside - b) DS Front Inside Blue	
			Color, Lt PS Front Inside - b) PS Front Inside Blue	
385	0653937		Flasher, Headlight Alternating	1
			Headlt flash deactivation - a)w/high beam	
386	0589749		Lights, Side Zone Lower, Wln M6* LED, Front & Rear Split, Mid Solid 3pr	1
			Location, Lights Mid - Centered over front wheel above shoreline receptacle	
			Location, Lights Rear - Centered above rear wheel	
			Location, Lights Front Side - b)each side bumper	
			Color, Lens, LED's - c)clear	
			Color, Lt Side Middle - Red	
			Color, Lt Side Frnt Split - Blue and Red	
			Color, Lt Side Rear Split - Red and Blue	
387	0540807		Lights, Door Interior Flash, 4 Dr Cab, Wln M4* LED, Colored Lens	1
			Color, Lights, Warning - c) amber	
388	0553356		Lights, Side, Wln M9# LED, Split Color, Clear Lens, 1st	6
			Location, Lights - two each side on the hatch compartment sides, forward light forward of the flood light and the rearward lights rear of the flood lights.	
			One each side cab rear of b pillar upper raised roof area	
			Qty, - 06	
			Control, Light - b) side warning	
			Color, Lt Side Split - Red and Blue	
389	0540783		Lights, Rear Zone Lower, Wln M6*C LED, Clear Lens	1
			Color, Lt DS Rear - b) DS Rear Lt Blue	
			Color, Lt PS Rear - r) PS Rear Lt Red	
390	0636558		Light, Rear Zone Upper, Wln L31H*F LED Beacon	1
			Color, Lens, LED's - c)clear	
			Color, Beacon, DS LED's - Red	
			Color, Beacon, PS LED's - Red	

Line	Option	Type	Option Description	Qty
391	0560719		Light, Rear Zone Up Block, Wln M6* LED, Clear Lens	1
			Location, Lights - Below rear scene lights	
			Flange Kit - w)with flange	
			Control, Light - a) rear upper warning	
			Color,Whln 600 LED - d) am/cl	
392	0590000		No Hose Bed Warn Light Brackets Req'd, Lights Mtd on Hatch/Body Compts, PUC	1
393	0761481		Light Twr, CL SL442D-RT, 12 Volt DC LED, Cld 4lts	1
			Light, Strobe, Lt Tower - n) No Strobe Lt on Light Tower	
			Light, Model LED DC - Whelen PFH2	
			Back Light - Back Light Included	
394	0664472		Location, Light Tower, Crew Cab Roof	1
395	0664794		Controller, Light Tower, Command Light, Wired Handheld	1
396	0664791		Location, Light Tower Controller, Driver's Side Front Body Compartment	1
397	0779722		Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st, Interior Body	1
			Qty, - 01	
			Location 1 - TBD at pre-build	
			AC Power Source - Shoreline	
			Cover, Receptacle - Interior SS Wall Plate(s)	
398	0519934		Not Required, Brand, Hydraulic Tool System	1
399	0007150		Bag of Nuts and Bolts	1
			Qty, Bag Nuts and Bolts - 1	
400	0602516		NFPA Required Loose Equipment, Pumper, NFPA 2016, Provided by Fire Department	1
401	0602407		Soft Suction Hose, Provided by Fire Department, Pumper NFPA 2016 Classification	1
402	0027023		No Strainer Required	1
403	0602538		Extinguisher, Dry Chemical, Pumper NFPA 2016 Class, Provided by Fire Department	1
404	0602360		Extinguisher, 2.5 Gal. Pressurized Water, Pumper NFPA 2016,Provided by Fire Dept	1
405	0602679		Axe, Flathead, Pumper NFPA 2016 Classification, Provided by Fire Department	1
406	0602667		Axe, Pickhead, Pumper NFPA 2016 Classification, Provided by Fire Department	1
407	0559682		Paint, Two Tone, Cab, w/Shield, Custom Cab	1
			Paint Color, Predefined - Yellow 354	
			Paint Color, Upper Area, Predefined - #10 White	
408	0646897		Paint Chassis Frame Assy, E-Coat, Standard	1
			Paint Color, Frame Assembly, Predefined - Standard Black	
409	0693797		No Paint Required, Aluminum Front Wheels	1
410	0693792		No Paint Required, Aluminum Rear Wheels	1
411	0007230		Compartment, Painted, Spatter Gray	1
412	0544111		Reflective Band, 10"	1
			Color, Reflect Band - A - a) white	
413	0510041		Reflective across Cab Face, Imp/Vel	1
414	0593732		Stripe, Chevron, Rear, Diamond Grade, Pumper, PUC	1
			Color, Rear Chevron DG - fluorescent yellow green	
415	0679882		Stripe, Reflective Outline Above & Below Reflective Band	1
416	0545179		Stripe, Diamond Grade, Chevron, Front Bumper	1
			Size, Chevron Striping - 06	
			Color, Chevron DG - Yellow Green, Fluorescent	
			Color, Chevron DG - B - Red	
417	0552453		Stripe, Reflective, Chevron, Cab and Crew Cab Doors Interior, Diamond Grade	1
			Color, Reflect Band - A - p) fluorescent yellow green diamond grade	
			Size, Chevron Striping - 04	
			Color, Reflect Chev - A - r) red diamond grade	
418	0528504		Stripe, Black Vinyl on Paint Break (Cab)	1
419	0027372		Lettering Specifications, (GOLD STAR Process)	1
420	0686428		Lettering, Gold Leaf, 3.00", (41-60)	1
			Outline, Lettering - Outline and Shade	
421	0686013		Lettering, Reflective, 6.00", Each	4
			Qty, Lettering - 04	
			Outline, Lettering - Outline	
422	0685791		Lettering, Sign Gold, 7.00", (21-40)	1
			Outline, Lettering - Outline and Shade	
423	0686042		Lettering, Reflective, 2.00", Each	3
			Qty, Lettering - 03	

Line	Option	Type	Option Description	Qty
423			Outline, Lettering - Outline	
424	0685735	Lettering,	Sign Gold, 12.00", Each	8
			Qty, Lettering - 08	
425	0686002	Lettering,	Outline, Lettering - Outline Reflective, 8.00", Each	4
			Qty, Lettering - 04	
426	0685826	Lettering,	Outline, Lettering - Outline Sign Gold, 2.00", Each	3
			Qty, Lettering - 03	
427	0522815	Emblem,	Outline, Lettering - Outline American Flag, Waving, Gerber Vision, Pair	1
428	0684136	Emblem,	Location, Emblem - Located upper area rear of crew cab doors R/S & L/S Monogram w/Scrolling, Sign Gold, 12"-14", Pair	1
			Qty, - 01	
429	0772003	Manual,	Location, Emblem - Located on cab doors Fire Apparatus Parts, USB Flash Drive, Custom	2
			Qty, - 02	
430	0772037	Manual,	Chassis Service, USB Flash Drive, Custom	2
			Qty, - 02	
431	0772065	Manual,	Chassis Operation, (2) USB Flash Drives, Custom	1
432	0030008	Warranty,	Basic, 1 Year, Apparatus, WA0008	1
433	0611136	Warranty,	Chassis, 3 Year, Velocity/Impel, WA0284	1
434	0696698	Warranty,	Engine, Cummins, 5 Year, WA0181	1
435	0684953	Warranty,	Steering Gear, Sheppard M110, 3 Year WA0201	1
436	0595767	Warranty,	Frame, 50 Year, Velocity/Impel, Dash CF, WA0038	1
437	0595698	Warranty,	Axle, 3 Year, TAK-4, WA0050	1
438	0777368	Warranty,	Axle, 2 Year, Meritor, General Service, WA0328	1
439	0652758	Warranty,	ABS Brake System, 3 Year, Meritor Wabco, WA0232	1
440	0019914	Warranty,	Structure, 10 Year, Custom Cab, WA0012	1
441	0595813	Warranty,	Paint, 10 Year, Cab, Pro-Rate, WA0055	1
442	0524627	Warranty,	Electronics, 5 Year, MUX, WA0014	1
443	0647720	Warranty,	Pierce LED Strip Lights, WA0203	1
444	0046369	Warranty,	5-year EVS Transmission, Standard Custom, WA0187	1
445	0685945	Warranty,	Transmission Cooler, WA0216	1
446	0688798	Warranty,	Water Tank, Lifetime, UPF, Poly Tank, WA0195	1
447	0596025	Warranty,	Structure, 10 Year, Body, WA0009	1
448	0681118	Warranty,	ROM, Roll-up Door, 7 Year, WA0206	1
449	0516693	Warranty,	Pump, Pierce, PUC, 6 Year Parts, 1 Year Labor, WA0039	1
450	0648675	Warranty,	10 Year S/S Pumping, WA0035	1
451	0657990	Warranty,	Foam System, Husky 3, WA0231	1
452	0595820	Warranty,	Paint, 10 Year, Body, Pro-Rate, WA0057	1
453	0595421	Warranty,	Goldstar, 3 Year, Apparatus, WA0018	1
454	0683627	Certification,	Vehicle Stability, CD0156	1
455	0608290	Certification,	Engine Installation, Imp/Vel, Cummins L9, 2017, CD0152/CD0159	1
456	0686786	Certification,	Power Steering, CD0098	1
457	0667418	Certification,	Cab Integrity, Impel FR, CD0009	1
458	0548950	Certification,	Cab Door Durability, Velocity/Impel, CD0001	1
459	0548967	Certification,	Windshield Wiper Durability, Impel/Veloc, CD0005	1
460	0667411	Certification,	Electric Window Durability, Velocity/Impel FR, CD0004	1
461	0549273	Certification,	Seat Belt Anchors and Mounting, Imp/Vel/Vel SLT, CD0018	1
462	0667416	Certification,	Cab Heater and Defroster, Velocity/Impel FR, CD0015	1
463	0667415	Certification,	Cab Air Conditioning Performance, Velocity/Impel FR, CD0016	1
464	0545073	Amp Draw Report,	NFPA Current Edition	1
465	0002758	Amp Draw,	NFPA/ULC Radio Allowance	1
466	0799248	Appleton/Florida BTO		1
467	0000048	PUMPER/TANKER,	3rd Gen	1
468	0000012	PIERCE CHASSIS		1
469	0004713	ENGINE, OTHER		1
470	0046395	EVS 3000 Series TRANSMISSION		1
471	0520324	PIERCE PUMP, PUC		1
472	0020009	POLY TANK		1

Line	Option	Type	Option Description	Qty
473	0028048		FOAM SYSTEM	1
474	0020006		SIDE CONTROL	1
475	0020007		AKRON VALVES	1
476	0020015		ABS SYSTEM	1
477	0658751		PUMPER BASE	1



Proposal Option List

6/11/2019

Customer: City of Goodyear
Representative: McDonald, Ed
Organization: Hughes Fire Equipment, Inc
Requirements Manager:
Description: Goodyear Fire puc wet Lt 188" impel
Body: Pumper, PUC, Aluminum
Chassis: Impel Chassis, PUC, 2010

Bid Number: 595
Job Number:
Number of Units: 1
Bid Date: 05/17/2019
Stock Number:
Price Level: 38 (Current: 38)

Line	Option	Type	Option Description	Qty
1	0766589		Boiler Plates, PUC Pumper Fire Department/Customer - City of Goodyear, Arizona Operating/In conjunction W-Service Center - In Conjunction Miles - 50 Miles Number of Fire Dept/Municipalities - 20 Bidder/Sales Organization - Hughes Fire Equipment Delivery - Delivery representative Dealership/Sales Organization, Service - Hughes Fire Equipment	1
2	0661794		Single Source Compliance	1
3	0584456		Manufacture Location, Appleton, Wisconsin	1
4	0584452		RFP Location: Appleton, Wisconsin	1
5	0588609		Vehicle Destination, US	1
6	0610784		Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions	1
7	0533347		Pumper/Pumper with Aerial Device Fire Apparatus	1
8	0588611		Vehicle Certification, Pumper	1
9	0661778		Agency, Apparatus Certification, Pumper/Tanker, U.L.	1
10	0000114		Inspection Trip(s) Qty, - 03 Fill in Blank - Pre-construction at factory 4 department personnel. Mid point construction 4 department personnel. Final inspection 5 department personnel.	3
11	0536644		Customer Service Website	1
12	0620361		Consortium, GPO	1
13	0537375		Unit of Measure, US Gallons	1
14	0030006		Bid Bond Not Requested	1
15	0540326		Performance Bond, Not Requested	1
16	0000007		Approval Drawing	1
17	0708946		Drawing, Pump Operators Panel, Control Zone	1
18	0002928		Electrical Diagrams	1
19	0597573		Impel Chassis, PUC, 2010	1
20	0021007		Maximum Overall Height Size - 131" (10'11")	1
21	0021009		Overall Length, Target Size - OAL aprox. 396"	1
22	0000110		Wheelbase Wheelbase - Not to exceed 197"	1
23	0000070		GVW Rating GVW rating - 46,500	1
24	0000203		Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF	1
25	0020018		Frame Liner Not Req'd	1
26	0508848		Axle, Front, Oshkosh TAK-4, Non Drive, 19,500 lb, Imp/Vel	1
27	0030264		Suspension, Front TAK-4, 19,500 lb, Qtm/AXT/Imp/Vel/Dash CF/Enf	1
28	0087572		Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf	1
29	0000322		Oil Seals, Front Axle	1
30	0776562		Tires, Front, Michelin, X MultiWay HD XZE, 385/65R22.50, Fire Service Speed Rtng	1
31	0019611		Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot	1
32	0530464		Axle, Rear, Meritor RS24-160, 24,000 lb, Imp/Vel/Dash CF	1
33	0544253		Top Speed of Vehicle, 68 MPH	1
34	0122076		Suspen, Rear, Standens, Spring, 24,000 lb, Imp/Vel/Dash CF	1
35	0000500		Shock Absorbers on Rear Axle	1

Line	Option	Type	Option Description	Qty
36	0000485		Oil Seals, Rear Axle	1
37	0061149		Tires, Rear, Michelin, XDN2, 11R22.50, 16 ply, Single	1
38	0019625		Wheels, Rear, Alcoa, 22.50" x 8.25", Aluminum, Hub Pilot, Single	1
39	0568081		Tire Balancing, Counteract Beads	1
40	0602747		No Tire Pressure Indicator, Fire Department Omits, Non-NFPA 2016 Compliant	1
41	0003245		Axle Hub Covers w/center hole, S/S, Front Axle	1
42	0001960		Axle Hub Covers, Rear, S/S, High Hat (Pair)	1
43	0052332		Covers, Lug Nut, Stainless Steel	1
44	0002045		Mud Flaps, w/logo front & rear	1
45	0011930		Tire, "Crossfire" Air Pressure Equalization	1
46	0544802		Chocks, Wheel, SAC-44-E, Folding	1
			Qty, Pair - 01	
47	0544806		Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal	1
			Qty, Pair - 01	
			Location, Wheel Chocks - Left Side Rear Compt	
48	0593760		ESC/ABS/ATC Wabco Brake System, Single Rear Axle, 2010	1
49	0030185		Brakes, Knorr/Bendix 17", Disc, Front, TAK-4	1
50	0000730		Brakes, Meritor, Cam, Rear, 16.50 x 7.00"	1
51	0020784		Air Compressor, Brake, Cummins/Wabco 18.7 CFM	1
52	0000785		Brake Reservoirs, Three	1
53	0568012		Air Dryer, Wabco System Saver 1200, Heater, 2010	1
54	0000790		Brake Lines, Nylon	1
55	0000854		Air Inlet, w/Disconnect Coupling	1
			Location, Air Coupling(s) - b) DS Seat Riser	
			Qty, Air Coupling (s) - 1	
56	0643363		Outlet, Air, with Shut Off Valve, Location	1
			Location - Front bumper under cover Passenger side outside frame in recessed box. Match job #32989	
			Qty, Air Coupling (s) - 1	
57	0000845		Air Tank, Additional for Extra Capacity	1
58	0615609		Fittings, Compression Type, Brake System, Single Rear Axle	1
59	0795323		Engine, Cummins L9, 450 hp, 1250 lb-ft, W/OBD, EPA 2017, REPTO, Imp/Vel	1
60	0001244		High Idle w/Electronic Engine, Custom	1
61	0001236		Not Required, Auxiliary Brake, Alt. Aux. Brake Selected	1
62	0552334		Clutch, Fan, Air Actuated, Horton Drive Master	1
63	0123135		Air Intake, w/Ember separator, Imp/Vel	1
64	0755580	SP	Exhaust System, 4", 2017 L9 Engine, Horizontal, Right / Left Side	1
65	0787999		Radiator, Impel/Velocify	1
66	0616439		Cooling Hoses, Gates Silicone	1
67	0041125		Fuel Tank, 65 Gallon, Dual Fills	1
68	0001128		Lines, Fuel, Wire Braided, Reusable Fittings	1
69	0758657		DEF Tank, 8.0 Gallon, LS Fill, Rear of Rear Axle, Common Door	1
			Door, Material & Finish, DEF Tank - Brushed Stainless	
70	0552793		Not Required, Fuel Priming Pump	1
71	0582243		Shutoff Valves, Fuel Line @ Primary Filter, Cummins	1
72	0553019		Cooler, Engine Fuel, Imp/Vel, AXT/Qtm/Sab/DCF/SFR/Enf	1
73	0638739		Gauge, DEF, Remote Mounted for Chassis DEF, Location	1
			Location - DEF gauge mounted in the fill area just above the tank	
74	0535727		Label, "Ultra Low Sulfur Diesel Fuel Only", Yellow w/Black Letters, IPOS	1
			Location - Fuel door inside	
75	0663938		Label, "DEF Fluid Only", Mounted On Inside Of DEF Fill Door	1
76	0645743		Fuel/Water Separator, Racor 690R1210, 10 Micron, Heater, IATS, ISL9	1
77	0642576		Trans, Allison 5th Gen, 3000 EVS PR, Imp/Vel/Dash CF	1
			Trans. retarder capacity - b. medium/1300, 3000 EVS	
			Trans. retarder control - l) Auto 1/3, 2/3, 3/3	
78	0081477		Transmission, Shifter, 5-Spd, Push Button w/4+1mod	1
			Trans, ratio - 3000 EVS, 5Spd	
79	0517604		Transmission Programming, Park to Neutral, PUC	1
80	0797408		Transmission Oil Cooler, Modine, External, w/Modine External Sump	1
81	0683847		Fluid, 3000 Series Transmission, TES-295 TranSynd synthetic, IPOS, Custom	1
82	0001370		Driveline, Spicer 1710	1
83	0669988		Steering, Sheppard M110 w/Tilt, TAK-4, Eaton Pump, w/Cooler	1

Line	Option	Type	Option Description	Qty
84	0001544		Not Required, Steering Assist Cylinder on Front Axle	1
85	0621843		Steering Wheel, 4 Spoke without Controls, Impel	1
86	0690274		Logo/Emblem, on Dash	1
			Text, Row (1) One - CITY	
			Text, Row (2) Two - OF	
			Text, Row (3) Three - GOODYEAR	
87	0600986		Bumper, 26" Extended, Under Slung, Painted, Xlays/Trays, 12" H, Imp/Vel	1
88	0510226		Lift & Tow Package, Imp/Vel, AXT, Dash CF	1
89	0002270		Tow Hooks, Chrome	1
90	0640235		Tray, Full Width, 26" Bumper, Under Slung Design, 12" H Bumper, Imp/Vel	1
			Capacity, Hose Tray - Will be for storage of Hurst E-Draulics Tools	
			Grating, Bumper extension - Grating, Rubber	
91	0629413		Cover, 8.5" Raised Alum Treadplate, Full Width Tray, Under Slung Bumper	1
			Type of fastener - D ring latch on each side	
			Stay arm, Tray Cover - c) Pneumatic Stay Arm, Dual	
92	0765447	SP	Lights, Amdor, AY-LB-12HW040, 40" LED, Front Bumper Cover	1
93	0630300		Coating, Top Flange, Front Bumper, Outside Exterior, Pierce Polyurea, Black	1
94	0656888		Coating, Protective Line-X Coating, Front Bumper Tray, Inside	2
			Location - Interior of full width under slung bumper tool tray and underside of lid	
			Qty, - 02	
			Fill in Blank - Line-X coating interior of full length front bumper tool tray and under full width bumper cover.	
95	0668316		Cab, Impel FR, 7010 Raised Roof, PUC	1
96	0668309		Engine Tunnel, ISL and DD13, Impel/Velocity FR	1
97	0677474		Rear Wall, Exterior, Cab, Painted, Full Coverage	1
98	0122466		Cab Lift, Elec/Hyd, w/Manual Override, Imp/Vel	1
99	0123176		Grille, Bright Finished, Front of Cab, Impel/Velocity	1
100	0002224		Scuffplates, S/S At Cab Door Jambs, 4-Door Cab	1
			Material Trim/Scuffplate - c) S/S, Polished	
101	0646179		Trim, S/S, Rect Headlights, VEL/IMP	1
			Material Trim/Scuffplate - b) S/S, Brushed	
			Turnsignal Covers - No Covers	
102	0015440		No Chrome Molding, On side of cab	1
103	0631222		Mirrors, Ramco, 6001FFHR-750HR, Htd/Rmt, w/Bolt-on Htd/Rmt Convex, Cab Mnt, Vel	1
104	0680149		Riser, Ramco Mirror, 6.00", Pair	1
105	0667942		Door, Half-Height, Impel FR 4-Door Cab, Raised Roof	1
			Key Model, Cab Doors - 751	
106	0655511		Door Panel, Brushed Stainless Steel, Impel/Velocity 4-Door Cab	1
107	0667905		Storage Pockets w/ Elastic Cover, Recessed, Impel/Velocity FR	1
108	0667902		Controls, Electric Windows, All Cab Doors, Impel/Velocity FR	1
109	0648591		Steps, 4-Door Cab, Power, Punched Tread Step Surface, Imp/Vel	1
110	0770194		Handrail, Exterior, Knurled, Alum, 4-Door Cab	1
111	0629726		Lights, Cab & Crew Cab Power Access Steps, P25, LED, 8Lts, 4-Door Cab	1
112	0002140		Fenders, S/S on Cab	1
113	0603144		Window, Side of C/C, Fixed, Impel	1
114	0552941		Not Required, Trim, Cab Side Windows, Impel	1
115	0012090		Not Required, Windows, Front/Side of raised roof	1
116	0509286		Not Required, Windows Rear of Crew Cab, Imp/Vel	1
117	0558334		Not Required, Trim, Cab Rear Windows, No Rear Windows	1
118	0618686		Fasteners, Mechanical, Insulation, Eng Tunnel and Cab and Crew Floor	1
119	0097671		Enclosure Around Light Tower on Cab Roof, Painted, Angled Front	1
120	0629791	SP	Raceway, (2), Mounting (5) Antennas Each, 82" Long, Cab Roof	1
			Location - L/S R/S raised roof area	
121	0553057		Holder, Cup, Cab/Crewcab, Each	6
			Qty, - 06	
122	0606278		Tray, Equipment Mounting, Aluminum, Lip, Size	4
			Location - one each side rear of crew cab doors corner one each side engine tunnel driver and officer reach	
			Qty, - 04	
			Size - 10" x 15"	
			Material Finish, Cab Interior - Painted	

Line	Option	Type	Option Description	Qty
122			Lip - 3.00"	
123	0622531		Mounting Provisions, 3/16" Alum, Full Engine Tunnel, Color, Vel/Imp	1
			Color, Cab Interior Paint - b) black	
			Mounting Provision Spacing - .75"	
124	0658283		Tray, Slideout, S/S, No Sides, MDT Bracket, Officer	1
125	0796859		Cab Interior, Vinyl, Painted Walls, Imp/Vel FR, CARE	1
			Color, Cab Interior Vinyl/Fabric - a) Silver/Gray	
			Cab Interior Rear Wall Material - Painted Aluminum	
126	0667943		Cab Interior, Paint Color, Impel/Veloccity FR	1
			Color, Cab Interior Paint - b) black	
127	0509532		Floor, Rubber Padded Cab & Crew Cab, Imp/Vel, Dash CF	1
128	0667936		Heater/defroster, Dual Zone Control, Impel/Veloccity FR	1
129	0603346		Air Conditioning, Dual Zone Control, Hinge Acc Panel, Impel/Veloccity FR	1
			Paint Color, A/C Condenser - Painted by OEM	
130	0760873		HEPA Filter, A/C, Coleman-Mach 8 Roughneck, CARE	1
131	0770956		HEPA Filter, Air-Conditioning/Defroster, Impel/Veloccity, CARE	1
132	0789101		Air Conditioning, Coleman-Mach 8, Roughneck, 120V, 15K Cool Only, Cab Roof, White	1
			Thermostat - Coleman ceiling unit	
			AC Power Source - Shoreline	
133	0639675		Sun Visor, Smoked Lexan, AXT, Dash CF, Imp/Vel, Saber FR/Enforcer	1
			Sun Visor Retention - Thumb Latch	
134	0548173		Grab Handles, Driver and Passenger Door Post, Imp/Vel	1
135	0002526		Light, Engine Compt, All Custom Chassis	1
136	0122516		Fluid Check Access, Imp/Vel	1
137	0751543	SP	Box, Storage, Aluminum, 10" W x 5" D x 5" H, Hinged Side, Latex Gloves	4
			Location - One each side rear of crew cab door One each side engine tunnel plate Passenger and driver	
			Qty, - 04	
138	0583042		Side Roll and Frontal Impact Protection	1
139	0622617		Seating Capacity, 6 Seats	1
140	0697005		Seat, Driver, Pierce PS6, Premium, Air Ride, High Back, Safety	1
141	0696996		Seat, Officer, Pierce PS6, Premium, Air Ride, High Back, Safety	1
142	0510038		Radio Compartment, Behind Officer Seat, Imp/Vel	1
143	0122182		Seat, Rear Facing C/C, DS Outboard, Pierce PS6, Premium, Hi-Back, Safety	1
144	0102783		Not Required, Seat, Rr Facing C/C, Center	1
145	0122185		Seat, Rear Facing C/C, PS Outboard, Pierce PS6, Premium, Hi-Back, Safety	1
146	0762639	SP	Cabinet, Forward Facing, LS, 21 W x 54 H x 14 D, Roll, Vents, Imp/Vel	1
			Material Finish, Shelf - Painted - Cab Interior	
			Shelf/Tray, Cabinet - (0) None	
			Door, Cab Interior Cabinet - Rollup, ROM Series IV, Anodized, Non-Locking	
			Light, Tall Cabinet - Pierce, Interior, Left Side	
147	0122742		Seat, Forward Facing C/C, Center, (2) Pierce PS6, Premium, Hi-Back, Safety	1
148	0762637	SP	Cabinet, Forward Facing, RS, 21 W x 54 H x 14 D, Roll, Vents, Imp/Vel	1
			Material Finish, Shelf - Painted - Cab Interior	
			Shelf/Tray, Cabinet - (0) None	
			Door, Cab Interior Cabinet - Rollup, ROM Series IV, Anodized, Non-Locking	
			Light, Tall Cabinet - Pierce, Interior, Right Side	
			Louvers, Cabinet - Louvers, Left Side	
149	0766467		Upholstery, Seats In Cab, All Endure Vinyl, CARE	6
			Color, Cab Interior Vinyl/Fabric - c) Black	
			Qty, - 06	
150	0511471		No SCBA Brackets Required In Cab Seats, Imp/Vel, AXT 2010, Qtm 2010, Dash CF	1
151	0603867		Seat Belt, ReadyReach	1
			Seat Belt Color - Red	
152	0604863		Seat Belt Height Adjustment, 6 Seats, Imp/Vel, Dash CF	1
153	0627014		Pick Not Required, Seat Belt Color Selected in Seat Belt Option 627339	1
154	0602464		Helmet Storage, Provided by Fire Department, NFPA 2016	1
155	0647638		Lights, Dome, Weldon Dual LED 4 Lts	1
			Color, Dome Lt - Red & White	
			Color, Dome Lt Bzl - Black	

Line	Option	Type	Option Description	Qty
155			Control, Dome Lt White - Door Switches and Lens Switch	
			Control, Dome Lt Color - Lens Switch	
156	0650184		Lights, Dome, Weldon, Dual LED	2
			Location - Above front facing center crew cab seats	
			Qty, - 02	
			Color, Dome Lt - Red & White	
			Color, Dome Lt Bzl - Black	
			Control, Dome Lt White - Match Crew Cab Switch	
			Control, Dome Lt Color - Match Crew Cab Switch	
157	0631776		Not Required, Overhead Map Lights	1
158	0628471		Light, Map, Overhead, Peterson M371S LED, Rectangula w/Switch	1
			Location - over officer seat.	
			Qty, - 01	
			12vdc power from - Battery switched	
159	0650394		Spotlight, Golight Stryker, Model 30**4, LED, 1 Lt	1
			Location - Center of cab behind light bar on z bracket	
			Color, GoLt - White	
			Bracket, Spotlight - Z Bracket - 1 Lt	
160	0650061		Controller, Spotlight, Golight Stryker, Wired Dash Mount, 1 Lt	1
161	0649965		Location, Spotlight Controller, Driver's Side	1
162	0602637		Portable Hand Light, Provided by Fire Dept, Pumper NFPA 2016 Classification	1
163	0594554		Cab Instruments, Blk Gags, Blk Bez, Impel 2010	1
164	0509511		Air Restriction Indicator, Imp/Vel, AXT, Dash CF, Enf MUX	1
165	0543751		Light, Do Not Move Apparatus	1
			Alarm, Do Not Move Truck - Pulsing Alarm	
166	0509042		Messages, Open Door/Do Not Move Truck, MUX w/Color Display	1
167	0611681		Switching, Cab, Membrane, Impel/Velocity/Quantum, Dash CF, AXT WiFi MUX	1
			Location, Emerg Sw Pnl's - Driver's Side Overhead	
168	0555915		Wiper Control, 2-Speed with Intermittent, MUX, Impel/Velocity	1
169	0548004		Wiring, Spare, 15 A 12V DC 1st	3
			Qty, - 03	
			12vdc power from - Battery direct	
			Wire termination - Butt Splice	
			Location, Spare Wiring - Officer Dash, Rear Wall, Crew Cab - DS and	
			Rear Wall, Crew Cab - PS	
170	0610968		Wiring, Spare, 2.0 A 12V DC, USB Termination Blue Sea 1016 1st	4
			Qty, - 04	
			12vdc power from - Battery direct	
			Location - One each side of engine tunnel rear corners. One each side of	
			crew cab forward facing seats. Match job #32989	
171	0548009		Wiring, Spare, 20 A 12V DC 1st	1
			Qty, - 01	
			12vdc power from - Battery direct	
			Wire termination - 10-Place Bus Bar w/Cover	
			Location, Spare Wiring - Engine Tunnel - Driver's Side	
172	0548006		Wiring, Spare, 15 A 12V DC 2nd	4
			Qty, - 04	
			12vdc power from - Battery direct	
			Wire termination - Butt Splice	
			Location - 1 in RS1 1 in LS5 1 in RS4 1 in RS6	
173	0548013		Wiring, Spare, 20 A 12V DC 2nd	1
			Qty, - 01	
			12vdc power from - Battery direct	
			Wire termination - Butt Splice	
			Location - RS4	
174	0548007		Wiring, Spare, 15 A 12V DC 3rd	4
			Qty, - 04	
			12vdc power from - Battery direct	
			Wire termination - 15 amp power point plug	
			Location - Driver Dash Panel 12, Officer Dash Panel 9, one RS FF CC	
			seat in same housing as USB, one LS FF CC seat in same housing as USB..	
175	0547347		Wiring, Spare, 30 A 12V DC, Switch Feature 1st	1
			Qty, - 01	
			12vdc power from - Battery direct	

Line	Option	Type	Option Description	Qty
175			Wire termination - Butt Splice Location - RS1 Switch, Lt Control 1 DC - ds) DS Switch Panel Switch, Lt Control 2 DC - n) No Control	
176	0602586		Wiring, Spare, 2.0 A 12V DC, USB Termination Blue Sea 1016 2nd Qty, - 02 12vdc power from - Battery direct Location - Driver dash panel 12, Officer side dash panel 9	2
177	0566101		Recess, Dash Panel, Officer Side, Vel/Imp	1
178	0643196		Radio, AM/FM/CD/WB, Jensen, Front Aux In / USB / Bluetooth Speakers, AM/FM Radio - Two (2) pairs of speakers, Cab/Crew Antenna, AM/FM Radio - b) Side-mounted antenna on PS Location, AM/FM Radio - b) within reach of the officer	1
179	0615214		Vehicle Information Center, LCD On Gauge Cluster w/7" Color Disp, Touchscreen, Imp Location, CZ Display - DS Instrument Panel, Impel Camera System System Of Measurement - US Customary	1
180	0606247		Vehicle Data Recorder w/CZ Display Seat Belt Monitor	1
181	0650855		Intercom, David Clark, 6-Pos, 2-Radio, (D,O,RPTT), 4C Location - Passenger side push to talk in housing with CZ screen Driver side location 12 match job #32989 Location, Intercom, C Cab - 4) 2 outside & dual center station (Dave C/Setcom)	1
182	0637058		David Clark Universal Radio Interfaces Included with Single/Dual System Location, Radio Interface - Officers side RS overhead	1
183	0589947		Headset, David Clark, H3432 Over The Head, Flex Mic, Push On Push Off Qty, - 06 Location - One at each seating position	6
184	0699116		Camera, Zone Defense, Driver Mux, Multiple Cameras Camera System Audio - Speaker Near Drivers Knee (VEL/IMP/Dash CF ONLY) Location, Camera, Zone Defense - Three (3), Rear, Right and Left Side Cab	1
185	0615106		Pierce Command Zone, Advanced Electronics & Control System, Impel, WiFi	1
186	0624255		Electrical System, Impel	1
187	0098841		Batteries, (6) Deka Grp 31, 1000 CCA each, Threaded Stud	1
188	0008621		Battery System, Single Start, All Custom Chassis	1
189	0123174		Battery Compartment, Imp/Vel	1
190	0531338		Charger, Sngl Sys, Kussmaul, Pump Plus 1200, 52-21-1100	1
191	0012781		Location, Charger/Compr, Front left body compt	1
192	0531403		Location, Bat Chrg Ind, Driver's Seat with Bracket	1
193	0507624		Shoreline, 30A 120V, Kussmaul Auto Eject, 091-159-30-120, Super Qty, - 01 Color, Kussmaul Cover - d) yellow Connection, Shoreline - Sub panel	1
194	0026800		Shoreline Location Location, Shoreline(s) - DS Cab Side	1
195	0036802		Sub Feed Breaker Box Cutler Hammer, For Shoreline Location, CB Panel - Front wall of LS6 near charger and compressor. Locate the charger and compressor as high as possible and the breaker panel right below those items.	1
196	0647728		Alternator, 430 amp, Delco Remy 55SI	1
197	0092582		Load Manager/Sequencer, MUX Enable/Disable Hi-Idle - e) High Idle enable	1
198	0783153		Headlights, Rect LED, JW Spkr Evo 2, AXT/DCF/Enf/Imp/Sab/Vel Color, Headlight Bez - Chrome Bezel	1
199	0648425		Light, Directional, WIn 600 Cmb, Cab Crn, Imp/Vel/AXT/Qtm/DCF Color, Lens, LED's - m) match LED's	1
200	0620054		Light, Directional/Marker, Intermediate, Weldon 9186-8580-29 LED 2lts	1
201	0088869		Lights, Clearance/Marker/ID, Rear, Truck-Lite 26250R LED 7Lts	1
202	0648074		Lights, Clearance/Marker/ID, Front, P25 LED 7 Lts	1
203	0517025		Lights, Tail, Wrap-around, Stop/Tail, Turn & Backup LED, Tri-Cluster	1
204	0085910		Lights, Backup Included in Signal Cluster	1

Line	Option	Type	Option Description	Qty
205	0664481		Bracket, License Plate & Light, P25 LED	1
206	0589905		Alarm, Back-up Warning, PRECO 1040	1
207	0768459		Lights, Perimeter Cab, Amdor AY-LB-12HW012 LED 4Dr, Pwr Step, Vel/Imp	1
			Z location -	
208	0769572		Lights, Perimeter Pump House, Amdor AY-LB-12HW020 LED 2lts	1
209	0769560		Lights, Perimeter Body, Amdor AY-LB-12HW012 LED 2lts, Rear Step	1
			Control, Perimeter Lts - Parking Brake Applied	
210	0769570		Lights, Perimeter, Amdor AY-LB-12HW020 20" LED, Brkt	2
			Qty, Lights - 02	
			Location, Additional Perimeter Lights - Each Side Under Front Bumper,	
			2lts	
211	0769567		Lights, Perimeter, Amdor AY-LB-12HW012 12" LED, Brkt	4
			Qty, Lights - 04	
			Location, Additional Perimeter Lights - Under Compt D1, 1lt, Under	
			Compt D3, 1lt, Under Compt P1, 1lt and Under Compt P3, 1lt	
212	0556337		Lights, Step, P25 LED at Rear Tailboard, 2lts Perm Lts	1
213	0581784		Lights, Side Scene, Wln 9SC0ENZR LED, 2nd	2
			Location, Lights - LS cab in 10" raised roof section behind B pillar LS	
			upper area rearward of body forward of warning light	
			Qty, - 02	
			Switch, Lt Control 1 DC,1 - a) DS Switch Panel	
			Switch, Lt Control 2 DC,2 - f) Pump Operator's Panel	
			Switch, Lt Control 3 DC,3 - d) No Control	
			Switch, Lt Control 4 DC,4 - d) No Control	
214	0582055		Lights, Side Scene, Wln 9SC0ENZR LED, 1st	2
			Location, Lights - RS cab in 10" raised roof section behind B pillar RS	
			upper area rearward of body forward of warning light	
			Qty, - 02	
			Switch, Lt Control 1 DC,1 - a) DS Switch Panel	
			Switch, Lt Control 2 DC,2 - f) Pump Operator's Panel	
			Switch, Lt Control 3 DC,3 - d) No Control	
			Switch, Lt Control 4 DC,4 - d) No Control	
215	0709438		Light, Walking Surf, FRP Flood, LED	1
216	0532358		Not Required, Deck Lights, Other Hose Bed & Rear Lighting	1
217	0609538		Lights, Hose Bed, Below Aluminum Cover, Dual LED Light Strips	1
			Control, Hose Bed Lts - Auto Cover Sw	
218	0768506		Light, Below Alum Hose Bed Cover, Amdor AY-LB-12HW040, 40" LED	1
			Location - Below leading edge of wind deflector	
			Qty, - 01	
			Control, Hose Bed Lts - With Other Hosebed Lts	
219	0645677		Lights, Not Required, Rear Work, Alt. 12 Volt Lights At Rear Body	1
220	0645707		Lights, Rear Scene, Wln, 70C0ELZR LED, Semi-Recess Mounted, 1st	2
			Location, Lights - Upper rear body RS and LS.	
			Qty, - 02	
			Control, Rear Scene Lts - Cab Switch Panel DS and Pump Panel DS	
221	0518282		Pumper, PUC, Aluminum	1
222	0554271		Body Skirt Height, 20"	1
223	0519696		Tank, Water, 500 Gallon, Poly, Rectangle, Form Fitting, PUC	1
224	0003405		Overflow, 4.00" Water Tank, Poly	1
225	0028104		Foam Cell Required	1
226	0633066		Sleeve, Through Tank	2
			Qty, Sleeve - 2	
			Water Tank Sleeve - Plumbing/Hydraulic Diameter - 3" Plumbing	
227	0553729		Not Required, Restraint, Water Tank, Heavy Duty	1
228	0003429		Not Required, Direct Tank Fill	1
229	0003424		Not Required, Dump Valve	1
230	0048710		Not Required, Jet Assist	1
231	0030007		Not Required, Dump Valve Chute	1
232	0514778		Not Required, Switch, Tank Dump Master	1
233	0675687	SP	Body Modification, Delete Forward Body Lighthouse Notches, PUC	1
234	0597043		Body Height, PUC	1
			Body Height - 95.00"	
235	0199241		Hose Bed, Aluminum, Pumper, PUC	1

Line	Option	Type	Option Description	Qty
236	0003481		Hose Bed Capacity, Special	1
			Capacity, Hosebed - 200' of 2.5", 200' of 2.5", 850' of 5"	
237	0003488		Divider, Hose Bed, Unpainted	2
			Qty, Hosebed Dividers - 2	
238	0054784		Cover, Hose Bed, Alum Treadplate, T-Bar, Electric Actuated	1
239	0769067	SP	Cover/Platform, Front of Hose Bed, Single Pan, Aluminum Treadplate	1
			Hinge, Location - Forward	
240	0525658		Running Boards, PUC	1
241	0683043		Tailboard, 12" Deep, Full Width, Angled Corners, PUC	1
242	0690029		Wall, Rear, Body Material, PUC, PUC Tanker, PRM	1
243	0003531		Tow Bar, Under Tailboard	1
244	0656764		Construction, Compt, Alum, Pumper, PUC	1
245	0503804		LS 189" Rollup, (1) 62" Fwd, (1) 52" Rr, Full Height & Depth Front & Rear, PUC	1
246	0503803		RS 189" Rollup, (1) 62" Fwd, (1) 52" Rr, Full Height & Depth Front & Rear, PUC	1
247	0796649		Doors, Rollup, ROM Series IV, Side Compartments	6
			Qty, Door Accessory - 06	
			Color, Roll-up Door - ROM Series IV Painted to Match Lower Body	
			Latch, Roll-up Door - Non-Locking Liftbar	
248	0599445		Compt, Rear, Rollup, 33.50" FF, w/Tailboard, PUC	1
249	0791761		Door, ROM Series IV, Rollup, Rear Compartment, PUC	1
			Color, Roll-up Door - ROM Series IV Painted to Match Lower Body	
			Latch, Roll-up Door - Non-Locking Liftbar	
250	0547302		Scuffplate, Rear Bulkhead, Rear of Hatch Compt, Alum 4-way, Each	1
			Location - passenger side, rear of hatch compartment to match the driver side step area	
			Qty, Scuffplates - 01	
251	0633499	SP	Guard, Drip Pan, Rollup Door, w/ Drain Hose	7
			Location - Drain located toward the rear of the truck in all side compartment drain pans. Rear compartment toward the right side.	
			Qty, - 07	
252	0003918		Pull Strap, Door	6
			Qty, Door Accessory - 06	
			Location, Door Pull Strap - LS1, LS2, LS3, RS1, RS2 and RS3	
253	0632836		Trim, Rollup Door, Painted Job Color, ROM	7
			Qty, - 07	
254	0689549		Lights, Compt, Pierce LED, Dual Light Strips, Each Side of Door	7
			Location - all compartments	
			Qty, - 07	
255	0669006		Lights, Compt, Amdor, AY-9220-10, LED, 10.22", Additional	4
			Location, Lights - In the crosslay compartment, one (1) each side above the 1.75" crosslays on inside of horizontal structure member and one (1) on each side above the 2.5" deadlay storage on horizontal structure member forward of back board storage	
			Qty, - 04	
256	0515679		189" Hatch, (2) Lift-up, 21" Wide, Both Sides, PUC	1
			Size, Hatch Compt, Height - 22.00"	
257	0688124		Lights, Hatch Compt, LED Strip Light, 189", Both Sides	1
258	0687145		Shelf Tracks, Recessed, PUC/3rd Generation	1
259	0600350		Shelves, Adj, 500 lb Capacity, Full Width/Depth, Predefined Locations	6
			Qty, Shelf - 06	
			Material Finish, Shelf - Painted - Spatter Gray	
			Location, Shelves/Trays, Predefined - RS1-Lower Third Left of Partition, RS1-Upper Third Left of Partition, RS3-Lower Third Left of Partition, RS3-Upper Third Left of Partition, LS3-Upper Third Right of Partition and LS3-Lower Third Right of Partition	
260	0709690		Tray, 250 lb Slide-out, 2" Sides - Adj. Height, Predefined Locations	3
			Qty, Tray (slide-out) - 03	
			Location, Shelves/Trays, Predefined - RS3-Lower Third, LS3-Centered and LS3-Lower Third	
			Material Finish, Tray - Painted - Spatter Gray	
261	0647772		Tray, Floor Mounted, Slide-Out, 500lb, 2.00" Sides, 3G	3
			Qty, - 03	
			location - ,LS3,RS3,RS1	
			Material - paint to match compt interior	

Line	Option	Type	Option Description	Qty
262	0663097		Toolboard, Slide-out, Pac Trac, 3G location - R/S 3 spaced evenly rear of extinguisher compartment Qty - 2	2
263	0581785	SP	Toolboard, Adj, Alum, Pac Trac, Added to Slide-Out Tray Finish - Painted, Compt Interior, Spatter Gray location - L/S 3, R/S 3 Qty - 2	2
264	0595085		Toolboard, Swing-out, Alum, .188", Pac Trac location - LS2 ahead of partition Qty - 1 Location, Pivot - Front Mounting, Toolboard - Adjustable Frt-back	1
265	0028026		Matting, Turtle Tile, Compt Shelving only Location - all shelves and trays Qty, Shelf - 10 Color - 1) black	10
266	0659383		Matting, Turtle Tile w/Ramp, Compt Floors Location - D2, forward portion in front of the pump panel of D3, P2, and R1 Qty, Comp. Accessory - 04 Color - 1) black Color, Tile Edge - black	4
267	0600281		Partition, Vertical Compartment, Predefined Locations Qty, Partition - 01 Location, Partition/Toolboard, Predefined - LS2- 40.00" From Forward Door Frame Material Finish, Partition - Painted - Spatter Gray	1
268	0063064		Rub Rail, Aluminum Extruded, Side of Body, 3rd Gen Body	1
269	0515441		Fender Crowns, Rear, S/S, W/Removable Fender Liner, Pumper, 3rd Gen Material Finish, Fender Liner - Brushed Stainless	1
270	0519849		Not Required, Hose, Hard Suction	1
271	0527021		Handrails Located @ Front Body	1
272	0664688		Handrails, Rear, PUC	1
273	0000941		No Rear Hose Bed Handrail Required	1
274	0505105		Handle, Grab, Chrome, Each Location, Handrails - Center of front bumper cover Qty, Handrails - 01	1
275	0657522		Compt, Air Bottle, Triple, Fender Panel Qty, Air Bottle Comp - 2 Door Finish, Fender Compt - Painted Location, Fender Compt - Triple - LS Rear and Triple - RS Fwd Latch, Air Bottle Compt - Flush Lift & Turn Insert, Air Bottle Compt - Dura-Surf Lining	2
276	0004225		Ladder, 24' Duo-Safety 900A 2-Section	1
277	0004230		Ladder, 14' Duo-Safety 775A Roof	1
278	0693729		Rack, Ladders, Hydraulic, Right Side, Air Clamps, Manual Override, PUC Door, Material & Finish, Storage - 3/16 Smooth Aluminum Ladder Rack Lock Enclosure/Light Mounting Bracket - RS Front & Rear S/S Enclosures	1
279	0756375		Lights, Hyd Lad Rack Deployed, Truck-Lite 15**** Color, Light - Red Flashing Color, Lens, LED's - Clear Trim, T-L 15 - Chrome	1
280	0014245		Ladder, 10' Duo-Safety Folding 585A, w/Mounting Location, Folding Ladder - Hydraulic Rack - Outboard	1
281	0024499		Arm, Rear, Offset, Hydraulic Rack 2000, Recess Light	1
282	0602877		Pike Pole, Pumper, Provided by Fire Department, NFPA 2016 Pike Pole Make/Model - Akron 10' Pike Pole	1
283	0602875		Pike Pole, 6', Pumper, Provided by Fire Department, NFPA 2016 Pike Pole Make/Model - Akron 6' Pike Pole	1
284	0004361		Tubes, Alum, Pike Pole Storage Qty, Pike Pole Tubes - 04 Location, Pike Pole Tube - Hyd Ladder Rack	4


Line	Option	Type	Option Description	Qty
285	0688768		Steps, Folding, Front of Body, One Each Side, w/LED, Trident, PUC	1
			Coating, Step - luminescent	
286	0759144		Ladder, Top Access, Alum, Rear, PUC, Opposite Ladder Storage, Tied to DNM	1
			Light	
287	0592990		Step, Folding - Extra, Body Only, Luminescent w/LED, Trident	1
			Qty, Folding Step - 01	
			Location, Additional Step - one (1) at rear on PS rear body bulkhead 8.5" up from the bottom of the body and 1" clear of the drop down door/step of R1	
288	0558177		Step, Full Width, Rear Of Body, 12", Below Hose Bed, PUC	1
289	0586899		Step, Cargo Area, Ea.	1
			Qty, - 01	
			Fill in Blank - rear cargo area	
290	0515695		Pump, Pierce, 1500 GPM, Single Stage, PUC	1
291	0515822		Seal, Mechanical, Silicon Carbide, PUC Pump	1
292	0515705		Gear Case, Pierce Pump, REPTO-Clutch Drive	1
293	0521309		Pumping Mode, Pump and Roll/Stationary, Basic, PUC	1
294	0515829		Pump Shift, Sure-Shift	1
295	0515833		Transmission Lock-up, Not Req'd, Park to Neutral, Pump, PUC	1
296	0515835		Auxiliary Cooling System, PUC	1
297	0014486		Not Required, Transfer Valve, Stage Pump	1
298	0777650		Valve, Relief Intake, Akron, w/Pressure Features	1
			Pressure Setting - 125 psig	
299	0515838		Controller, Pressure, Pierce, PUC	1
300	0072153		Primer, Trident, Air Prime, Air Operated	1
301	0044552		Line, 0.50" Recirculating w/Check Valve	1
302	0658266		Thermal Relief Valve, w/Amber Warning Light and Alarm, PUC Pump	1
			Location, Thermal Relief Discharge - Ground	
303	0780359		Manuals, Pump, (2) Total, Electronic Copies, Pierce PUC Pump	1
304	0602496		Plumbing, Stainless Steel and Hose, Single Stage Pump, PUC	1
305	0795135		Plumbing, Stainless Steel, w/Foam System	1
306	0517852		Inlets, 6.00" - 1500 GPM, Pierce PUC Pump	1
307	0602448		Cap, Main Pump Inlet, Provided by Fire Department, NFPA 2016	1
308	0680514	SP	Valve, w/Relief, LS Inlet, 6", Elkhart UBEC 1C Electric Cntrl, LED, PUC	1
309	0658334	SP	Valve, w/Relief, RS Inlet, 6", Elkhart UBEC 1C Electric Cntrl, LED, PUC	1
310	0084610		Valves, Akron 8000 series- All	1
311	0055600		Not Required, Auxiliary Inlet, Left Side	1
312	0004680		Inlet, Right Side, 2.50"	1
313	0520002		Valve, Inlet(s) Recessed, Side Cntrl, PUC	1
			Qty, Inlets - 1	
314	0521137		Anode, Zinc, Pair, Pump Inlets, PUC	1
315	0004700		Control, Inlet, at Valve	1
316	0092569		No Rear Inlet (Large Dia) Requested	1
317	0092696		Not Required, Cap, Rear Inlet	1
318	0064116		No Rear Inlet Actuation Required	1
319	0009648		No Rear Intake Relief Valve Required on Rear Inlet	1
320	0092568		No Rear Auxiliary Inlet Requested	1
321	0563738		Valve, .75" Bleeder, Aux. Side Inlet, Swing Handle	1
322	0520277		Tank to Pump, (1) 3.00" Valve, 4.00" Plumbing, PUC	1
323	0595508		Outlet, Tank Fill, 1.50", PUC	1
324	0516755		Outlet, Left Side, 2.50" (2), PUC	1
325	0557240		Not Required, Outlet, Right Side, PUC	1
326	0766992		Outlet, Right Side, 4" w/4" Valve, Akron 9335 Elec Controller, PUC	1
327	0092572		Not Required, Outlet, Front	1
328	0516777		Outlet, Rear, 2.50", (1), Thru Tank, PUC	1
			Qty, Discharges - 01	
			Location, Outlet - a) right side	
329	0516782		Outlet, Rear, 2.50" w/2.50" Plumbing, Thru Tank, PUC, Additional	1
			Qty, Discharges - 01	
			Location, Outlet - b) left side	
330	0752097		Caps/Plugs for 1.00" to 3.00" Discharges/Inlets, Chain	1
331	0563739		Valve, 0.75" Bleeder, Discharges, Swing Handle	1
332	0055095		Not Required, Elbow, Left Side Outlets, 2.50"	1

Line	Option	Type	Option Description	Qty
333	0021134		Not Required, Elbow, Right Side Outlets	1
334	0045091		Elbow, Rear Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH	1
335	0536635		Elbow, Rear Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH, PUC, Additional Qty, Discharges - 01	1
336	0527969		Cap, Large Dia Outlet, 4.00", IPO Elbow	1
337	0766941		Control, Outlets, Swing Handle, Elec Right Outlets Akron 9335 w/Press Disp, PUC	1
338	0608271	SP	Outlet, 3.00" Deluge w/TFT XGA38VL-RL Extend-A-Gun RC3 18" Riser	1
339	0653164		Monitor, TFT Monsoon, Y4-E 1250 GPM, Electric, Panel Control and Wireless Monitor Finish - Painted by OEM	1
340	0054847		Nozzle, TFT Master Stream M-ER, 1250 GPM, Electric	1
341	0075261		Deluge Mount, TFT Hurricane For RC3 Extend-A-Gun Only	1
342	0593538	SP	Crosslays, Low Mount, (2) 1.50", Spcl. Height, W/Poly Trays, PUC	1
343	0598072		Deadlay (1) No Plumbing, Spcl. Capacity, W/Poly Tray, PUC Capacity, Special Xlay - 200' of 2.5" and sized same as previous units	1
344	0533672		Not Required, Hose Restraint, Crosslay, PUC	1
345	0651336		Doors, Crosslay, Smooth Alum, Painted, Forward Hinged on Ends, PUC Type of fastener - "D" handle latch	1
346	0676021		Foam Sys, Husky 3, Single Agent, PUC, Multi Select Feature Discharge, Foam Locations - Crosslay Lower Front, Crosslay Upper Front, Rear Outlet Left Side and Rear Outlet Right Side Discharge, Foam Locations - Crosslay Lower Front, Crosslay Upper Front, Rear Outlet Left Side and Rear Outlet Right Side	1
347	0012126		Not Required, CAF Compressor	1
348	0592527		Refill, Foam Tank, Integral, Husky 3	1
349	0031896		Demonstration, Foam System, Dealer Provided	1
350	0014135		Foam Cell, 40 Gallon, Reduce Water Type of Foam - Class "B" Foam, Brand Name - Ansulite 3x3	1
351	0697589		Drain, 1.00", Foam Tank #1, Husky 3 Foam System, Quarter Turn	1
352	0091079		Not Required, Foam Tank #2	1
353	0091112		Not Required, Foam Tank #2 Drain	1
354	0515692		Pump Operators Panel, 31", Control Zone, PUC	1
355	0032479		Pump Panel Configuration, Control Zone	1
356	0516975		Material, Pump Panels, Operators Brushed Stainless, Sides Brushed Stainless, PUC	1
357	0516978		Pump and Plumbing Access, Simple Tilt Service, PUC	1
358	0520016		Not Required, Pumphouse Structure, PUC	1
359	0015946		Light, Pump Compt, 2) Lts	1
360	0516983		Gauges, Engine, Included With Pierce Pressure Controller, PUC	1
361	0005601		Throttle Included w/ Pressure Controller	1
362	0549333		Indicators, Engine, Included with Pressure Controller	1
363	0069390		Control, Air Horn At Pump Panel w/Red Button	1
364	0511078		Gauges, 4.00" Master, Class 1, 30"-0-600psi	1
365	0511100		Gauge, 2.00" Pressure, Class 1, 30"-0-400psi	1
366	0517009		Gauge, Water Level, Pierce, In pressure Controller, w/Mini Slave, PUC Activation, Water Level G - pb) parking brake is applied	1
367	0060753		Water Level Gauge, WIn PSTANK, LED 1-Light, 4-Level Qty, - 02 Activation, Water Level G - pb) parking brake is applied Location, Water Level Gauge - Each Side Custom Cab	2
368	0517012		Gauge, Foam Level, Pierce, PUC, PP and Mini in Cab Activation, Foam Level Gauge - parking brake	1
369	0695170		Light, Pump Operator & Panel, Side Ctrl, PUC, Dual 6060C Cab & LED OH	1
370	0793576		Air Horns, (2) Grover, Stutter Tone, 2040 Rect, Through Underslung Bumper Flange	1
371	0606835		Location, Air Horns, Bumper, Each Side, Outside Frame, Outboard (Pos #1 & #7)	1
372	0036061		Control, Air Horn, DS Ft Sw, PS Push Button Engine Tunnel	1
373	0525667		Siren, WIn 295SLSA1, 100 or 200 Watt	1
374	0510206		Location, Elect Siren, Recessed Overhead In Console Location, Elec Siren - Overhead, Above Eng Tunnel PS	1
375	0076157		Control, Elec Siren, Horn Ring	1
376	0601306		Speaker, (1) WIn, SA315P, w/Pierce Polished Stainless Steel Grille, 100 watt Connection, Speaker - siren head	1

Line	Option	Type	Option Description	Qty
377	0601551		Location, Speaker, Frt Bumper, Recessed, Right Side, Outside Frame, Outbrd(Pos 1)	1
378	0016080		Siren, Federal Q2B	1
379	0776836	SP	Location of Siren, Completely Recess Behind Bumper, Round Hole In Bumper Face	1
380	0026170		Location, Siren, Mech - a) Left	1
381	0022899		Control, Mech Siren, DS Foot Sw, PS Push Button	1
382	0757260	SP	Switch, Second Siren Brake, Chrome Push Button	1
383	0790846		Location, Additional Siren Brake - Officer Dash Area	1
384	0540460		Lightbar, Wln, Freedom IV-D, 81", RRRBRBRBRStrBRBRBRBBB	1
385	0653937		Filter, Whl Freedom Ltbrs - No Filters	1
386	0589749		Power Supply, Wln PE215 Traffic Light Controller, Single Strobe Tube	1
387	0540807		Opticom Priority - b) High	1
388	0553356		Opticom Activation - Cab Switch & E-Master	1
389	0540783		Momentary Opticom Activation - No Activation	1
390	0636558		Light, Front Zone, Wln M6*C LED, Clear Lens, 4lts Q Bezel	1
391	0560719		Color, Lt DS Frnt Outside - DS Front Outside Red	1
392	0590000		Color, Lt PS Frnt Outside - PS Front Outside Red	1
393	0761481		Color, Lt DS Front Inside - b) DS Front Inside Blue	1
394	0664472		Color, Lt PS Front Inside - b) PS Front Inside Blue	1
395	0664794		Flasher, Headlight Alternating	1
396	0664791		Headlt flash deactivation - a)w/high beam	1
397	0779722		Lights, Side Zone Lower, Wln M6* LED, Front & Rear Split, Mid Solid 3pr	1
			Location, Lights Mid - Centered over front wheel above shoreline receptacle	
			Location, Lights Rear - Centered above rear wheel	
			Location, Lights Front Side - b)each side bumper	
			Color, Lens, LED's - c)clear	
			Color, Lt Side Middle - Red	
			Color, Lt Side Frnt Split - Blue and Red	
			Color, Lt Side Rear Split - Red and Blue	
			Lights, Door Interior Flash, 4 Dr Cab, Wln M4* LED, Colored Lens	1
			Color, Lights, Warning - c) amber	
			Lights, Side, Wln M9# LED, Split Color, Clear Lens, 1st	6
			Location, Lights - two each side on the hatch compartment sides, forward light forward of the flood light and the rearward lights rear of the flood lights.	
			One each side cab rear of b pillar upper raised roof area	
			Qty, - 06	
			Control, Light - b) side warning	
			Color, Lt Side Split - Red and Blue	
			Lights, Rear Zone Lower, Wln M6*C LED, Clear Lens	1
			Color, Lt DS Rear - b) DS Rear Lt Blue	
			Color, Lt PS Rear - r) PS Rear Lt Red	
			Light, Rear Zone Upper, Wln L31H*F LED Beacon	1
			Color, Lens, LED's - c)clear	
			Color, Beacon, DS LED's - Red	
			Color, Beacon, PS LED's - Red	
			Light, Rear Zone Up Block, Wln M6* LED, Clear Lens	1
			Location, Lights - Below rear scene lights	
			Flange Kit - w)with flange	
			Control, Light - a) rear upper warning	
			Color, Whln 600 LED - d) am/cl	
			No Hose Bed Warn Light Brackets Req'd, Lights Mtd on Hatch/Body Compts, PUC	1
			Light Twr, CL SL442D-RT, 12 Volt DC LED, Cld 4lts	1
			Light, Strobe, Lt Tower - n) No Strobe Lt on Light Tower	
			Light, Model LED DC - Whelen PFH2	
			Back Light - Back Light Included	
			Location, Light Tower, Crew Cab Roof	1
			Controller, Light Tower, Command Light, Wired Handheld	1
			Location, Light Tower Controller, Driver's Side Front Body Compartment	1
			Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st, Interior Body	1
			Qty, - 01	
			Location 1 - TBD @ Pre-build	
			AC Power Source - Shoreline	
			Cover, Receptacle - Interior SS Wall Plate(s)	

Line	Option	Type	Option Description	Qty
398	0519934		Not Required, Brand, Hydraulic Tool System	1
399	0007150		Bag of Nuts and Bolts	1
			Qty, Bag Nuts and Bolts - 1	
400	0602516		NFPA Required Loose Equipment, Pumper, NFPA 2016, Provided by Fire Department	1
401	0602407		Soft Suction Hose, Provided by Fire Department, Pumper NFPA 2016 Classification	1
402	0027023		No Strainer Required	1
403	0602538		Extinguisher, Dry Chemical, Pumper NFPA 2016 Class, Provided by Fire Department	1
404	0602360		Extinguisher, 2.5 Gal. Pressurized Water, Pumper NFPA 2016, Provided by Fire Dept	1
405	0602679		Axe, Flathead, Pumper NFPA 2016 Classification, Provided by Fire Department	1
406	0602667		Axe, Pickhead, Pumper NFPA 2016 Classification, Provided by Fire Department	1
407	0559682		Paint, Two Tone, Cab, w/Shield, Custom Cab	1
			Paint Color, Predefined - Yellow 354	
			Paint Color, Upper Area, Predefined - #10 White	
408	0646897		Paint Chassis Frame Assy, E-Coat, Standard	1
			Paint Color, Frame Assembly, Predefined - Standard Black	
409	0693797		No Paint Required, Aluminum Front Wheels	1
410	0693792		No Paint Required, Aluminum Rear Wheels	1
411	0007230		Compartment, Painted, Spatter Gray	1
412	0544111		Reflective Band, 10"	1
			Color, Reflect Band - A - a) white	
413	0510041		Reflective across Cab Face, Imp/Vel	1
414	0593732		Stripe, Chevron, Rear, Diamond Grade, Pumper, PUC	1
			Color, Rear Chevron DG - fluorescent yellow green	
415	0679882		Stripe, Reflective Outline Above & Below Reflective Band	1
416	0545179		Stripe, Diamond Grade, Chevron, Front Bumper	1
			Size, Chevron Striping - 06	
			Color, Chevron DG - Yellow Green, Fluorescent	
			Color, Chevron DG - B - Red	
417	0552453		Stripe, Reflective, Chevron, Cab and Crew Cab Doors Interior, Diamond Grade	1
			Color, Reflect Band - A - p) fluorescent yellow green diamond grade	
			Size, Chevron Striping - 04	
			Color, Reflect Chev - A - r) red diamond grade	
418	0528504		Stripe, Black Vinyl on Paint Break (Cab)	1
419	0027372		Lettering Specifications, (GOLD STAR Process)	1
420	0686428		Lettering, Gold Leaf, 3.00", (41-60)	1
			Outline, Lettering - Outline and Shade	
421	0686002		Lettering, Reflective, 8.00", Each	4
			Qty, Lettering - 04	
			Outline, Lettering - Outline	
422	0685735		Lettering, Sign Gold, 12.00", Each	8
			Qty, Lettering - 08	
			Outline, Lettering - Outline	
423	0685826		Lettering, Sign Gold, 2.00", Each	3
			Qty, Lettering - 03	
			Outline, Lettering - Outline	
424	0685791		Lettering, Sign Gold, 7.00", (21-40)	1
			Outline, Lettering - Outline and Shade	
425	0686042		Lettering, Reflective, 2.00", Each	3
			Qty, Lettering - 03	
			Outline, Lettering - Outline	
426	0686013		Lettering, Reflective, 6.00", Each	4
			Qty, Lettering - 04	
			Outline, Lettering - Outline	
427	0522815		Emblem, American Flag, Waving, Gerber Vision, Pair	1
			Location, Emblem - Located upper area rear of crew cab doors R/S & L/S	
428	0684136		Emblem, Monogram w/Scrolling, Sign Gold, 12"-14", Pair	1
			Qty, - 01	
			Location, Emblem - Located on cab doors	
429	0772003		Manual, Fire Apparatus Parts, USB Flash Drive, Custom	2
			Qty, - 02	

Line	Option	Type	Option Description	Qty
430	0772037		Manual, Chassis Service, USB Flash Drive, Custom Qty, - 02	2
431	0772065		Manual, Chassis Operation, (2) USB Flash Drives, Custom	1
432	0030008		Warranty, Basic, 1 Year, Apparatus, WA0008	1
433	0611136		Warranty, Chassis, 3 Year, Velocity/Impel, WA0284	1
434	0696698		Warranty, Engine, Cummins, 5 Year, WA0181	1
435	0684953		Warranty, Steering Gear, Sheppard M110, 3 Year WA0201	1
436	0595767		Warranty, Frame, 50 Year, Velocity/Impel, Dash CF, WA0038	1
437	0595698		Warranty, Axle, 3 Year, TAK-4, WA0050	1
438	0777368		Warranty, Axle, 2 Year, Meritor, General Service, WA0328	1
439	0652758		Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232	1
440	0019914		Warranty, Structure, 10 Year, Custom Cab, WA0012	1
441	0595813		Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055	1
442	0595770		Warranty, Power Step, 2 Year, WA0031	1
443	0524627		Warranty, Electronics, 5 Year, MUX, WA0014	1
444	0647720		Warranty, Pierce LED Strip Lights, WA0203	1
445	0046369		Warranty, 5-year EVS Transmission, Standard Custom, WA0187	1
446	0685945		Warranty, Transmission Cooler, WA0216	1
447	0688798		Warranty, Water Tank, Lifetime, UPF, Poly Tank, WA0195	1
448	0596025		Warranty, Structure, 10 Year, Body, WA0009	1
449	0681118		Warranty, ROM, Roll-up Door, 7 Year, WA0206	1
450	0516693		Warranty, Pump, Pierce, PUC, 6 Year Parts, 1 Year Labor, WA0039	1
451	0648675		Warranty, 10 Year S/S Pumbing, WA0035	1
452	0657990		Warranty, Foam System, Husky 3, WA0231	1
453	0595820		Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057	1
454	0595421		Warranty, Goldstar, 3 Year, Apparatus, WA0018	1
455	0683627		Certification, Vehicle Stability, CD0156	1
456	0608290		Certification, Engine Installation, Imp/Vel, Cummins L9, 2017, CD0152/CD0159	1
457	0686786		Certification, Power Steering, CD0098	1
458	0667418		Certification, Cab Integrity, Impel FR, CD0009	1
459	0548950		Certification, Cab Door Durability, Velocity/Impel, CD0001	1
460	0548967		Certification, Windshield Wiper Durability, Impel/Velocity, CD0005	1
461	0667411		Certification, Electric Window Durability, Velocity/Impel FR, CD0004	1
462	0549273		Certification, Seat Belt Anchors and Mounting, Imp/Vel/Vel SLT, CD0018	1
463	0667416		Certification, Cab Heater and Defroster, Velocity/Impel FR, CD0015	1
464	0667415		Certification, Cab Air Conditioning Performance, Velocity/Impel FR, CD0016	1
465	0545073		Amp Draw Report, NFPA Current Edition	1
466	0002758		Amp Draw, NFPA/ULC Radio Allowance	1
467	0799248		Appleton/Florida BTO	1
468	0000048		PUMPER/TANKER, 3rd Gen	1
469	0000012		PIERCE CHASSIS	1
470	0004713		ENGINE, OTHER	1
471	0046395		EVS 3000 Series TRANSMISSION	1
472	0520324		PIERCE PUMP, PUC	1
473	0020009		POLY TANK	1
474	0028048		FOAM SYSTEM	1
475	0020006		SIDE CONTROL	1
476	0020007		AKRON VALVES	1
477	0020015		ABS SYSTEM	1
478	0658751		PUMPER BASE	1



City of Goodyear

Meeting Agenda

City Council Regular Meeting

Meeting Location:
Goodyear Municipal Court
and Council Chambers
14455 W. Van Buren St.,
Suite B101
Goodyear, AZ 85338

Mayor Georgia Lord
Vice Mayor Bill Stipp
Councilmember Joe Pizzillo
Councilmember Sheri Lauritano
Councilmember Wally Campbell
Councilmember Brannon Hampton
Councilmember Laura Kaino

Monday, July 8, 2019

6:00 PM

Goodyear Municipal Court and Council
Chambers

CALL TO ORDER

PLEDGE OF ALLEGIANCE AND INVOCATION BY COUNCILMEMBER HAMPTON

ROLL CALL

COMMUNICATIONS

CITIZENS COMMENTS/APPEARANCES FROM THE FLOOR

Please complete a speaker card for the City Clerk, listing the subject you would like to discuss. Each speaker is limited to three (3) minutes. Before you begin to speak, identify yourself by clearly stating your name for the record.

Non-Agenda items: This is the time for citizens who would like to address the City Council on any non-agenda item within the jurisdiction of the Goodyear City Council. The Council will listen to comments, and may take any one of the following:

1. Respond to criticism.
2. Request that staff investigate and report on the matter.
3. Request that the matter be scheduled on a future agenda.

CONSENT

The Consent Agenda includes items that are of such a nature that discussion may not be required, or concern issues that have been previously studied by Council and/or a separate city advisory commission. The City Clerk shall read by title only all consent agenda matters, and the Council shall vote on the Consent Agenda with a single motion and a roll call vote. Council members may ask questions for clarification purposes, or a Council member may request that an item or items be removed from the Consent Agenda for discussion. Items removed from the Consent Agenda are considered in their normal sequence as listed on the agenda, unless called out of sequence as provided in the City Council's rules of procedure.

Members of the public may speak on a consent agenda item by submitting a speaker card to the City Clerk prior to the meeting being convened, if possible.

File #	Ver.	Agenda #	Name	Type	Title	Action	Result	Action Details	Video
					from Theresa June Morse, agent for Hot Pizzas LLC, dba Pizza Hut #27007, for a new Series 10 liquor license located at 15557 W. Roosevelt St., Goodyear, Arizona 85338 (Generally located west of the southwest corner of Estrella Parkway and Roosevelt Street). (Darcie McCracken, City Clerk)				
<u>2019-6703</u>	1	4.		Ordinance	APPROVE UPDATES TO CITY CODE PERTAINING TO THE GOODYEAR YOUTH COMMISSION PROPOSED ACTION: ADOPT ORDINANCE NO. 2019-1441 AMENDING SECTION 3-11-2 (GOODYEAR YOUTH COMMISSION) OF THE CITY CODE AND PROVIDING FOR CORRECTIONS, SEVERABILITY AND AN EFFECTIVE DATE. (John Raeder, Assistant to the City Council)			Action details	Not available
<u>2019-6705</u>	1	5.		Miscellaneous File	APPROVE EXPENDITURE OF BUDGETED FY2020 FUNDS FOR THE PURCHASE OF TWO FIRE PUMPERS AND THE RELATED BUDGET TRANSFER PROPOSED ACTION: Approve FY2020 expenditures in the amount of \$764,700 in South Area Development Impact Fees and \$758,600 from the Fleet Asset Management Fund for a total of \$1,523,300 for the purchase of two Pierce fire pumpers as well as the required budget transfer. (Charles Schneider, Fleet and Equipment Management Superintendent)			Action details	Not available
<u>2019-6716</u>	1	6.		Resolution				Action details	Not available

-
1. MINUTES
2019-52 APPROVAL OF MINUTES
PROPOSED ACTION:
Approve draft minutes from a Special Meeting and a Regular Meeting held on June 24, 2019, and a Regular Meeting and a Special Meeting held on July 1, 2019.
(Darcie McCracken, City Clerk)
 2. 2019-6680 APPROVE THE FINAL PLAT FOR COMPASS DATACENTERS
PROPOSED ACTION:
Approve the final plat for Compass Datacenters subject to stipulations. (Katie Wilken, Planning Manager)
 3. 2019-6696 RECOMMEND APPROVAL OF A NEW SERIES 10 LIQUOR LICENSE
FOR PIZZA HUT #27007
PROPOSED ACTION:
Recommend to the Arizona Department of Liquor Licenses and Control (DLLC) approval of Application No. 65710, a request from Theresa June Morse, agent for Hot Pizzas LLC, dba Pizza Hut #27007, for a new Series 10 liquor license located at 15557 W. Roosevelt St., Goodyear, Arizona 85338 (Generally located west of the southwest corner of Estrella Parkway and Roosevelt Street). (Darcie McCracken, City Clerk)
 4. 2019-6703 APPROVE UPDATES TO CITY CODE PERTAINING TO THE
GOODYEAR YOUTH COMMISSION
PROPOSED ACTION:
ADOPT ORDINANCE NO. 2019-1441 AMENDING SECTION 3-11-2 (GOODYEAR YOUTH COMMISSION) OF THE CITY CODE AND PROVIDING FOR CORRECTIONS, SEVERABILITY AND AN EFFECTIVE DATE. (John Raeder, Assistant to the City Council)
 5. 2019-6705 APPROVE EXPENDITURE OF BUDGETED FY2020 FUNDS FOR THE
PURCHASE OF TWO FIRE PUMPERS AND THE RELATED BUDGET
TRANSFER
PROPOSED ACTION:
Approve FY2020 expenditures in the amount of \$764,700 in South Area Development Impact Fees and \$758,600 from the Fleet Asset Management Fund for a total of \$1,523,300 for the purchase of two Pierce fire pumpers as well as the required budget transfer. (Charles Schneider, Fleet and Equipment Management Superintendent)
 6. 2019-6716 APPROVE THE ISSUANCE OF A UTILITY EASEMENT TO ARIZONA
PUBLIC SERVICE COMPANY ASSOCIATED WITH THE BULLARD
SUBSTATION
PROPOSED ACTION:
ADOPT RESOLUTION NO. 2019-1983 APPROVING THE ISSUANCE OF A UTILITY EASEMENT TO ARIZONA PUBLIC SERVICE COMPANY; DIRECTING THE CITY MANAGER TO EXECUTE THE UTILITY EASEMENT AND THE CITY CLERK TO RECORD THE EASEMENT; AND PROVIDING FOR AN EFFECTIVE DATE. (Linda Beals, Real Estate

Coordinator)

7. 2019-6717 **AUTHORIZE ACCEPTANCE OF THE PUBLIC UTILITY, SIDEWALK AND ACCESS EASEMENT ADJACENT TO BULLARD AVENUE**
PROPOSED ACTION:
Authorize the acceptance of the Public Utility, Sidewalk, and Access Easement attached hereto and direct the City Manager to execute the easement and the City Clerk to record the executed easement upon the determination by the City of Goodyear Real Estate Coordinator that Cardinal Capital Co., an Arizona general partnership has no interest in the easement area. (Linda Beals, Real Estate Coordinator)
8. 2019-6718 **AUTHORIZE DECLARATION OF A PUBLIC UTILITY, SIDEWALK AND ACCESS EASEMENT AT THE SITE 12 WATER CAMPUS**
PROPOSED ACTION:
ADOPT RESOLUTION NO. 2019-1980 AUTHORIZING THE ESTABLISHMENT OF A PUBLIC UTILITY, SIDEWALK AND ACCESS EASEMENT ADJACENT TO A PORTION OF 173RD AVENUE TO BE ADMINISTERED AND MAINTAINED BY THE CITY; REQUIRING RECORDATION; AND PROVIDING FOR AN EFFECTIVE DATE. (Linda Beals, Real Estate Coordinator)
9. 2019-6720 **APPROVE FY2019 AND FY2020 BUDGET TRANSFERS**
PROPOSED ACTION:
Approve the attached FY2019 and FY2020 budget transfers. (Lauri Wingenroth, Finance Manager - Budget and Research)
10. 2019-6723 **APPROVE AMENDING SECTION 3-1-5 OF GOODYEAR CITY CODE RELATED TO DEPARTMENT NAMES**
PROPOSED ACTION:
ADOPT ORDINANCE NO. 2019-1442 AMENDING CHAPTER 3 OF THE CITY CODE, ARTICLE 3-1, SECTION 3-1-5 TO REVISE THE NAME OF THE COMMUNICATIONS DEPARTMENT TO DIGITAL COMMUNICATIONS AND TO REVISE THE NAME OF INFORMATION AND TECHNOLOGY SERVICES TO INFORMATION TECHNOLOGY; PROVIDING FOR CORRECTIONS, SEVERABILITY AND AN EFFECTIVE DATE. (Tammy Vo, Communications Director and Alan Claypool, Chief Information Officer)
11. 2019-6724 **APPROVE A MINOR LAND DIVISION FOR THE CITY OF GOODYEAR PUBLIC FACILITIES CAMPUS**
PROPOSED ACTION:
ADOPT ORDINANCE NO. 2019-1982 APPROVING A MINOR LAND DIVISION CONSOLIDATING EIGHT CITY-OWNED PARCELS INTO ONE PARCEL FOR THE CITY OF GOODYEAR PUBLIC FACILITIES CAMPUS; DIRECTING THE CITY MANAGER TO EXECUTE THE MINOR LAND DIVISION; AND PROVIDING FOR AN EFFECTIVE DATE. (Joe Schmitz, Long Range Planner)
12. 2019-6729 **APPROVE THE RECOMMENDED APPOINTMENTS TO BOARDS, COMMISSIONS AND COMMITTEES**
PROPOSED ACTION:

Approve the recommended appointments to the Self-Insured Healthcare Trust Board and the Youth Commission for the terms set forth in the Council Action Report and authorize the City Clerk to administer the Oath of Loyalty to the appointees in attendance. (Darcie McCracken, City Clerk)

13. 2019-6730 **AUTHORIZE THE ACCEPTANCE OF A SPECIAL WARRANTY DEED FOR COMPASS DATACENTERS TRACT B**

PROPOSED ACTION:

Authorize the Acceptance of a Special Warranty Deed for Compass Datacenters Tract B property. (Linda Beals, Real Estate Coordinator)

BUSINESS

Members of the public wishing to speak on an item that is on the agenda must complete a speaker card and submit it to the Clerk prior to the meeting, if possible.

14. 2019-6640 **PUBLIC HEARING: REZONING TO PLANNED AREA DEVELOPMENT (PAD) FOR THE GOODYEAR CIVIC SQUARE AT ESTRELLA FALLS**

PROPOSED ACTION:

1. Conduct a public hearing to consider a rezoning from Planned Area Development (PAD) to Planned Area Development (PAD).
 - a. Open the Public Hearing
 - b. Staff Presentation
 - c. Applicant Presentation
 - d. Receive Public Comment
 - e. Close the Public Hearing
2. ADOPT RESOLUTION NO. 2019-1798 DECLARING AS PUBLIC RECORDS THOSE CERTAIN DOCUMENTS FILED WITH THE CITY CLERK TITLED "OFFICIAL SUPPLEMENTARY ZONING MAP NO. 19-04A CITY OF GOODYEAR, AZ - REZONE CASE", "GOODYEAR CIVIC SQUARE - LEGAL DESCRIPTION" AND "GOODYEAR CIVIC SQUARE AT ESTRELLA FALLS FINAL PLANNED AREA DEVELOPMENT DATED JUNE 27, 2019".
3. ADOPT ORDINANCE NO. 2019-1440 CONDITIONALLY REZONING APPROXIMATELY 104 ACRES FROM PLANNED AREA DEVELOPMENT (PAD) TO PLANNED AREA DEVELOPMENT (PAD) FOR A DEVELOPMENT TO BE KNOWN AS THE GOODYEAR CIVIC SQUARE AT ESTRELLA FALLS PLANNED AREA DEVELOPMENT; AMENDING THE ZONING MAP OF THE CITY OF GOODYEAR; PROVIDING FOR NON-ABRIDGMENT; PROVIDING FOR CORRECTIONS; PROVIDING FOR SEVERABILITY; PROVIDING FOR AN EFFECTIVE DATE; AND PROVIDING FOR PENALTIES. (Katie Wilken, Planning Manager)

15. 2019-6713 **ZAYO LICENSE AGREEMENT**

PROPOSED ACTION:

ADOPT RESOLUTION NO. 2019-1986 AUTHORIZING THE CITY MANAGER OR HER DESIGNEE TO EXECUTE THE LICENSE AGREEMENT BETWEEN THE CITY OF GOODYEAR AND ZAYO GROUP, LLC AND THE EXECUTION OF AMENDMENTS TO THE LICENSE

AGREEMENT. (Linda Beals, Real Estate Coordinator)

16. 2019-6722 DEVELOPMENT AGREEMENT FOR COMPASS DATA CENTERS

PROPOSED ACTION:

ADOPT RESOLUTION NO. 2019-1981 APPROVING THE DEVELOPMENT AGREEMENT FOR COMPASS DATA CENTERS; DIRECTING THE CITY MANAGER TO EXECUTE THE DEVELOPMENT AGREEMENT; AUTHORIZING AND DIRECTING ACTIONS; AND PROVIDING FOR AN EFFECTIVE DATE. (Roric Massey, City Attorney)

**17. 2019-6727 RESTATEMENT AND SECOND AMENDMENT OF
INTERGOVERNMENTAL AGREEMENT WITH THE AVONDALE
ELEMENTARY SCHOOL DISTRICT NO. 44 FOR JOINT USE OF
SCHOOL AND PARK FACILITIES**

PROPOSED ACTION:

1. Approve the Restatement and Second Amendment of Intergovernmental Agreement between the City of Goodyear and Avondale Elementary School District No. 44 for Joint Use of School and Park Facilities and associated deeds.
2. Authorize and direct the City Manager or her designee to take any and all actions to execute all documents necessary to carry out the intent of the agreement.
(Nathan Torres, Parks and Recreation Director)

INFORMATION ITEMS

Comments, commendations, report on current events and presentations by Mayor, Councilmembers, staff or members of the public. The Council may not propose, discuss, deliberate or take any legal action on the information presented, pursuant to A.R.S. § 38-431.02.

1. Reports from the Mayor and City Council
 - a. This may include current events and activities as well as requests for information or future agenda items.
2. Report from the City Manager
 - a. This may include updates from events, staff summary, update of legislative issues, clarification on items being requested by City Council and Manager's update on Council Related Matters.

FUTURE MEETINGS

Council Break	July 9 - August 18	
August 19, 2019	Regular Meeting	6:00 p.m.
August 26, 2019	Regular Meeting	6:00 p.m.

ADJOURNMENT

Pursuant to A.R.S. § 38-431.02, notice is hereby given to the members of the Goodyear City Council and to the general public that the Council of the city of Goodyear will hold a meeting open to the public. Public body members of the city of Goodyear will attend either in person or by telephone conference call and/or video communication.

The Goodyear City Council may vote to go into Executive Session, pursuant to A.R.S. § 38-431.03(A)(3),

which will not be open to the public, to discuss certain matters.

Meetings are conducted in accordance with the City Council Meetings Council Rules of Procedure adopted by Resolution No. 2018-1879.


THE CITY OF GOODYEAR ENDEAVORS TO MAKE ALL PUBLIC MEETINGS ACCESSIBLE TO PERSONS WITH DISABILITIES. With the advance notice of two business days, special assistance can be provided for sight and/or hearing-impaired persons at this meeting. Reasonable accommodations will be made upon request for persons with disabilities or non-English speaking residents. Please call the City Clerk (623) 882-7830 or Arizona Relay (TDD) 7-1-1 to request an accommodation to participate in this public meeting.

LA CIUDAD DE GOODYEAR SE ESFUERZA POR LOGRAR QUE TODAS LAS REUNIONES PÚBLICAS PROPORCIONEN EL DEBIDO ACCESO PARA PERSONAS CON DISCAPACIDADES. Si recibimos notificación con dos días hábiles de anticipación, podemos proporcionar asistencia especial para las personas con discapacidad visual o auditiva que asistan a esta reunión. Se realizarán adaptaciones para satisfacer peticiones razonables, a solicitud de personas con discapacidades o residentes que no hablen inglés. Llame a la Secretaría Municipal al (623) 882-7830 o a Arizona Relay –sistema de retransmisión de Arizona – (TDD – dispositivo telefónico para sordos) 7-1-1 para hacer la petición necesaria que le permita participar en esta reunión pública.

AGENDA ITEM #: _____

DATE: July 8, 2019

CAR #: 2019-6705



CITY COUNCIL ACTION REPORT

SUBJECT: Approve Expenditure of Budgeted FY2020 Funds for the Purchase of Two Fire Pumpers and Related Budget Transfer

STAFF PRESENTER(S): Charles Schneider, Fleet and Equipment Management Superintendent

OTHER PRESENTER(S): Tom Cole, Deputy Fire Chief

Summary: Request City Council approval of FY2020 expenditure to purchase two Fire Pumpers utilizing Fire Impact Fees and FY2020 Fleet Asset Replacement funds and related budget transfer for the replacement in the Fleet Asset Management Fund.

Recommendation:

Approve FY2020 expenditures in the amount of \$764,700 in South Area Development Impact Fees and \$758,600 from the Fleet Asset Management Fund for a total of \$1,523,300 for the purchase of two Pierce fire pumpers as well as the required budget transfer.

Fiscal Impact: The FY2020 Capital Improvement Program includes \$764,700 for the new Fire Station 186 pumper using South Area Impact Fees to be advanced by the developer.

The FY2020 budget also includes \$668,600 for the replacement pumper as a carryover in the Fleet Asset Management Fund. However, the carryover was under-budgeted by \$90,000, at the FY2017 instead of FY2019 replacement cost. This requires a \$90,000 budget transfer from the Fleet Asset Management fund balance.

Background and Previous Actions

Per resolution 08-1255, all expenditures of budgeted funds in excess of \$500,000 must obtain council approval. Early in FY2019, Fleet and Equipment Management initiated a collaborative and detailed specification development process with the Fire Department. This process concluded with the recommendation to purchase two Pierce fire pumper trucks.

Staff Analysis

Throughout this process, key considerations were reviewed and included meeting the operational needs of fire personnel, delivery time of the new units, and logistical support after the purchase.

The city will use a cooperative purchasing contract to purchase the two fire pumpers, and the vendor selection process adhered to the city purchasing requirements. Throughout the procurement process, staff looked at ways to reduce the overall acquisition cost of the two fire pumpers. Staff value-engineered the specifications and negotiated a trade-in value for two older fire apparatus that have been or are being replaced with this purchase. The proposed vendor presented an acceptable trade-in agreement for two fire apparatus: Unit 315, a 2005 Pierce Dash Ladder and Unit 244, a 2001 Pierce Dash Pumper.

There is a \$6,100 difference in the acquisition cost between the two pumpers because one is designed to have more compartment space and an exterior climbing ladder to support operations of the Ladder Truck.

Attachments

None

AGENDA ITEM #: _____

DATE: July 8, 2019

CAR #: 2019-6705



CITY COUNCIL ACTION REPORT

SUBJECT: Approve Expenditure of Budgeted FY2020 Funds for the Purchase of Two Fire Pumpers and Related Budget Transfer

STAFF PRESENTER(S): Charles Schneider, Fleet and Equipment Management Superintendent

OTHER PRESENTER(S): Tom Cole, Deputy Fire Chief

Summary: Request City Council approval of FY2020 expenditure to purchase two Fire Pumpers utilizing Fire Impact Fees and FY2020 Fleet Asset Replacement funds and related budget transfer for the replacement in the Fleet Asset Management Fund.

Recommendation:

Approve FY2020 expenditures in the amount of \$764,700 in South Area Development Impact Fees and \$758,600 from the Fleet Asset Management Fund for a total of \$1,523,300 for the purchase of two Pierce fire pumpers as well as the required budget transfer.

Fiscal Impact: The FY2020 Capital Improvement Program includes \$764,700 for the new Fire Station 186 pumper using South Area Impact Fees to be advanced by the developer.

The FY2020 budget also includes \$668,600 for the replacement pumper as a carryover in the Fleet Asset Management Fund. However, the carryover was under-budgeted by \$90,000, at the FY2017 instead of FY2019 replacement cost. This requires a \$90,000 budget transfer from the Fleet Asset Management fund balance.

Background and Previous Actions

Per resolution 08-1255, all expenditures of budgeted funds in excess of \$500,000 must obtain council approval. Early in FY2019, Fleet and Equipment Management initiated a collaborative and detailed specification development process with the Fire Department. This process concluded with the recommendation to purchase two Pierce fire pumper trucks.

Staff Analysis

Throughout this process, key considerations were reviewed and included meeting the operational needs of fire personnel, delivery time of the new units, and logistical support after the purchase.

The city will use a cooperative purchasing contract to purchase the two fire pumpers, and the vendor selection process adhered to the city purchasing requirements. Throughout the procurement process, staff looked at ways to reduce the overall acquisition cost of the two fire pumpers. Staff value-engineered the specifications and negotiated a trade-in value for two older fire apparatus that have been or are being replaced with this purchase. The proposed vendor presented an acceptable trade-in agreement for two fire apparatus: Unit 315, a 2005 Pierce Dash Ladder and Unit 244, a 2001 Pierce Dash Pumper.

There is a \$6,100 difference in the acquisition cost between the two pumpers because one is designed to have more compartment space and an exterior climbing ladder to support operations of the Ladder Truck.

Attachments

None



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

7/30/2019

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER KPD Insurance, Inc. PO Box 784 Springfield OR 97477	CONTACT NAME: PHONE (A/C, No, Ext): 541-741-0550 FAX (A/C, No): 541-741-1674 E-MAIL ADDRESS:
INSURED Hughes Fire Equipment, Inc. 910 Shelley St Springfield OR 97477	INSURER(S) AFFORDING COVERAGE INSURER A: Traveler's Prop Cas Co of Amer INSURER B: Traveler's Indem Co of America INSURER C: Travelers Indemnity Co INSURER D: INSURER E: INSURER F:

COVERAGES**CERTIFICATE NUMBER:** 289008738**REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR <input checked="" type="checkbox"/> Lmt'd Contractual <input checked="" type="checkbox"/> Sudden/Acc Poll GEN'L AGGREGATE LIMIT APPLIES PER: <input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC OTHER:			9G187828	3/16/2019	3/16/2020	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 100,000 MED EXP (Any one person) \$ 10,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000 Stop Gap Limit \$ 1,000,000
B	<input checked="" type="checkbox"/> AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> HIRED AUTOS ONLY <input checked="" type="checkbox"/> NON-OWNED AUTOS ONLY			8L932527	3/16/2019	3/16/2020	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
C	<input checked="" type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED <input type="checkbox"/> RETENTION \$ 0			CUP5K626977	3/16/2019	3/16/2020	EACH OCCURRENCE \$ 3,000,000 AGGREGATE \$ 3,000,000 \$ PER STATUTE <input type="checkbox"/> OTH-ER <input type="checkbox"/> E.L. EACH ACCIDENT \$ E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N	N/A				
A	Garage Keepers Liability Customer Veh in Insd Care, Custody & Control			8L932527	3/16/2019	3/16/2020	\$9,999,999. Oregon \$7,900,000 Washington \$1,000 Ded Comp \$5,000,000 Arizona \$800,000 Idaho \$1,000 Ded Coll

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)
RE: Two (2) Impel PUC Pumps.

CERTIFICATE HOLDER**CANCELLATION**

City of Goodyear 190 N. Litchfield Road PO Box 5100 Goodyear AZ 85338	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS. AUTHORIZED REPRESENTATIVE
--	---

© 1988-2015 ACORD CORPORATION. All rights reserved.

ACORD 25 (2016/03)

The ACORD name and logo are registered marks of ACORD

THIS CERTIFICATE SUPERSEDES PREVIOUSLY ISSUED CERTIFICATE



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

7/30/2019

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER KPD Insurance, Inc. PO Box 784 Springfield OR 97477	CONTACT NAME: PHONE (A/C, No, Ext): 541-741-0550 E-MAIL ADDRESS: wc-certs@kpdinsurance.com FAX (A/C, No): 541-741-1674
INSURED Hughes Fire Equipment Inc 910 Shelley St Springfield OR 97477	INSURER(S) AFFORDING COVERAGE INSURER A: SAIF Corporation INSURER B: Zurich American Insurance Co. INSURER C: INSURER D: INSURER E: INSURER F:
HUGHFIR03W	NAIC # 36196 16535

COVERAGES**CERTIFICATE NUMBER:** 1928196795**REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
	COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PROJECT <input type="checkbox"/> LOC OTHER:						EACH OCCURRENCE \$ DAMAGE TO RENTED PREMISES (Ea occurrence) \$ MED EXP (Any one person) \$ PERSONAL & ADV INJURY \$ GENERAL AGGREGATE \$ PRODUCTS - COMP/OP AGG \$ OTHER \$
	AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> NON-OWNED AUTOS ONLY						COMBINED SINGLE LIMIT (Ea accident) \$ BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ OTHER \$
	UMBRELLA LIAB <input type="checkbox"/> OCCUR EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED <input type="checkbox"/> RETENTION \$						EACH OCCURRENCE \$ AGGREGATE \$ OTHER \$
A B	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N <input type="checkbox"/>	N/A	629009 9663370	3/1/2019 3/1/2019	3/1/2020 3/1/2020	X PER STATUTE <input type="checkbox"/> OTHER <input type="checkbox"/> E.L. EACH ACCIDENT \$ 500,000 E.L. DISEASE - EA EMPLOYEE \$ 500,000 E.L. DISEASE - POLICY LIMIT \$ 500,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)
RE: Two (2) Impel PUC Pumps

CERTIFICATE HOLDER**CANCELLATION**

City of Goodyear
190 N. Litchfield Rd.
P.O. Box 5100
Goodyear AZ 85338

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
07/29/2019

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Hays Companies 1200 North Mayfair Road, Suite 100 Milwaukee, WI 53226		1-414-443-0000	CONTACT NAME: PHONE (A/C, No, Ext): E-MAIL ADDRESS:		FAX (A/C, No):
INSURED Pierce Manufacturing Inc. P.O. Box 2017 Appleton, WI 54912-2017		INSURER(S) AFFORDING COVERAGE			
		INSURER A: NATIONAL FIRE & MARINE INS CO		NAIC # 20079	
		INSURER B: BERKLEY NATL INS CO		38911	
		INSURER C:			
		INSURER D:			
		INSURER E:			
		INSURER F:			

COVERAGES

CERTIFICATE NUMBER: 56821633

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC OTHER:			42-GLO-100190-05	04/01/19	04/01/20	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ MED EXP (Any one person) \$ PERSONAL & ADV INJURY \$ GENERAL AGGREGATE \$ PRODUCTS - COMP/OP AGG \$ 1,000,000 \$
	AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> NON-OWNED AUTOS ONLY						COMBINED SINGLE LIMIT (Ea accident) \$ BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
A	<input checked="" type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> EXCESS LIAB DED <input type="checkbox"/> RETENTION \$			42-UMO-100191-05	04/01/19	04/01/20	EACH OCCURRENCE \$ 15,000,000 AGGREGATE \$ 15,000,000 \$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below		N/A				PER STATUTE <input type="checkbox"/> OTH-ER <input type="checkbox"/> E.L. EACH ACCIDENT \$ E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$
B	Excess Liability			CEX0960017406	04/01/19	04/01/20	Ea Occ/Agg 10,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Re: Two (2) Impel PUC Pumps

CERTIFICATE HOLDER

CANCELLATION

City of Goodyear

190 North Litchfield Road
P.O. Box 5100
Goodyear, AZ 85338

USA

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

Dad J. Spio

© 1988-2015 ACORD CORPORATION. All rights reserved.