CONTRACT COVER SHEET

For Contract Review - please route Contract through Finance - Procurement Dept. A contract number will be assigned when it starts the review process.





| Please fill out this form completely or it will be returned to ye If a response is not applicable, please use "N/A" - <u>Do Not Le</u> | |
|---|---|
| Date Submitted for Review: 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 | |
| Construction Contract Contract Easement Development Agreement Lease/Property Acquisition | Change Order/Modification #NA Drop Down Amendment #1 Drop Down Other (please specify): |
| IDENTIFYING INFORMATION: (Please fill in each fiel Requesting Dept., Contact Name, Ext. #: Charles Schneider, Fleet, 7195 Contractor Name, Address, Tel. No.: Hughes Fire Equipment 910 Shelley Street Springfield, OR 97477 Sheri Taylor, 541/747-0072 staylor@hugheshfire.com Assigned Contract Number: CON – 20-5089-A1 | Brief Summary of the Services to be provided: Fire Service Apparatus (All Types) Terms: Start: 10/08/19 Expire: 11/30/19 Contract Amount: \$ 625,861.96 Council Date: 10/7/19 COAC # 2020-6780 N/A City Clerk's Office Use – Retention Date: |
| Link to: 20-5089 REVIEWED AND APPROVED Procurement: Legal: City Manager: Date: Date: | All documents When required |
| PROCUREMENT PROCESS - NOTE: IGAs, Easements, | EW REQUIREMENTS Lease/Property Acquisition and Development Agreements do not require vices. All Contracts must be reviewed and signed off by Procurement or the |
| Budgeted: Yes No Requires Council Action: Yes No Additional Funding Source? Federal – Identify: | Cooperative Agreement On-Call /Task Order (Request for Alternate Procurement) approved by Procurement Manager. |
| INSURANCE & BONDS (To be completed by Procurement Insurance Certificate: Attached Bid Bond: Performance Bond: Attached Attached Attached Attached Attached | nt Specialist) n File Initial Date: Initial Date: Initial Date: Initial Date: Initial Date: |

Revised: Nov 2016



Contract Amendment No. 1 Contract Number: CON 20-5089-A1

Office of Procurement 190 N. Litchfield Road P.O. Box 5100 Goodyear, AZ 85338 Phone: 623-882-7893

Fire Service Apparatus (All Types)

CONTRACT MODIFICATION

The attached pumper truck is hereby added to the above stated contract. One (1) Enforcer PUC Pumper Stock 32033, Bid #1135, dated 9/16/19

Cost: \$625,861.96

Total Bld includes pre-pay discounts and sales tax

No other terms, conditions, or performance standards written or implied are changed.

Procurement Manager: Jacque Behrens

| | City of Goodyear | Hughes Fire Equipment |
|--|------------------------------|-----------------------------|
| Ву: | | By: 3-62-19-19 |
| | Jacque Behrens, CPPB Date | Signature Date |
| Title: | Procurement Manager | Rex Hughes President |
| | | Typed Name and Title |
| | Attested By: | Approved as to Form By: |
| ************************************** | Darcie McCracken, City Clerk | Roric Massey, City Attorney |





September 16, 2019

City of Goodyear, AZ
One (1) Enforcer PUC Pumper Stock 32033
Build Location: Appleton, WI

Proposal Price \$ 583,204.00

| Arizona State Sales Tax @ | 5.60% | 32,659.42 |
|---|-------|-----------|
| Phoenix Sales Tax @ | 2.70% | 15,746.51 |
| PHX Transportation Plan Tax @ 0.3% of \$10,303.00 | | 30.91 |

Total Bid Price Including Sales Tax \$ 631,640.84

Less payment upon completion @ factory discount (5,336.00)

Subtotal including all pre-pay discounts \$ 577,868,00

| Arizona State Sales Tax @ | 5.60% | 32,360.61 |
|--|--------|-----------|
| Phoenix Sales Tax @ | 2.70% | 15,602.44 |
| PHX Transportation Plan Tax @ 0.3% of \$10,3 | 303.00 | 30.91 |
| | | |

Total Bid Price Including Pre-Pay Discounts & Sales Tax \$ 625,861,96

Terms:

This unit is currently in the field and would be available for delivery within 60 days of contract execution. Upon contract execution the unit will be transport to Pierce facility for a pre-delivery inspection and and customer inspection.

The above quote is subject to change.

This stock unit is available on a first come / first serve basis.

This stock unit is sold on an As is basis with a Pierce (1) year bumper to bumper warranty and any remaining vendor warranties.

If payment discount options are not elected standard payment terms will apply: Final payment will be due 30 days after the unit leaves the factory for delivery. If payment is not made at that time a late fee will be applicable.

Purchasing documents will be between Hughes Fire Equipment and the Customer.

The proposal price is based on the unit being purchased through HGAC. This pricing is only valid for an HGAC purchase on contract FS12-17. The proposal price is based on the unit being purchased through HGAC. This pricing is only valid for an HGAC purchase on contract FS12-17.

Transportation of the unit to be driven from the factory is included in the pricing. However, if we are unable to obtain necessary permits, due to the weight of the unit, and the unit must be transported on a flat bed, additional transportation charges will be the responsibility of the purchaser. We will provide pricing at that time if necessary.

One (1) factory inspection trips for five (5) fire department customer representatives is included in the above pricing. The inspection trip will be scheduled at a time mutually agreed upon between the manufacture's representative and the customer. Airfare, lodging and meals while at the factory are included. If the Department elects to forgo an inspection trip \$1,850.00 per traveler (per trip) will be deducted from the final invoice.



Proposal Option List

9/16/2019

32033

Pierce Stock Field **Customer:**

Representative Smits, Tom Pierce Manufacturing Inc Organization:

Requirements Manager: Smits, Tom

Enforcer PUC pumper 1000 water (F/T) CARE Description:

Body: Pumper, PUC, Aluminum

Chassis: Enforcer Chassis, PUC **Bid Number:** 1135 Job Number: 32033 1

Number of Units:

09/28/2017

Stock Number:

Bid Date:

Price Level: 36 (Current: 38)

| Line Option | Type O | Option Description | Qty |
|-------------|---|---|-----|
| 1 0010012 | N | lo Boiler Plates requested | 1 |
| 2 0661794 | | ingle Source Compliance | 1 |
| 3 0584456 | M | fanufacture Location, Appleton, Wisconsin | 1 |
| 4 0584452 | | RFP Location: Appleton, Wisconsin | 1 |
| 5 0588609 | | ehicle Destination, US | 1 |
| 6 0670275 | U | Init to be Similar in some Aspects, Excluding Pump Panel | 1 |
| | | Fill in Blank - Duplicate of 30555, with side scene light model change, | |
| 7 0610784 | C | and air horns changed to positions #2 and #6. comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions | 4 |
| 8 0533347 | | umper/Pumper with Aerial Device Fire Apparatus | 1 |
| 9 0588611 | | ehicle Certification, Pumper | 1 |
| 10 0661778 | | gency, Apparatus Certification, Pumper/Tanker, U.L. | 1 |
| 11 0536644 | | ustomer Service Website | 1 |
| 12 0537375 | | nit of Measure, US Gallons | 1 |
| 13 0030006 | | id Bond Not Requested | 1 |
| 14 0540326 | | erformance Bond, Not Requested | 1 |
| 15 0000007 | | pproval Drawing | 1 |
| 16 0002928 | | lectrical Diagrams | 1 |
| 17 0625939 | | nforcer Chassis, PUC | 1 |
| 18 0000110 | | /heelbase | 1 |
| 10 0000110 | • | Wheelbase - 190.00" | ' |
| 19 0000070 | G | VW Rating | 1 |
| | | GVW rating - 49,800# | |
| 20 0649713 | Fr | rame Rails, 10.25" x 3.50" x .375", Saber FR/Enf | 1 |
| 21 0648354 | | rame Liner, Internal "C", 9.38" x 3.13" x .25", Saber FR/Enf, 26" Qval | 1 |
| 22 0629940 | | xle, Front, Oshkosh TAK-4, Non Drive, 22,800 lb, Enforcer | 1 |
| 23 0010427 | | uspension, Front TAK-4, 22,800 lb, Qtm/AXT/Imp/Vel/DCF/Enf | 1 |
| 24 0087572 | | hock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf | 1 |
| 25 0000322 | | il Seals, Front Axle | 1 |
| 26 0594821 | | res, Front, Goodyear, G296 MSA, 425/65R22.50, 20 ply | 1 |
| 27 0019611 | | heels, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot | 1 |
| 28 0530460 | | kle, Rear, Meritor RS26-185, 27,000 lb, Saber/Enforcer | 1 |
| 29 0544253 | | op Speed of Vehicle, 68 MPH | 1 |
| 30 0565380 | | uspen, Rear, Single Slipper Spring, 27,000 lb, Saber/Enforcer | 1 |
| 31 0000485 | | il Seals, Rear Axle | 1 |
| 32 0587216 | | res, Rear, Goodyear, G622 RSD, 12R22.50, 16 ply, Single | 1 |
| 33 0019625 | | heels, Rear, Alcoa, 22.50" x 8.25", Aluminum, Hub Pilot, Single | 1 |
| 34 0568081 | | re Balancing, Counteract Beads | 1 |
| 35 0620570 | | re Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle | 1 |
| | | Qty, Tire Pressure Ind - 6 | • |
| 36 0013246 | Ax | de Hub Covers without center hole, S/S, Front Axle | 1 |
| 37 0001960 | | de Hub Covers, Rear, S/S, High Hat (Pair) | 1 |
| 38 0002045 | | ud Flaps, w/logo front & rear | 1 |
| 39 0544802 | | nocks, Wheel, SAC-44-E, Folding | 1 |
| | | Qty, Pair - 01 | - |
| 40 0544806 | Mo | ounting Brackets, Chocks, SAC-44-E, Folding, Horizontal | 1 |
| | | Qty, Pair - 01 | |
| | | Location, Wheel Chocks - Left Side Rear Compt | |
| 41 0010670 | | 3S Wabco Brake System, Single rear axle | 1 |
| 42 0030185 | | akes, Knorr/Bendix 17", Disc, Front, TAK-4 | 1 |
| 43 0000730 | Bra | akes, Meritor, Cam, Rear, 16.50 x 7.00" | 1 |

| Line | Option | Туре | Option Description | Qty |
|------|---------|------|--|-----|
| 44 | 0058463 | | Air Compressor, Brake, Bendix 15.8 CFM | 1 |
| 45 | 0644232 | | Brake Reservoirs, 4,272 Cubic Inch Minimum Capacity, Saber FR/Enforcer | 1 |
| 46 | 0644228 | | Air Dryer, Wabco System Saver 1200 IWT, Heated, Saber FR/Enforcer | 1 |
| 47 | 0000790 | | Brake Lines, Nylon | 1 |
| 48 | 0049105 | | Air Inlet, w/Disconnect Coupling, Recessed in Cab Step | 1 |
| 49 | 0610858 | | Engine, DDC DD13, 525 hp, 1850 lb-ft, W/OBD, EPA 2016, REPTO, Enforcer | 1 |
| 50 | 0001244 | | High Idle w/Electronic Engine, Custom | 1 |
| 51 | 0590300 | | Engine Brake, Jacobs Compression Brake, DD13 | 1 |
| | | | Switch, Engine Brake - f) DD13 | |
| 52 | 0644227 | | Clutch, Fan, Air Actuated, Saber FR/Enforcer | 1 |
| 53 | 0640477 | | Air Intake, Metal Screen, Saber FR/Enforcer | 1 |
| 54 | 0565967 | | Exhaust System, 5", 2010 DD13, ISX engine, Vertical, PUC, CARE | 1 |
| 55 | 0788765 | | Radiator, Saber FR/Enforcer | 1 |
| 56 | 0001090 | | Cooling Hoses, Rubber | 1 |
| 57 | 0001125 | | Fuel Tank, 65 Gallon, Left Side Fill | 1 |
| 58 | 0001129 | | Lines, Fuel | 1 |
| 59 | 0595087 | | DEF Tank, 4.5 Gallon, DS Fill, Forward of Rear Axle | 1 |
| | | | Door, Material & Finish, DEF Tank - Brushed Stainless | |
| 60 | 0552793 | | Not Required, Fuel Priming Pump | 1 |
| 61 | 0552712 | | Not Required, Shutoff Valve, Fuel Line | 1 |
| 62 | 0553019 | | Cooler, Engine Fuel, Imp/Vel, AXT/Qtm/Sab/DCF/SFR/Enf | 1 |
| 63 | 0642533 | | Trans, Allison 5th Gen, 4500 EVS P, w/Prognostics, Imp/Vel/DCF/Enf | 1 |
| 64 | 0512762 | | Transmission, Shifter, 6-Spd, Push Button, 4500, Imp/Vel/Qtm/DCF/Enf | 1 |
| | | | Trans, ratio - 4500 EVS, 6Spd | |
| 65 | 0517604 | | Transmission Programming, Park to Neutral, PUC | 1 |
| 66 | 0684459 | | Transmission Oil Cooler, Modine, External | 1 |
| 67 | 0001375 | | Driveline, Spicer 1810 | 1 |
| 68 | 0669988 | | Steering, Sheppard M110 w/Tilt, TAK-4, Eaton Pump, w/Cooler | 1 |
| 69 | 0509229 | | Steering Wheel, 2 Spoke | 1 |
| 70 | 0559647 | | Pierce Logo on Horn Button | 1 |
| 71 | 0012246 | | Bumper, 22" Extended, Saber FR/Enforcer | 1 |
| 72 | 0640195 | | Tray, Hose, Center, 22" Bumper, Outside Air Horns | 1 |
| | | | Grating, Bumper extension - Grating, Rubber | |
| | | | Capacity, Bumper Tray - 20) 125' of 1.75" | |
| 73 | 0630813 | | Cover, Aluminum Treadplate, One (1) D-Ring Latch, Hose Tray | 1 |
| 7.4 | 0044040 | | Stay arm, Tray Cover - b) Pneumatic Stay Arm | |
| | 0614646 | | No Lift & Tow Package, Imp/Vel, AXT, SFR/Enf | 1 |
| | 0002270 | | Tow Hooks, Chrome | 1 |
| | 0625646 | | Cab, Enforcer, 7010, PUC | 1 |
| | 0647918 | | Engine Tunnel, DD13, Enforcer | 1 |
| | 0610508 | | Rear Wall, Interior, Adjustable Seating, Not Available | 1 |
| 79 | 0632103 | | Rear Wall, Exterior, Cab, Saber FR/Enforcer | 1 |
| 90 | 0644201 | | Material, Exterior Rear Wall - Aluminum Treadplate | 4 |
| | 0695930 | | Cab Lift, Elec/Hyd, Saber FR/Enforcer | 1 |
| | 0647989 | | Grille, Bright Finished, Front of Cab, Dash CF/Enforcer Trim, S/S Band, Across Cab Face, Arrow XT/Dash CF/Saber/Enforcer | 1 |
| 02 | 0047909 | | | 1 |
| 83 | 0087357 | | Material Trim/Scuffplate - e) S/S, Patterned Molding, Chrome on Side of Cab | 1 |
| | 0521669 | | Mirrors, Retrac, West Coast Style, Htd/Rmt, w/Htd/Rmt Convex | 1 |
| | 0648170 | | Door, Half-Height, Saber FR/Enforcer 4-Door Cab, Raised Roof | 1 |
| 00 | 0010170 | | Key Model, Cab Doors - 751 | ** |
| 86 | 0655543 | | Door Panel, Brushed Stainless Steel, Saber/Enforcer 4-Door Cab | 1 |
| | 0630636 | | Controls, Electric Roll-Up Windows, 4dr, 4 Driver Controls, Saber FR/Enforcer | 1 |
| | 0638310 | | Steps, 4-Door Cab, Saber FR/Enforcer | 1 |
| | | | Step Well Material - Aluminum Treadplate | ' |
| 89 | 0634786 | | Lights, Cab and Crew Cab Access Steps, P25, LED w/Bezel, 1Lt Per Step 6lts | 1 |
| | 0583698 | | Fenders, S/S on cab, Extra Wide, Saber/Enf | 1 |
| | 0637984 | | Window, Side of C/C, Fixed, Saber FR/Enforcer | 1 |
| | 0012090 | | Not Required, Windows, Front/Side of raised roof | 1 |
| | 0779033 | | Not Required, Windows Rear of Crew Cab, Saber FR/Enforcer | 1 |
| | | | | 1 |

| Line Option | Type Option Description | Othe |
|--------------|---|----------|
| 94 0637322 | Type Option Description Cab Interior, Vinyl Headliner, Saber FR/Enforcer | Qty 1 |
| 34 00010ZZ | Color, Cab Interior Vinyl/Fabric - a) Silver/Gray | ' |
| | Engine Tunnel Cover - Dark Silver Gray Vinyl | |
| 95 0012430 | Cab Interior, paint color | 1 |
| | Color, Cab Interior Paint - i) fire smoke gray | |
| 96 0012101 | Floor, Aluminum Treadplate, Cab & Crew Cab, Saber/Enforcer, CARE | 1 |
| 97 0644195 | Heater/Defroster, Saber FR/Enforcer | 1 |
| 98 0644194 | Air Conditioning, Saber FR/Enforcer | 1 |
| 99 0770958 | HEPA Filter, Air-Conditioning/Defroster, Sab/Enforcer, CARE | 1 |
| 100 0639675 | Sun Visor, Smoked Lexan, AXT, Dash CF, Imp/Vel, Saber FR/Enforcer | 1 |
| 404 0624220 | Sun Visor Retention - No Retention | |
| 101 0634328 | Grab Handles, Driver and Officer Door Posts, Saber FR/Enforcer | 1 |
| 102 0002526 | Light, Engine Compt, All Custom Chassis | 1 |
| 103 0631830 | Fluid Check Access, Saber FR/Enforcer, Arrow XT | 1 |
| 104 0583039 | Not Required, Side Roll and Frontal Impact Protection | 1 |
| 105 0622617 | Seating Capacity, 6 Seats | 1 |
| 106 0636957 | Seat, Driver, Pierce PSV, Air Ride, High Back, Saber FR/Enforcer | 1 |
| 107 0632923 | Seat, Officer, Pierce PSV, Air Ride, High Back, Saber FR/Enforcer | 1 |
| 108 0002517 | Not Required, Radio Compartment | 1 |
| 109 0632853 | Seat, Rear Facing C/C, DS Outboard, Pierce PSV, Hi-Back, Saber FR/Enforcer | 1 |
| 110 0102783 | Not Required, Seat, Rr Facing C/C, Center | 1 |
| 111 0632849 | Seat, Rear Facing C/C, PS Outboard, Pierce PSV, Hi-Back, Saber FR/Enforcer | 1 |
| 112 0108189 | Not Required, Seat, Forward Facing C/C, DS Outboard | 1 |
| 113 0632661 | Seat, Forward Facing C/C, Center, (2) Pierce PSV, Hi-Back, Saber FR/Enforcer | 1 |
| 114 0108190 | Not Required, Seat, Forward Facing C/C, PS Outboard | 1 |
| 115 0042359 | Upholstery, Seats in Cab, All Vinyl, CARE | 6 |
| | Color, Cab Interior Vinyl/Fabric - a) Silver/Gray | |
| 440 0544 474 | Qty, - 06 | |
| 116 0511471 | No SCBA Brackets Required In Cab Seats, Imp/Vel, AXT 2010, Qtm 2010, Dash CF | 1 |
| 117 0603866 | Seat Belt, Dual Retractor, ReadyReach, Saber FR/Enforcer | 1 |
| | Seat Belt Color - Red | • |
| 118 0602464 | Helmet Storage, Provided by Fire Department, NFPA 2016 | 1 |
| 119 0647638 | Lights, Dome, Weldon Dual LED 4 Lts | 1 |
| | Color, Dome Lt - Red & White | |
| | Color, Dome Lt Bzl - Black | |
| | Control, Dome Lt White - Door Switches and Lens Switch | |
| | Control, Dome Lt Color - Lens Switch | |
| 120 0602637 | Portable Hand Light, Provided by Fire Dept, Pumper NFPA 2016 Classification | 1 |
| 121 0644187 | Cab Instruments, Black Gauges, Black Bezels, Saber FR/Enforcer | 1 |
| | Emergency Switching - Individual Switches | |
| 122 0002544 | Air Restriction Indicator - Pierce Chassis | 1 |
| 123 0543751 | Light, Do Not Move Apparatus | 1 |
| 404 0007050 | Alarm, Do Not Move Truck - Pulsing Alarm | |
| 124 0637359 | Not Required, Door Open Indicator w/Do Not Move Truck Light, Enf/Saber FR | 1 |
| 125 0632738 | Switching, Cab Instrument Lower Console & Overhead, Rocker, Enforcer | 1 |
| 126 0644179 | Wiper Control, 2-Speed with Intermittent, Saber FR/Enforcer | 1 |
| 127 0548004 | Wiring, Spare, 15 A 12V DC 1st | 2 |
| | Qty, - 02 | |
| | 12vdc power from - Battery direct | |
| | Wire termination - 15 amp power point plug | |
| 128 0797189 | Location, Spare Wiring - Officer Dash Wiring, Spare, 4.8 A 12V DC, USB Termination Blue Sea 1045 1st | 4 |
| 120 0797 109 | | 1 |
| | Qty, - 01 | |
| | 12vdc power from - Battery direct Location - officer side of instrument panel. | |
| 129 0548006 | Wiring, Spare, 15 A 12V DC 2nd | 1 |
| | Qty, - 01 | , |
| | ਹਾਂ, - ਹ । 12vdc power from - Battery direct | |
| | Wire termination - Butt Splice | |
| | Location - upper area of compartment P3 on the front wall | |
| 130 0610240 | Vehicle Data Recorder w/Seat Belt Monitor | 1 |
| | | |

Page 3

| Line Option | Type Option Description | Qty |
|---------------------------|--|--------|
| 131 006235 | | 1 |
| | Location - passenger side of cab roof. | • |
| | Qty, - 01 | |
| 132 065353 | | 1 |
| | Location, Camera Monitor - Driver Side In Custom Dash | |
| 133 052392 | | 1 |
| 404 000404 | Location, Camera, Recessed - Center Rear | |
| 134 062424 | | 1 |
| 135 062425 | | 1 |
| 136 007921 | , | 1 |
| 137 000862 138 000269 | , | 1 |
| 139 053131 | • | 1 |
| 140 050596 | | 1 |
| 140 000000 | Location - compartment D3 behind partition, upper section. | 1 |
| 141 053095 | Location, Bat Chrg Ind, DS Behind Cab Door | 1 |
| 142 001685 | , | 1 |
| | Qty, - 01 | • |
| | Color, Kussmaul Cover - b) red | |
| | Shoreline Connection - Battery Charger | |
| 143 002680 | 0 Shoreline Location | 1 |
| 444 000570 | Location, Shoreline(s) - DS Cab Side | |
| 144 062579 | 7 manual, ees sing, 2000 Normo Bai 100 H | 1 |
| 145 064417 146 064859 | | 1 |
| 147 064841 | The state of the s | 1 |
| 148 062005 | | 1 |
| 149 064789 | | 1 |
| 150 078210 | J , , , , , , , , , , , , , , , , , , , | 1 1 |
| 151 066953 | J , | 1 |
| 152 051702 | - 0, | 1 |
| 153 008591 | • , , , , , , , , , , , , , , , , , , , | 1 |
| 154 066448 | | 1 |
| 155 058990 | | 1 |
| 156 064403 | | 1 |
| | Control, Perimeter Lts - | |
| 157 0617926 | 6 Lights, Perimeter Pump House, Amdor AY-9500-012 LED 2lts | 1 |
| | Control, Perimeter Lts - | |
| 158 064599 | 5 ·, · · · · · · · · · · · · · · · · · | 1 |
| 450 055000 | Control, Perimeter Lts - Parking Brake Applied | |
| 159 0556337 160 064099 | | 1 |
| 100 004099 | | 2 |
| | Location, Lights - driver side ahead of crew cab door, and at rear of body inside the Whelen M9 warning light | |
| | Qty, - 02 | |
| | Switch, Lt Control 1 DC,1 - a) DS Switch Panel | |
| | Switch, Lt Control 2 DC,2 - e) No Control | |
| | Switch, Lt Control 3 DC,3 - d) No Control | |
| | Switch, Lt Control 4 DC,4 - d) No Control | |
| 161 0640941 | Color, WIn Lt Housing - Chrome Flange 1 Light, WIn, 12V PCPSM2* Pioneer LED Fld/Spt, Surface Mnt 2nd | 2 |
| 101 0040341 | Location, Lights - passenger side ahead of crew cab door, and at rear of | 2 |
| | body inside the Whelen M9 warning light | |
| | Qty, - 02 | |
| | Switch, Lt Control 1 DC,1 - a) DS Switch Panel | |
| | Switch, Lt Control 2 DC,2 - e) No Control | |
| | Switch, Lt Control 3 DC,3 - d) No Control | |
| | Switch, Lt Control 4 DC,4 - d) No Control | |
| 162 0663831 | Color, WIn Lt Housing - Chrome Flange Lights, Work, (2) WIn PELCC LED PUC, Alternative Hose Bed Lights | 1 |
| | Switch, Scene Lt Cntrl - g) parking brake engaged | 1 |
| 163 0645869 | | 1 |
| | Control, Hose Bed Lts - Cup Switch At Rear | |
| | The same of the state of the st | |

| Line Option | Туре | Option Description | Qty |
|----------------------------|------|--|--------|
| 164 0645677 | | Lights, Not Required, Rear Work, Alt. 12 Volt Lights At Rear Body | 1 |
| 165 0645611 | | Lights, Rear Scene, FRC, SPA900-Q70, Surface Mt, 1st | 2 |
| | | Location, Lights - rear of truck, one each side, per print. Qty, - 02 | |
| 100 0700 100 | | Control, Rear Scene Lts - Cab Switch Panel DS and Pump Panel DS | |
| 166 0709438 | | Light, Walking Surf, FRP Flood, LED | 1 |
| 167 0773728 | 5 | Light, Roof Mt, Wln S72M**, 72" Cnt Feature | 1 |
| | | Color, WIn Lt Housing - White Paint Control, Scene Lts - Cab Sw Panel DS | |
| | | Color, LEDs, Visor Warn Spot, LS Outside - White | |
| | | Color, LEDs, Visor Warn Spot, LS Inside - White, Spot | |
| | | Color, LEDs, Visor Warn Spot, RS Inside - White | |
| | | Color, LEDs, Visor Warn Spot, RS Outside - White | |
| 168 0518282 | | Pumper, PUC, Aluminum | 1 |
| 169 0554271 | | Body Skirt Height, 20" | 1 |
| 170 0515261 | | Tank, Water, 1000 Gallon, Poly, T-Shaped Form Fitting, PUC | 1 |
| 171 0003405 172 0028104 | | Overflow, 4.00" Water Tank, Poly Foam Cell Required | 1 |
| 172 0028104 | | Sleeve, Through Tank | 1 |
| 170 0000000 | | Qty, Sleeve - 1 | ' |
| | | Water Tank Sleeve - Plumbing/Hydraulic Diameter - 3" Plumbing | |
| 174 0553729 | | Not Required, Restraint, Water Tank, Heavy Duty | 1 |
| 175 0003429 | | Not Required, Direct Tank Fill | 1 |
| 176 0003424 | | Not Required, Dump Valve | 1 |
| 177 0048710 | | Not Required, Jet Assist | 1 |
| 178 0030007 | | Not Required, Dump Valve Chute | 1 |
| 179 0514778 | | Not Required, Switch, Tank Dump Master | 1 |
| 180 0597043 | | Body Height, PUC | 1 |
| 101 0100041 | | Body Height - 92.00" | |
| 181 0199241 182 0003482 | | Hose Bed, Aluminum, Pumper, PUC Hose Bed Capacity, Additional | 1 |
| 102 0003462 | | | 1 |
| 183 0003488 | | Capacity, Hosebed - 1000' of 5.0" hose, and 600' of 2.5" hose Divider, Hose Bed, Unpainted | 1 |
| | | Qty, Hosebed Dividers - 1 | • |
| 184 0589278 | | Hose Restraint, Hose Bed, Velcro Strap on Top, 2" Heavy Nylon Web at Rear | 1 |
| | | Type of fastener - seat belt buckle | |
| | | Nylon Web Color - Black | |
| 185 0611509 | | Type of fastener, Rear - seat belt buckle - bottom of hosebed Running Boards, Flip Out, PUC | 1 |
| 186 0685334 | | Tailboard, 12" Deep, Full Width, PUC | 1 1 |
| 187 0690029 | | Wall, Rear, Body Material, PUC, PUC Tanker, PRM | 1 |
| 188 0003531 | | Tow Bar, Under Tailboard | 1 |
| 189 0656764 | | Construction, Compt, Alum, Pumper, PUC | 1 |
| 190 0503804 | | LS 189" Rollup, (1) 62" Fwd, (1) 52" Rr, Full Height & Depth Front & Rear, PUC | 1 |
| 191 0503803 | | RS 189" Rollup, (1) 62" Fwd, (1) 52" Rr, Full Height & Depth Front & Rear, PUC | 1 |
| 192 0692733 | | Doors, Rollup, Gortite, Side Compartments | 6 |
| | | Qty, Door Accessory - 06 | |
| | | Color, Roll-up Door, Gortite - Painted to Match Lower Body | |
| 193 0557309 | | Latch, Roll-up Door, Gortite - Non-Locking Liftbar | |
| 194 0692743 | | Compt, Rear, Rollup, 40.50" FF, w/Tailboard, PUC Door, Gortite, Rollup, Rear Compartment, PUC | 1 |
| 194 0032743 | | Color, Roll-up Door, Gortite - Satin finish | ા |
| | | Latch, Roll-up Door, Gortite - Non-Locking Liftbar | |
| 195 0659353 | | Lights, Compt, Amdor AY-9220 LED, Dual Light Strip | 7 |
| | | Qty, - 07 | |
| 196 0515679 | | 189" Hatch, (2) Lift-up, 21" Wide, Both Sides, PUC | 1 |
| | | Size, Hatch Compt, Height - 22.00" | |
| 197 0659813 | | Lights, Hatch Compt, Amdor AY-9220 LED Strip Light, 189", Both Sides | 1 |
| 198 0687145 | | Shelf Tracks, Recessed, PUC/3rd Generation | 1 |
| 199 0600350 | | Shelves, Adj, 500 lb Capacity, Full Width/Depth, Predefined Locations | 4 |
| | | Qty, Shelf - 04 | |
| | | iviateriai Finish, Sheli - Painted - Spatter Gray | |
| | | Material Finish, Shelf - Painted - Spatter Gray | |

| | Option | Туре | Option Description | Qty |
|-------|--------------------|------|---|-----|
| 199 | | | Location, Shelves/Trays, Predefined - D1-Upper Third, D3-Upper Third, P1-Upper Third and P3-Lower Third Left of Partition | |
| 200 | 0647043 | | Tray, Floor Mounted, Slide-Out, Full Width/Full Depth, 500lb, 2.00" Sides, 3G | 3 |
| | | | Qty, - 03 | |
| | | | location - one each in the following comaprtments D1, D3, P1. | |
| 201 | 0709346 | | Material Finish, Tray - Painted - Spatter Gray Toolboard, Slide-out, Alum, .188", Peg Board, Predefined Locations | 2 |
| 201 | 0703040 | | Qty, - 02 | 2 |
| | | | Mounting, Toolboard - Adjustable side-side | |
| | | | Hole Diameter, Pegboard/Toolboard203" diameter | |
| | | | Finish, Pegboard/Toolboard - Painted - Spatter Gray | |
| | | | Location, Partition/Toolboard, Predefined - P3- 20.00" From Forward Door Frame and P3- 40.00" From Forward Door Frame | |
| 202 | 0544614 | | Toolboard, Swing-out, Alum, .188", Peg Board, 3G | 1 |
| | | | Qty - 1 | |
| | | | Location, Pivot - Back | |
| | | | Mounting, Toolboard - Adjustable Frt-back Hole Diameter, Pegboard/Toolboard203" diameter | |
| | | | Finish, Pegboard/Toolboard - Painted - Spatter Gray | |
| | | | Location, Toolboard - D2 | |
| 203 | 0516644 | | Mounting, Backboards, Above Crosslays, PUC | 2 |
| | | | Qty, - 02 | |
| 204 | 0013919 | | Size - 72" Long x 18" wide x 1" thick Partition, Adjustable, Vertical Compt | 1 |
| | | | Location - compartment P3, 32" clear from the front door frame. | |
| | | | Qty, Partition - 01 | |
| 205 | 0773524 | | Warm Water Rinse Outlet, 18 Gallon Tank, Cargo Area, PUC, CARE | 1 |
| | | | Location - passenger side pump panel, as close to P3 as possible. | |
| 206 | 0063064 | | Fill in Blank - passenger side pump panel. Rub Rail, Aluminum Extruded, Side of Body, 3rd Gen Body | 1 |
| | 0515441 | | Fender Crowns, Rear, S/S, W/Removable Fender Liner, Pumper, 3rd Gen | 1 |
| | | | Material Finish, Fender Liner - | |
| | 0519849 | | Not Required, Hose, Hard Suction | 1 |
| | 0527021 | | Handrails Located @ Front Body | 1 |
| | 0664688 0000941 | | Handrails, Rear, PUC No Rear Hose Bed Handrail Required | 1 |
| | 0653799 | | Compt, Air Bottle, Double, Single Bottle Door, Fender Panel | 1 2 |
| | 0000,00 | | Qty, Air Bottle Comp - 2 | _ |
| | | | Door Finish, Fender Compt - Polished | |
| | | | Location, Fender Compt - Double - DS Fwd and Double - DS Rear | |
| | | | Latch, Air Bottle Compt - Southco C2 Chrome Raised Insert, Air Bottle Compt - Rubber Matting | |
| 213 | 0622393 | | Compt, Air Pack in Fender Panel | 1 |
| | | | Location, Bracket/comp passenger side of body fender panel, ahead of | |
| | | | rear axle. | |
| | | | Qty, - 01 Door Finish, Fender Compt - Polished | |
| | | | Latch, Air Bottle Compt - Southco C2 Chrome Raised | |
| | | | Insert, Air Bottle Compt - Rubber Matting | |
| 214 | 0657522 | | Compt, Air Bottle, Triple, Fender Panel | 1 |
| | | | Qty, Air Bottle Comp - 1 Door Finish, Fender Compt - Polished | |
| | | | Location, Fender Compt - Polished Location, Fender Compt - Triple - PS Rear | |
| | | | Latch, Air Bottle Compt - Southco C2 Chrome Raised | |
| 045 | 0045507 | | Insert, Air Bottle Compt - Rubber Matting | |
| 215 (| 0045527 | | Horizontal Mounting Tracks for Air Bottle Holders | 1 |
| | | | Location, Bracket/comp Back of Compartment P2 Qty, - 1 | |
| | | | qty, Mounting Studs - 04 | |
| | 0004225 | | Ladder, 24 Duo-Safety 900A 2-Section | 1 |
| | 0004230 | | Ladder, 14' Duo-Safety 775A Roof | 1 |
| ∠18 (| 0638382 | | Rack, Ladders, in LS Full Depth Body, PUC | 1 |
| | | | Door, Material & Finish, Ladder Storage - smooth aluminum Latch, Door Ladder Storage - Lift and Turn, Pair | |
| | | | Laten, Door Ladder Storage - Lift and Turn, Pair | |

| Line Option | Туре | Option Description | Qty |
|----------------------------|------|--|-----|
| 219 0014245 | | Ladder, 10' Duo-Safety Folding 585A, w/Mounting | 1 |
| 220 0789534 | | Location, Folding Ladder - In Pike Compt Pike Pole, 8' DUO Safety, Fiberglass | 1 |
| | | Qty, Pike Poles - 1 | |
| 004 0700507 | | Location, Pike Pole - Ladder Storage Compt | |
| 221 0789537 | | Pike Pole, 6' DUO Safety, Fiberglass | 1 |
| | | Qty, Pike Poles - 1 Location, Pike Pole - Ladder Storage Compt | |
| 222 0539402 | | Compt, Pike Poles/Fld Ldr In Upper Bdy (1) LS, Long Storage (1) RS, Sm Alum, | 1 |
| | | PUC | |
| 223 0521734 | | No Steps Required, Front Of Body, PUC | 1 |
| 224 0515519 | | Ladder, Top Access, Alum, RH Rear, PUC | 1 |
| 225 0515695 226 0515822 | | Pump, Pierce, 1500 GPM, Single Stage, PUC | 1 |
| 227 0515705 | | Seal, Mechanical, Silicon Carbide, PUC Pump Gear Case, Pierce Pump, REPTO-Clutch Drive | 1 |
| 228 0521309 | | Pumping Mode, Pump and Roll/Stationary, Basic, PUC | 1 |
| 229 0515829 | | Pump Shift, Sure-Shift | 1 |
| 230 0515833 | | Transmission Lock-up, Not Reg'd, Park to Neutral, Pump, PUC | 1 |
| 231 0515835 | | Auxiliary Cooling System, PUC | 1 |
| 232 0014486 | | Not Required, Transfer Valve, Stage Pump | 1 |
| 233 0777650 | | Valve, Relief Intake, Akron | 1 |
| | | Pressure Setting - 125 psig | |
| 234 0515838 | | Controller, Pressure, Pierce, PUC | 1 |
| 235 0072153 | | Primer, Trident, Air Prime, Air Operated | 1 |
| 236 0780359 | | Manuals, Pump, (2) Total, Electronic Copies, Pierce PUC Pump | 1 |
| 237 0602496 | | Plumbing, Stainless Steel and Hose, Single Stage Pump, PUC | 1 |
| 238 0795135 | | Plumbing, Stainless Steel, w/Foam System | 1 |
| 239 0517852 | | Inlets, 6.00" - 1500 GPM, Pierce PUC Pump | 1 |
| 240 0004646 | | Cap, Main Pump Inlet, Long Handle, NST, VLH | 1 |
| 241 0084610 | | Valves, Akron 8000 series- All | 1 |
| 242 0004660 243 0029147 | | Inlet, Left Side, 2.50" | 1 |
| 244 0520002 | | Not Required, Inlet, Right Side Valve, Inlet(s) Recessed, Side Cntrl, PUC | 1 |
| 244 0020002 | | | 1 |
| 245 0521137 | | Qty, Inlets - 1 Anode, Zinc, Pair, Pump Inlets, PUC | 1 |
| 246 0004700 | | Control, Inlet, at Valve | 1 |
| 247 0092569 | | No Rear Inlet (Large Dia) Requested | 1 |
| 248 0092696 | | Not Required, Cap, Rear Inlet | 1 |
| 249 0064116 | | No Rear Inlet Actuation Required | 1 |
| 250 0009648 | | No Rear Intake Relief Valve Required on Rear Inlet | 1 |
| 251 0092568 | | No Rear Auxiliary Inlet Requested | 1 |
| 252 0563738 | | Valve, .75" Bleeder, Aux. Side Inlet, Swing Handle | 1 |
| 253 0520277 | | Tank to Pump, (1) 3.00" Valve, 4.00" Plumbing, PUC | 1 |
| 254 0595508 | | Outlet, Tank Fill, 1.50", PUC | 1 |
| 255 0516755 | | Outlet, Left Side, 2.50" (2), PUC | 1 |
| 256 0651266 | | Outlet, Right Side, 2.50", (1), Electric Akron 9325 Controller, PUC | 1 |
| 257 0651265 | | Qty, Discharges - 01 Outlet Pight Side 4 00" w/4 00" Valve Akron 9335 Controller PLIC | 4 |
| 258 0649939 | | Outlet, Right Side, 4.00" w/4.00" Valve, Akron 9325 Controller, PUC Outlet, Front, 1.50" w/2" Plumbing | 1 |
| 200 0040000 | | · · · · · · · · · · · · · · · · · · · | 1 |
| | | Fitting, Outlet - 1.50" NST with 90 degree swivel Drain, Front Outlet - Class 1 Automatic | |
| | | Location, Front, Single - in center bumper tray | |
| 259 0516777 | | Outlet, Rear, 2.50", (1), Thru Tank, PUC | 1 |
| | | Qty, Discharges - 01 | |
| | | Location, Outlet - a) passenger's side | |
| 260 0537394 | | Not Required, Outlet, Rear, Additional, PUC | 1 |
| 261 0065077 | | Caps for 1.50" to 3.00" Discharges, Vinyl Covered Cable | 1 |
| 262 0563739 | | Valve, 0.75" Bleeder, Discharges, Swing Handle | 1 |
| 263 0055095 | | Not Required, Elbow, Left Side Outlets, 2.50" | 1 |
| 264 0021134 | | Not Required, Elbow, Right Side Outlets | 1 |
| 265 0045091 | | Elbow, Rear Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH | 1 |
| 266 0537395 | | Not Required, Elbow, Rear Outlets, Additional | 1 |

| Line | Option | Type | Option Description | Qty |
|------|---------|------|--|-----|
| 267 | 0527969 | | Cap, Large Dia Outlet, 4.00", IPO Elbow | 1 |
| 268 | 0653960 | | Control, Outlets, Swing Handle, Elect PS Outlets Akron 9325 w/Press Disp, PUC | 1 |
| 269 | 0516860 | | Outlet, 3.00" Deluge w/2.50" Valve, PUC | 1 |
| 270 | 0029302 | | No Monitor Requested | 1 |
| | 0029304 | | No Nozzle Reg'd | 1 |
| | 0005070 | | Deluge Mount, NPT | 1 |
| | 0516873 | | Crosslays, Low Mount, (2) 1.50", Std. Cap, W/Poly Trays, PUC | 1 |
| | 0516878 | | Crosslay, (1) 2.50" Std Cap, W/ Poly Tray, PUC | 1 |
| | 0533672 | | Not Required, Hose Restraint, Crosslay, PUC | 1 |
| | | | | 1 |
| 270 | 0692796 | | Doors, Crosslay, Roll-up Gortite, Each End, Full Height, PUC | 1 |
| | | | Color, Roll-up Door, Gortite - Painted to Match Lower Body | |
| | | | Latch, Roll-up Door, Gortite - Non-Locking Liftbar | |
| 277 | 0676004 | | Door Guard - | |
| 2// | 0676021 | | Foam Sys, Husky 3, Single Agent, PUC, Multi Select Feature | 1 |
| | | | Discharge, Foam Locations - Crosslay Lower Rear, Crosslay Lower | |
| | | | Front, Crosslay Upper Rear, Front Bumper Center and Rear Outlet Right Side | |
| | | | Discharge, Foam Locations - Crosslay Lower Rear, Crosslay Lower Front, Crosslay Upper Rear, Front Bumper Center and Rear Outlet Right Side | |
| 278 | 0012126 | | Not Required, CAF Compressor | 1 |
| | 0592527 | | Refill, Foam Tank, Integral, Husky 3 | 1 |
| | 0031896 | | · · · · · · · · · · · · · · · · · · · | |
| | | | Demonstration, Foam System, Dealer Provided | 1 |
| 261 | 0530519 | | Foam Cell, 30 Gallon, Not Reducing, PUC | 1 |
| | | | Type of Foam - Class "A" | |
| 202 | 0607500 | | Foam, Brand Name - Chemguard | |
| | 0697589 | | Drain, 1.00", Foam Tank #1, Husky 3 Foam System, Quarter Turn | 1 |
| | 0091079 | | Not Required, Foam Tank #2 | 1 |
| | 0091112 | | Not Required, Foam Tank #2 Drain | 1 |
| | 0515692 | | Pump Operators Panel, 31", Control Zone, PUC | 1 |
| | 0032479 | | Pump Panel Configuration, Control Zone | 1 |
| 287 | 0516975 | | Material, Pump Panels, Operators Brushed Stainless, Sides Brushed Stainless, | 1 |
| 200 | 0540070 | | PUC | 3 |
| | 0516978 | | Pump and Plumbing Access, Simple Tilt Service, PUC | 1 |
| | 0520016 | | Not Required, Pumphouse Structure, PUC | 1 |
| 290 | 0618458 | | Light, Pump Compt, Wln 3SC0CDCR LED White, PUC | 2 |
| | | | Qty, - 02 | |
| | 0516983 | | Gauges, Engine, Included With Pierce Pressure Controller, PUC | 1 |
| | 0005601 | | Throttle Included w/ Pressure Controller | 1 |
| | 0549333 | | Indicators, Engine, Included with Pressure Controller | 1 |
| | 0511078 | | Gauges, 4.00" Master, Class 1, 30"-0-600psi | 1 |
| 295 | 0511100 | | Gauge, 2.00" Pressure, Class 1, 30"-0-400psi | 1 |
| 296 | 0517009 | | Gauge, Water Level, Pierce, In pressure Controller, w/Mini Slave, PUC | 1 |
| | | | Activation, Water Level G - pg) pump in gear | |
| 297 | 0517012 | | Gauge, Foam Level, Pierce, PUC, PP and Mini in Cab | 1 |
| | | | Activation, Foam Level Gauge - pump in gear | |
| 298 | 0653081 | | Light, Pump Operator & Panel, Side Ctrl, PUC, 60354C LED Cab & LED OH Chr | 1 |
| | | | Cvr | |
| | 0606697 | | Air Horns, (2) Grover, In Bumper | 1 |
| 300 | 0606834 | | Location, Air Horns, Bumper, Each Side, Outside Frame, Inboard (Pos #2 & #6) | 1 |
| 301 | 0016065 | | Control, Air Horn, Horn Ring, PS Chrome Push Button | 1 |
| 302 | 0534828 | | Siren, Wln 295SL101, 100 or 200W Removable Mic | 1 |
| 303 | 0692039 | | Location, Electronic Siren, Center Console | 1 |
| 304 | 0693305 | | Control, Elec Siren, PS Push Button and Siren Head | 1 |
| | | | Location - in easy reach of officer, on engine tunnel area. | |
| 305 | 0601306 | | Speaker, (1) Wln, SA315P, w/Pierce Polished Stainless Steel Grille, 100 watt | 1 |
| | | | Connection, Speaker - siren head | |
| 306 | 0601565 | | Location, Speaker, Frt Bumper, Recessed, Center (Pos 4) | 1 |
| | 0675701 | | Siren, Federal Q2B, Park Brake Interlock | 1 |
| | 0006095 | | Siren, Mechanical, Mounted Above Deckplate | 1 |
| 550 | | | Location, Siren, Mech - a) Left | |
| 309 | 0026163 | | Control, Mech Siren, DS & PS Foot Sw | 1 |
| | 0606775 | | Lightbar, Wln, Freedom IV-Q, 72", RRWRRR RRRWRR | 1 |
| 510 | 0000110 | | <u> </u> | ' |
| | | | Filter, WhI Freedom Ltbrs - No Filters | |

| | Option | Туре | Option Description | Qty |
|-----|--------------------|------|--|--------|
| | 0016380 0540384 | | No Additional Lights Req'd, Side Zone Upper | 1 |
| 312 | 0540384 | | Lights, Front Zone, Wln M6*C LED, Clear Lens, in Common Bzl | 1 |
| | | | Color, Lt DS Front - Red Color, Lt PS Front - Red | |
| 313 | 0063971 | | Daytime Running Lights, Headlights, AXT/Saber/Enforcer (Low Beam) | 1 |
| | 0653937 | | Flasher, Headlight Alternating | 1 |
| | | | Headlt flash deactivation - a)w/high beam | - |
| 315 | 0594641 | | Lights, Side Zone Lower, Wln M9*C, M9*C, M6*C, Clear Lens 6lts | 1 |
| | | | Location, Lights Mid - behind each crew cab door | |
| | | | Location, Lights Rear - rear body fender panels, one each side | |
| | | | Location, Lights Front Side - b)each side bumper | |
| | | | Color, Lt Side Front - Red Color, Lt Side Middle - Red | |
| | | | Color, Lt Side Ivilidale - Red Color, Lt Side Rear - Red | |
| 316 | 0540774 | | Lights, Side, Win M9*C LED, Clear Lens | 2 |
| | | | Location, Lights - front of body, upper corner. | |
| | | | Qty, - 02 | |
| | | | Color, Lights, Warning - gla) red | |
| 317 | 0540781 | | Lights, Rear Zone Lower, WIn M9*C LED, Clear Lens | 1 |
| | | | Color, Lt DS Rear - r) DS Rear Lt Red | |
| 318 | 0541155 | | Color, Lt PS Rear - r) PS Rear Lt Red Lights, Rear/Side Up Zone, WIn M9*C LED, Clear Lens 4lts | 1 |
| 010 | 00-1100 | | Color, Lt, Side Rear Upper DS - Side Rear Upper Red | ' |
| | | | Color, Lt, Side Rear Upper PS - Side Rear Upper Red | |
| | | | Color, Lt, Rear Upper DS - r) DS Rear Upper Red | |
| | | | Color, Lt, Rear Upper PS - r) PS Upper Rear Red | |
| | 0006551 | | Not Required, Lights, Rear Upper Zone Blocking | 1 |
| | 0026813 | | No Hose Bed Warn Light Brackets Req'd, Lights Mtd on Hatch Compts, Pumper | 1 |
| 321 | 0791528 | | Light, Traffic Directing, Wln TAL65, 36.00" Long, TACTL5 | 1 |
| 200 | 0554700 | | Activation, Traffic Dir L - Not Connected | 4 |
| | 0551728 | | Location, Traf Dir Lt, Recessed with S/S Trim | 1 |
| | 0529654 0006646 | | Location, Traf Dir Lt Controller, Heavy Duty Swivel Bracket Centered Electrical System, 120/240VAC, General Design | 1 |
| | 0563275 | | Generator, Harrison 6kW MSV, Hydraulic, Hotshift PTO, Volt Meter Only | 1 1 |
| 020 | 0000270 | | Generator Interlocks - No Interlocks | |
| 326 | 0517171 | | Location, Hydraulic Generator, Cargo Area, Front of Body, PRM/PUC | 1 |
| | | | Location, Generator - driver side of cargo compartment. | |
| 327 | 0016752 | | Starting Sw, Truck Engine Powered Gen, Cab Sw Pnl | 1 |
| | 0016757 | | Not Required, Remote Start, Generator | 1 |
| | 0016740 | | Not Required, Fuel System | 1 |
| | 0016767 | | Not Required, Oil Drain Extension, Generator | 1 |
| | 0016771 | | Not Required, Routing Exhaust, Generator | 1 |
| 332 | 0520107 | | Circuit Breaker Panel, Included With PTO Generator, PUC | 1 |
| | | | Location, CB Panel - compartment D3, standard location, recessed in left bulkhead wall | |
| 333 | 0526994 | | Reel, Elect Cable, Akron, (4) Wire | 1 |
| | | | Qty, Cord Reels - 1 | |
| | | | Reel Guide - b) Captive roller | |
| | | | Finish, Reel - Powder Coated Silver | |
| | | | Location, Electric Cord Reel - PS Hatch Compartment, Forward, 1 Reel | _ |
| 334 | 0086632 | | Cord, Electric, 10/4 Yellow, 4 Wire | 1 |
| | | | Lengths of Elect Cord - 1 | |
| | | | Feet of Yellow Cord - e)200 Connection, Cord - Direct connection | |
| 335 | 0095722 | | Reel, Feed Through Floor of Hatch Compartment, Roller Guide | 1 |
| | | | Qty, - 1 | |
| 336 | 0519934 | | Not Required, Brand, Hydraulic Tool System | 1 |
| 337 | 0007150 | | Bag of Nuts and Bolts | 1 |
| | | | Qty, Bag Nuts and Bolts - 1 | |
| 338 | 0602516 | | NFPA Required Loose Equipment, Pumper, NFPA 2016, Provided by Fire | 1 |
| 330 | 0602407 | | Department Soft Suction Hose, Provided by Fire Department, Pumper NEDA 2016 Classification | 4 |
| | 0602407 0027023 | | Soft Suction Hose, Provided by Fire Department, Pumper NFPA 2016 Classification No Strainer Required | 1 1 |
| J4U | 0021023 | | No otrainer required | - 1 |

| Line | Option | Туре | Option Description | Otv |
|------------------|--------------------|------|--|--------|
| | 0533246 | Турс | Extinguisher, 20 lb Dry Chemical | Qty |
| 041 | 0000240 | | Qty, Extinguishers - 1 | 1 |
| 342 | 0602360 | | Extinguisher, 2.5 Gal. Pressurized Water, Pumper NFPA 2016,Provided by Fire Dept | 1 |
| 343 | 0602679 | | Axe, Flathead, Pumper NFPA 2016 Classification, Provided by Fire Department | 1 |
| 344 | 0602667 | | Axe, Pickhead, Pumper NFPA 2016 Classification, Provided by Fire Department | 1 |
| 345 | 0559685 | | Paint, Two Tone, Cab, Custom Cab | 1 |
| 2/6 | 0646901 | | Paint Color, Predefined - #90 Red Paint Color, Upper Area, Predefined - #10 White Paint Chassis Frame Assy, With Liner, E-Coat, Standard | 1 |
| 340 | 0040301 | | Paint Color, Frame Assembly, Predefined - Black | • |
| 347 | 0693797 | | No Paint Required, Aluminum Front Wheels | 1 |
| 348 | 0693792 | | No Paint Required, Aluminum Rear Wheels | 1 |
| | 0007230 | | Compartment, Painted, Spatter Gray | 1 |
| | 0544129 | | Reflective Band, 1"-6"-1" | 1 |
| 251 | 0077250 | | Color, Reflect Band - A - a) white Color, Reflect Band - B - I) white Color, Reflect Band - C - w) white | |
| | 0077356 | | Reflective, Cab Face, Below the S/S Trim Band | 1 |
| <i>ა</i> ე2 | 0593732 | | Stripe, Chevron, Rear, Diamond Grade, Pumper, PUC | 1 |
| 353 | 0017359 | | Color, Rear Chevron DG - fluorescent yellow green Stripe, Black Outline, Vinyl on Reflective Band | 3 |
| 354 | 0022087 | | Qty, - 03 "Z" Ribbon, w/Shade in Reflective Stripe, Pair | 1 |
| | | | Qty, - 1 | |
| 355 | 0593225 | | Stripe, Reflective, Cab Doors Interior, Diamond Grade | 1 |
| 050 | 0007000 | | Color, Reflect Band - A - p) fluorescent yellow green diamond grade | |
| | 0027286 | | Not Required, Lettering Specs | 1 |
| | 0007472 | | [Lettering not Requested] | 1 |
| | 0583553 | 0.0 | Undercoating, Cab & Body, Stock/Demo Style, Pumper, Ziebart | 1 |
| | 6601762 | SP | Discount, Stock to Move, Job 32033, Approved 6/24/19 | 1 |
| | 0529225 | | Manuals, Two (2) CD, Fire Apparatus Parts, Custom Chassis | 1 |
| | 0531636 | | Manual, (2) CD, Chassis Service, Custom | 1 |
| | 0531638 | | Manual, Two (2) CD, Chassis Operation, Custom | 1 |
| | 0030008 | | Warranty, Basic, 1 Year, Apparatus, WA0008 | 1 |
| | 0595239 | | (No Pick Required) | 1 |
| | 0696696 | | Warranty, Engine, Detroit DD13, 5 Year, WA0180 | 1 |
| | 0684953 | | Warranty, Steering Gear, Sheppard M110, 3 Year WA0201 | 1 |
| | 0596017 | | Warranty, Frame, 50 Year, Custom Chassis, WA0013 | 1 |
| | 0595698 | | Warranty, Axle, 3 Year, TAK-4, WA0050 | 1 |
| | 0777368 | | Warranty, Axle, 2 Year, Meritor, General Service, WA0328 | 1 |
| | 0652758 | | Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232 | 1 |
| | 0019914 | | Warranty, Structure, 10 Year, Custom Cab, WA0012 | 1 |
| | 0595813 | | Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055 | 1 |
| | 0695416 | | Warranty, Pierce Camera System, WA0188 | 1 |
| | 0708760 | | Warranty, Not Applicable, LED Strip Lights | 1 |
| | 0046369 0685945 | | Warranty, 5-year EVS Transmission, Standard Custom, WA0187 | 1 |
| | 0688798 | | Warranty, Transmission Cooler, WA0216 Warranty, Water Tank, Lifetime, LIPE, Poly Tank, WA0195 | 1 |
| | 0596025 | | Warranty, Water Tank, Lifetime, UPF, Poly Tank, WA0195 | 1 |
| | 0693127 | | Warranty, Structure, 10 Year, Body, WA0009 Warranty, Gortite, Roll-up Door, 6 Year, WA0190 | 1 |
| | 0516693 | | Warranty, Gortite, Roll-up Door, 6 Year, WA0190 | 1 |
| | | | Warranty, Pump, Pierce, PUC, 6 Year Parts, 1 Year Labor, WA0039 | 1 |
| | 0648675 0657990 | | Warranty, 10 Year S/S Pumbing, WA0035 Warranty, Foam System, Husky 3, WA0231 | 1 4 |
| | 0609981 | | Warranty, Foam System, Husky 3, WA0231 Warranty, Harrison Generator, 6 Year, WA0285 | 1 |
| | 0595820 | | Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057 | 1 |
| | 0593921 | | · · | 4 |
| | 0683627 | | Not Required, Warranty, No Lettering Certification, Vehicle Stability, CD0156 | 1 |
| | | | <u>.</u> | 7 |
| | 0610839 | | Certification, Engine Installation, Enforcer, Detroit DD13, 2016, CD0146 | 7 |
| | 0686786 0631980 | | Certification, Power Steering, CD0098 | 1 |
| | 0631980 | | Certification, Cab Door Durability, Saber FR/Enforcer, CD0130 | 1 |
| 3 8 0 | 00319/3 | | Certification, Cab Door Durability, Saber FR/Enforcer, CD0137 | 1 |

9/16/2019 6:19 PM Bid #: 1135 Job #: 32033 Page 10

| Line | Option | Туре | Option Description | Qty |
|------|---------|------|--|-----|
| 391 | 0631978 | | Certification, Windshield Wiper Durability, Saber FR/Enforcer, CD0132 | 1 |
| 392 | 0631974 | | Certification, Electric Window Durability, Saber FR/Enforcer, CD0133 | 1 |
| 393 | 0631977 | | Certification, Seat Belt Anchors and Mounting, Saber FR/Enforcer, CD0134 | 1 |
| 394 | 0631976 | | Certification, Cab Heater and Defroster, Saber FR/Enforcer, CD0131 | 1 |
| 395 | 0631971 | | Certification, Cab Air Conditioning Performance, Saber FR/Enforcer, CD0135 | 1 |
| 396 | 0545073 | | Amp Draw Report, NFPA Current Edition | 1 |
| 397 | 0002758 | | Amp Draw, NFPA/ULC Radio Allowance | 1 |
| 398 | 0799247 | | Appleton/Florida Stock Unit | 1 |
| 399 | 0000048 | | PUMPER/TANKER, 3rd Gen | 1 |
| 400 | 0000012 | | PIERCE CHASSIS | 1 |
| 401 | 0562778 | | DD13 ENGINE | 1 |
| 402 | 0046396 | | EVS 4000 Series TRANSMISSION | 1 |
| 403 | 0520324 | | PIERCE PUMP, PUC | 1 |
| 404 | 0020009 | | POLY TANK | 1 |
| 405 | 0028048 | | FOAM SYSTEM | 1 |
| 406 | 0020006 | | SIDE CONTROL | 1 |
| 407 | 0020007 | | AKRON VALVES | 1 |
| 408 | 0020015 | | ABS SYSTEM | 1 |
| 409 | 0658751 | | PUMPER BASE | 1 |

9/16/2019 6:19 PM Bid #: 1135 Job #: 32033 Page 11