



Legislation Details (With Text)

File #: 19-300-00004 **Version:** 1 **Name:**

Type: Use **Status:** Passed

File created: 6/6/2019 **In control:** Planning & Zoning Commission

On agenda: 6/12/2019 **Final action:** 6/12/2019

Title: USE PERMIT FOR PUBLIC UTILITY FACILITY FOR COG WELL NO. 26 IN BULLARD WASH IN CENTERRA PAD
PROPOSED ACTION:

1. Conduct a public hearing to consider a request for a Use Permit for a Public Utility Facility submitted by the City of Goodyear Public Works Department to allow development of Well No. 26 (water extraction well and associated equipment) on 0.77 acres zoned Open Space/Bullard Wash by the Centerra Planned Area Development (PAD) located east of Tract "CC" of Centerra, south of and adjacent to 627 S. 150th Drive.
 - a. Open public hearing
 - b. Staff presentation
 - c. Receive public comment
 - d. Close public hearing
2. Recommend approval of a Use Permit for a Public Utility Facility requested by the City of Goodyear Public Works Department to allow development of Well No. 26 (water extraction well and associated equipment) on 0.77 acres zoned Open Space/Bullard Wash by the Centerra Planned Area Development (PAD) located east of Tract "CC" of Centerra, south of and adjacent to 627 S. 150th Drive, subject to stipulations. (Joe Schmitz, Long Range Planner)

Sponsors:

Indexes:

Code sections:

Attachments: 1. Staff Report, 2. Aerial Photo, 3. Narrative, 4. Conceptual Site Plan and Elevations

Date	Ver.	Action By	Action	Result
6/12/2019	1	Planning & Zoning Commission	APPROVED	Pass

USE PERMIT FOR PUBLIC UTILITY FACILITY FOR COG WELL NO. 26 IN BULLARD WASH IN CENTERRA PAD

PROPOSED ACTION:

1. Conduct a public hearing to consider a request for a Use Permit for a Public Utility Facility submitted by the City of Goodyear Public Works Department to allow development of Well No. 26 (water extraction well and associated equipment) on 0.77 acres zoned Open Space/Bullard Wash by the Centerra Planned Area Development (PAD) located east of Tract "CC" of Centerra, south of and adjacent to 627 S. 150th Drive.
 - a. Open public hearing
 - b. Staff presentation
 - c. Receive public comment
 - d. Close public hearing
2. Recommend approval of a Use Permit for a Public Utility Facility requested by the City of Goodyear

Public Works Department to allow development of Well No. 26 (water extraction well and associated equipment) on 0.77 acres zoned Open Space/Bullard Wash by the Centerra Planned Area Development (PAD) located east of Tract "CC" of Centerra, south of and adjacent to 627 S. 150th Drive, subject to stipulations. (Joe Schmitz, Long Range Planner)